

# Appendix C – Schedule of Main Modifications to Appendix 1 to the Plan (Site Allocations)

## Contents

<b>1</b>	<b>Introduction</b>	<b>3</b>
<b>2</b>	<b>Employment Allocations</b>	<b>8</b>
2.1	Brighouse Employment Allocations	8
2.2	Elland Employment Allocations	19
2.3	Halifax Employment Allocations	34
2.4	Mytholmroyd Employment Allocations	55
2.5	Ripponden Employment Allocations	59
2.6	Sowerby Bridge Employment Allocations	61
<b>3</b>	<b>Mixed Use Allocations</b>	<b>63</b>
3.1	Brighouse Mixed Use Allocations	63
3.2	Elland Mixed Use Allocations	71
3.3	Halifax Mixed Use Allocations	77
3.4	Hebden Bridge Mixed Use Allocations	93
<b>4</b>	<b>Housing Allocations</b>	<b>96</b>
4.1	Brighouse Housing Allocations	96
4.2	Brighouse Garden Suburbs	130
4.3	Elland Housing Allocations	137
4.4	Halifax Housing Allocations	171
4.5	Hebden Bridge Housing Allocations	256
4.6	Mytholmroyd Housing Allocations	262
4.7	Northowram and Shelf Housing Allocations	275

## Contents

---

4.8	Ripponden Housing Allocations.....	304
4.9	Sowerby Bridge Housing Allocations.....	314
4.10	Todmorden Housing Allocations.....	333
<b>5</b>	<b>Minerals Sites .....</b>	<b>364</b>
<b>6</b>	<b>Waste Sites .....</b>	<b>368</b>



# 1 Introduction

---

## Explanatory Notes

### Structure of the Modifications

All modifications are set out in the same order as the Calderdale Local Plan Publication Draft. Each main modification has a reference number commencing MM (eg MM01).

### Illustration of the Modifications

The modifications are shown as follows:

Deleted text - strikethrough (~~example~~)

Inserted text - underline and italics (*example*)

---




**INTRODUCTION**

Modification Reference	Page	Para/Table/Box/Policy	Tracked change
MM141	2	1.1	<p>This document expands on the information about the land allocations in Policies SD5 (Employment), SD6 (Mixed Use) and SD7 (Housing) of the Local Plan and is intended to assist developers in formulating detailed proposals to bring sites forward. <u>The document also includes supporting information on Minerals and Waste Allocations (Policy MS5 and WA2).</u> The sites are listed both by allocation type and the nine Local Plan Areas. Map 1.1 is a key map showing all of the Local Plan Areas with Maps 1.2 to 1.10 showing the land allocations within the individual Local Plan Areas. <del>Detailed information about how the sites were assessed can be found in the document "Site Allocations Assessment Methodology Local Plan – Publication Draft".</del> Each site schedule is accompanied by a site plan showing both the site boundary and the indicative developable area which is based on constraints identified in <u>from</u> the site assessment process. The lists of reports required and site-specific considerations direct those wishing to bring schemes forward to the most relevant issues to be addressed. These lists are not exclusive and other matters may arise at the detailed planning stage <u>in accordance with Local Plan policy and Local List requirements, such as an Air Quality Assessment which will be required on most Local Plan allocations.</u> Similarly, the <del>indicative developable areas</del> <u>as well as the site capacities are indicative and</u> may be subject to minor changes <del>when</del> <u>based on the evidence provided at the planning application stage and when</u> an actual development schemes <del>is</del> <u>are</u> drawn up.</p>

## 2 Employment Allocations

### 2.1 Brighouse Employment Allocations

Modification Reference	Page	Site Reference
MM142	12	LP0032 Land to the rear of Crosslee PLC, Brighouse Road, Hipperholme, Brighouse
		<p data-bbox="593 448 824 480"><b>Tracked Change</b></p> <div data-bbox="1375 507 2069 1310"><p data-bbox="1509 512 1984 544"><b>Map - Local Plan Publication Draft</b></p><p>The map displays a site allocation outlined in red, situated behind a building labeled 'Factory'. A stippled area within the site is designated as an 'Indicative Developable Area'. The map also shows surrounding residential areas and green spaces.</p><p data-bbox="1391 1166 1682 1294"><b>Legend</b> [Red Outline] Site Allocation [Stippled Area] Indicative Developable Area © Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</p></div>

		<p>Site area (Ha) 1.94</p> <p>Indicative developable site area 1.94</p> <p>Total floorspace (sqm) 7760</p> <p>Appropriate uses B1c</p> <p>Land type Brownfield</p> <p>Ownership Private</p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"><li>- Potential for surface water flooding</li><li>- Proximity to Grade II Listed Building (1 and 2 Yew Trees) and historic park</li><li>- Archaeology (PRN 2599)</li><li>- Location of storm water tank</li><li>- AQMA (No 7 Hipperholme)</li><li>- Contaminated land</li></ul> <p><b>Reports Required:</b></p> <ul style="list-style-type: none"><li>- Flood Risk Assessment</li><li>- Site investigation (drainage)</li><li>- Transport Assessment (including assessment of Hipperholme cross roads) &amp; Travel Plan</li><li>- Access proposals and mitigation proposals and design.</li></ul>
--	--	--

## 2 Employment Allocations

	<ul style="list-style-type: none"><li>- Noise Impact Assessment</li><li>- <del>Pre-determination Archaeological Evaluation</del></li><li>- Contaminated Land Assessment</li></ul> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li>- Provision of SuDS</li><li>- Good quality design and layout</li><li>- Highway improvements to access</li><li>- Highway mitigation is likely to be required at Hipperholme Crossroads, subject to assessment</li><li>- Consideration of guidance in the West Yorkshire Low Emission Strategy</li><li>- Mitigation for any noise impact</li></ul>
--	--

## 2 Employment Allocations

Modification Reference	Page	Site Reference
MM143	13	LP0332 Brow Mills Industrial Estate, Brighthouse Road, Hipperholme
		<b>Tracked Change</b>
		Site Area <del>0.53</del> <u>0.52</u> Developable Area <del>0.53</del> <u>0.52</u> Appropriate Uses <del>B1c/B2</del> , <u>E(giii)</u>

## 2 Employment Allocations

Modification Reference	Page	Site Reference
MM144	14	<p data-bbox="595 316 1205 347">LP0585 Land west of, Anchor Place, Brighthouse</p> <p data-bbox="595 379 824 411"><b>Tracked Change</b></p> <p data-bbox="595 443 965 475">Appropriate Uses <del>B4e</del> <u>E(giii)</u></p> <p data-bbox="595 507 999 539"><b>Site Specific Considerations:</b></p> <ul data-bbox="595 579 2074 970" style="list-style-type: none"> <li data-bbox="595 579 860 611">- Provision of SuDS.</li> <li data-bbox="595 651 1532 683">- <del>Consideration of recommendations in the Heritage Impact Assessment</del></li> <li data-bbox="595 722 2074 826">- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li data-bbox="595 866 1099 898">- Provision of 10m stand off to the river</li> <li data-bbox="595 938 1664 970">- Highway improvements Birds Royd Lane- extension and provision of turning head</li> </ul>

Modification Reference	Page	Site Reference
MM145	15	<p data-bbox="616 316 1496 347">LP1232 Land at Wakefield Road/Clifton Common, Clifton, Brighouse</p> <p data-bbox="616 379 846 411"><b>Tracked Change</b></p> <p data-bbox="616 443 965 475">Site Area (ha) <del>25.42</del> <u>25.33</u></p> <p data-bbox="616 507 1189 539">Indicative developable site area <del>21.38</del> <u>21.27</u></p> <p data-bbox="616 571 1301 603">Total <del>B</del> <u>Employment</u> Floorspace (sq m) <del>49477</del> <u>45789</u></p> <p data-bbox="616 635 1066 667">Appropriate Uses <del>B1, B2, B8,</del> <u>E(q)</u></p> <p data-bbox="616 699 792 730"><b>Constraints:</b></p> <ul data-bbox="616 762 1346 1177" style="list-style-type: none"> <li>- Topography</li> <li>- Potential surface water flood risk</li> <li>- Potential to contain archaeological remains (PRN3503)</li> <li>- UK BAP priority habitat – Alegar Bank Wood</li> <li>- Lowland Mixed deciduous woodland</li> <li>- Wildlife Habitat Network - disused railway corridor</li> </ul>



## 2 Employment Allocations

	<ul style="list-style-type: none"><li>- Potential land contamination</li><li>- Potential air quality impact</li><li>- <u>Tree Preservation Orders</u></li><li>- <u>Public Right of Way (Brighthouse 135)</u></li><li>- <u>History of coal mining on the site</u></li><li>- <u>Potential Protected Species (bats) on site</u></li></ul> <p><b>Reports Required:</b></p> <ul style="list-style-type: none"><li>- Surface water/drainage network assessment and historical analysis of Henshaw Drain</li><li>- Flood Risk Assessment</li><li>- Predetermination Archaeological Evaluation</li><li>- Strategic Transport Assessment</li><li>- Detailed traffic modelling at specified junctions and demonstration of accessibility by non-car modes.</li><li>- Preliminary Ecological Appraisal</li><li>- Ecological Impact Assessment and Ecological Management Plan.</li><li>- Contaminated Land Assessment - Air Quality Assessment</li><li>- <u>Protected Species Survey</u></li><li>- <u>Phase 1 Habitat Survey</u></li><li>- <u>Ecological Record Search</u></li></ul>
--	--



		<ul style="list-style-type: none"><li>- <u>Tree Survey</u></li><li>- Masterplanning</li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li><li>- Mitigation of impact on Strategic Road network as identified by WYCA/Calderdale (see also West Yorkshire Infrastructure Study)</li><li>- Mitigation for land drainage could be secured through green and blue Infrastructure on site such as SuDS and green roofs to reduce the infiltration rate, and provision for storage of storm water run-off.</li><li>- Retain deciduous woodland (Calderdale Wildlife habitat Network), and provide for biodiversity enhancement and maintenance (Wildlife habitat network)</li><li>- Consideration of guidance in West Yorkshire Low Emissions Strategy is required.</li><li>- Ensure the retention of a strong and defensible boundary between the allocation for employment and the Green Belt.</li><li>- <u>Plant species rich hedgerows on all site boundaries</u></li><li>- <u>Landscaping of the site to mitigate impact on neighbouring residential properties, to include retention on existing trees and additional tree and hedgerow planting, supported by a Landscape Infrastructure Strategy, a Landscape Management Plan and a Woodland Management Plan.</u></li></ul>
--	--	--





## 2 Employment Allocations

Modification Reference	Page	Site Reference
MM146	17	LP1618 Land west of Huddersfield Road, Brighouse
		<b>Tracked Change</b>
		<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p><b>Map - Local Plan Publication Draft</b></p>  </div> <div style="text-align: center;"> <p><b>Map - Modification</b></p>  </div> </div>
Site Area: <del>7.00</del> <u>7.39</u>		

		<p>Indicative Developable Area: <del>6.69</del> <u>4.81</u></p> <p>Total <del>B</del> <u>Employment</u> Floorspace: <del>24,430</del> <u>15,000</u></p> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"> <li>- Provision of SuDS</li> <li>- <del>Consideration of recommendations in the Heritage Impact Assessment</del> <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li>- <u>Any access across the site should ensure that major harm is not caused to the setting of the listed building. Consideration should be had to appropriate positioning, landscaping, boundary treatment and planting (including retention of trees) in this regard.</u></li> <li>- <u>Proposals should demonstrate how design and layout of the development will not cause undue prominence within the landscape including use of materials and restrictions in scale and height where necessary. This should include details of retention and enhancement of the existing screening.</u></li> <li>- <u>Design and layout should ensure that no buildings or structures, including the access road, are visible from the listed buildings.</u></li> <li>- <del>20m</del> <u>20m</u> buffer to the west boundary planted with locally native shrubs</li> <li>- All other <del>b</del> <u>Boundaries to be</u> planted with species rich hedgerows</li> <li>- Strong and defensible boundary between the site and the Green Belt will be required.</li> <li>- High quality design and layout</li> <li>- Refer to West Yorkshire Low Emission Strategy to mitigate for potential impact on Air Quality</li> <li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li> <li>- <u>Tree belt to the north western boundary to be retained</u></li> </ul>
--	--	--

## 2 Employment Allocations

### 2.2 Elland Employment Allocations



Modification Reference	Page	Site Reference		
MM147	18	LP0009 Land to the south of premises on Lowfields Way, Elland		
		<p data-bbox="616 448 846 480"><b>Tracked Change</b></p> <table border="1" data-bbox="607 501 2123 1398"><thead><tr><th data-bbox="607 501 1361 608">Map - Local Plan Publication Draft</th><th data-bbox="1368 501 2123 608">Map - Modification</th></tr></thead><tbody><tr><td data-bbox="607 612 1361 1398"><p data-bbox="651 1166 943 1294">A map showing a site allocation (red outline) and an indicative developable area (dotted pattern) adjacent to a railway line and a river. The site is bounded by a red line and contains a dotted area. A legend in the bottom left corner identifies the red outline as 'Site Allocation' and the dotted area as 'Indicative Developable Area'. Below the legend, it states '© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.'</p></td><td data-bbox="1368 612 2123 1398"><p data-bbox="1413 1230 1682 1326">A map showing a site allocation (red outline) and an indicative developable area (dotted pattern) adjacent to a railway line and a river. The site is bounded by a red line and contains a dotted area. A legend in the bottom left corner identifies the red outline as 'Site Allocation' and the dotted area as 'Indicative Developable Area'. Below the legend, it states '© Crown copyright and database rights 2021 Ordnance Survey 0100023069.'</p></td></tr></tbody></table>	Map - Local Plan Publication Draft	Map - Modification
Map - Local Plan Publication Draft	Map - Modification			
 <p data-bbox="651 1166 943 1294">A map showing a site allocation (red outline) and an indicative developable area (dotted pattern) adjacent to a railway line and a river. The site is bounded by a red line and contains a dotted area. A legend in the bottom left corner identifies the red outline as 'Site Allocation' and the dotted area as 'Indicative Developable Area'. Below the legend, it states '© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.'</p>	 <p data-bbox="1413 1230 1682 1326">A map showing a site allocation (red outline) and an indicative developable area (dotted pattern) adjacent to a railway line and a river. The site is bounded by a red line and contains a dotted area. A legend in the bottom left corner identifies the red outline as 'Site Allocation' and the dotted area as 'Indicative Developable Area'. Below the legend, it states '© Crown copyright and database rights 2021 Ordnance Survey 0100023069.'</p>			

		<p>Indicative developable area – <del>3.08</del><u>2.88</u></p> <p>Total <del>B</del> <u>Employment</u> Floorspace <del>16,615</del> <u>10,615</u></p> <p>Appropriate Uses - <del>B1c</del>, B2 and B8, <u>E(qiii)</u></p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"><li>- Potential fluvial and surface water flooding (Shaw Drain and Lodge Drive drain, and River Calder)</li><li>- Site is in three ownerships, and part of the site may not be available for development</li><li>- UK BAP Priority habitat on site – Deciduous woodland</li><li>- Wildlife Habitat network</li><li>- Possible land contamination</li><li>- <u>Proximity to railway line</u></li><li>- <u>Power line crosses the site</u></li></ul> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li>- Provision of SuDS and green and blue infrastructure</li><li>- Defence lines, and Flood resilience and resistance</li><li>- Realignment of retaining wall of the adjacent area of the development.</li><li>- Exclude development within a 20m buffer to the river, and 10m <u>buffer to the railway line</u> to reduce any impact on BAP and Wildlife Habitat Network</li><li>- <u>Consult with Calder Rivers Trust on development proposals</u></li><li>- Avoid massing and height of buildings which increase the level of shade over the river.</li></ul>
--	--	--



## 2 Employment Allocations

		- Possible land remediation
--	--	-----------------------------



Modification Reference	Page	Site Reference
MM148	19	<p data-bbox="595 496 1413 528">LP0021 Land at Ainley Top, Brighthouse Road, Ainley Top, Elland</p> <p data-bbox="595 555 824 587"><b>Tracked Change</b></p> <div style="display: flex; justify-content: space-around;"> <div data-bbox="584 608 1339 1485"> <p data-bbox="745 619 1223 651" style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p data-bbox="618 1289 920 1417"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; background-color: #e0e0e0; border: 1px solid black; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</small> </p> </div> <div data-bbox="1346 608 2101 1485"> <p data-bbox="1637 619 1809 683" style="text-align: center;"><b>Map - Modification</b></p>  <p data-bbox="1379 1337 1659 1453"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; background-color: #e0e0e0; border: 1px solid black; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown copyright and database rights 2021 Ordnance Survey 0100023069</small> </p> </div> </div>

		<p>Site Area (ha): 4.60 <u>4.58</u></p> <p>Indicative developable area 4.60 <u>3.05</u></p> <p>Total <del>B</del> <u>Employment</u> Use: 46,030 12,120</p> <p>Appropriate Uses: B1e <u>E(giii)</u> and B2</p> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"> <li>- Localised widening and realignment of drainage network</li> <li>- Provision of SuDS</li> <li>- Good quality design and layout</li> <li>- M62 J24 junction improvements to signalling and visibility splay at the New Hey Road/ Brighthouse Road junction required</li> <li>- Retention of woodland with 10m buffer planted with native wild flowers</li> <li>- Planting of species rich hedgerows on boundaries and between boundary and copse.</li> <li>- <del>Consideration of recommendations in the Heritage Impact Assessment</del></li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li>- <u>The southern part of the site should be kept free of built development in line with the Heritage Impact Assessment</u></li> <li>- <u>An access road may be appropriate across the area of high sensitivity, subject to suitable design and layout.</u></li> </ul>
--	--	---

## 2 Employment Allocations

	<ul style="list-style-type: none"><li>- <u>Any subsequent Heritage Impact Assessment work should have close regard to views of the ridgeline from Castle Hill Scheduled Monument and the need for sensitive design and layout and building heights in order to satisfactorily mitigate harm to designated heritage assets.</u></li><li>- <u>Development should respect the landscape setting and historic character of the mound adjoining the indicative developable area.</u></li><li>- Predetermination Archaeological Evaluation</li><li>- Mitigation for impact any significant increase in noise.</li><li>- Consideration of guidance in the West Yorkshire Low Emission Strategy</li><li>- Retention of a strong and defensible boundary between the development and the Green Belt.</li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--



Modification Reference	Page	Site Reference <span style="float: right;">———</span>
MM149 <sup>(i)</sup> .	22	LP0059 Land to west of Medical Centre, Stainland Road, West Vale, Elland
		<p><b>Tracked Change</b></p> <div style="display: flex; justify-content: space-around;"> <div data-bbox="607 432 1361 1294"> <p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p>This map shows the site allocation (red outline) and indicative developable area (dotted pattern) for the site. The site is located to the west of the Medical Centre, bounded by Stainland Road to the south and east, and Little Bradley to the west. Other nearby features include Carvic House, Green Lane, and Green Road. A legend in the bottom left corner identifies the symbols for Site Allocation and Indicative Developable Area. Copyright information for 2018 is also present.</p> </div> <div data-bbox="1368 432 2123 1294"> <p style="text-align: center;"><b>Map - Modification</b></p>  <p>This map shows the site allocation (red outline) and indicative developable area (dotted pattern) for the site, reflecting the modification. The site boundaries and surrounding context are consistent with the previous map. A legend in the bottom left corner identifies the symbols for Site Allocation and Indicative Developable Area. Copyright information for 2022 is also present.</p> </div> </div>

i In the papers presented to Cabinet on 11 July 2022, two MM references had been attributed to modifications for this site. For clarity, MM150 no longer exists

## 2 Employment Allocations


		Site Area (ha) <del>0.30</del> -0.27 Appropriate Uses: B1a <u>E(gi)</u>
--	--	--

Modification Reference	Page	Site Reference
MM151	23	LP0355 Ainleys Industrial Estate, Ainley Bottom, Elland
		<b>Tracked Change</b>
		Appropriate Uses: B1e <u>B2, E(giii)</u>

Modification Reference	Page	Site Reference
MM152	23	<p data-bbox="595 316 1070 347">LP0960 Land off, South Lane, Elland</p> <p data-bbox="595 379 824 411"><b>Tracked Change</b></p> <p data-bbox="595 443 1070 475">Appropriate Uses: <del>B1c/B2</del>, B8 <u>E(qiii)</u></p> <p data-bbox="595 507 770 539"><b>Constraints:</b></p> <ul data-bbox="595 587 1308 898" style="list-style-type: none"> <li>- Potential for surface water flooding</li> <li>- UK BAP Priority habitat on site - Deciduous woodland</li> <li>- <u>Wildlife Habitat Network</u></li> <li>- Archaeology – (PRN12154)</li> <li>- <u>Horncliffe Quarry Landfill</u></li> </ul> <p data-bbox="595 938 853 970"><b>Reports Required:</b></p> <ul data-bbox="595 1010 1733 1321" style="list-style-type: none"> <li>- Site investigation and assessment of surface water drainage network and historical data</li> <li>- Flood Risk Assessment</li> <li>- Site investigation (flooding)</li> <li>- Transport Assessment/Travel Plan and Junction Design and Mitigation Assessment</li> <li>- <u>Preliminary Ecological Appraisal</u></li> </ul>

## 2 Employment Allocations

	<ul style="list-style-type: none"><li>- Protected Species Survey</li><li>- <u>Ecological Impact Assessment and associated Protected Species Survey</u></li></ul> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li>- Provision of SuDS</li><li>- Good quality design and layout, including junction design</li><li>- Noise mitigation</li><li>- <u>Mitigation measures to protect Wildlife Habitat Network</u></li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	---

Modification Reference	Page	Site Reference
MM153	25	LP1223 Lowfields, Lacy Way, Elland
		<b>Tracked Change</b>
		<p data-bbox="1503 440 1984 472" style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p data-bbox="595 1286 920 1318">Site area (Ha) <del>2.27</del> <u>2.26</u></p>

## 2 Employment Allocations

	<p>Indicative developable site area <del>2.27</del></p> <p><u>2.26</u></p> <p>Total B floorspace (sqm) 7911</p> <p>Appropriate uses <u>E(giii)</u> B1c, B2 and B8</p> <p>Land type Brownfield</p> <p>Ownership Private</p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"><li>- Potential land contamination</li><li>- Multiple ownership</li><li>- Overhead powerlines</li><li>- <u>Potential fluvial flood risk</u></li></ul> <p><b>Reports Required:</b></p> <ul style="list-style-type: none"><li>- Flood Risk Assessment</li><li>- Site investigation (drainage)</li><li>- Assessment of surface water drainage network</li><li>- Transport Assessment must include a capacity assessment of A629 / Elland Riorges Link</li><li>- Land Contamination Report</li></ul> <p><b>Site Specific Considerations:</b></p>
--	--

## 2 Employment Allocations

		<ul style="list-style-type: none"><li>- Possible provision of SuDS</li><li>- Junction improvements</li><li>- Possible land remediation</li></ul>
--	--	--

## 2 Employment Allocations

Modification Reference	Page	Site Reference
MM154	26	LP1443 Land between, Wistons Lane and Jubilee Way, Elland
		<b>Tracked Change</b>
		Appropriate Uses <del>B4c</del> <u>E(giii)</u>



### 2.3 Halifax Employment Allocations



Modification Reference	Page	Site Reference
MM155	27	<p data-bbox="595 360 1200 395">LP0105 Land at Listers Road, Shibden, Halifax</p> <p data-bbox="595 424 819 459"><b>Tracked Change</b></p> <p data-bbox="595 488 909 523">Site Area (ha) <del>0.30</del> <u>0.29</u></p> <p data-bbox="595 552 1133 587">Indicative developable site area <del>0.30</del> <u>0.29</u></p> <p data-bbox="595 632 775 667"><b>Constraints:</b></p> <p data-bbox="595 695 2029 762"><u>- Site is located in close proximity to Regionally Important Geological or Geomorphological Site Beacon Hill and Godley Lane.</u></p> <p data-bbox="595 807 864 842"><del>- Proximity to cutting.</del></p> <p data-bbox="595 871 999 906"><b>Site Specific Considerations:</b></p> <p data-bbox="595 951 864 986">- Provision of SuDS</p> <p data-bbox="595 1015 1357 1050">- Possible inclusion of buffer to northern boundary to cutting</p> <p data-bbox="595 1094 1021 1129">- Good quality design and layout</p> <p data-bbox="595 1158 1223 1193"><u>- Consultation with West Yorkshire Geology Trust</u></p> <p data-bbox="595 1238 1267 1273"><u>- Provide suitable access to view geological feature.</u></p>

## 2 Employment Allocations

Modification Reference	Page	Site Reference
MM156	28	LP0409 Land off Bob Lane/Hubert Street, Highroad Well, Halifax
		<b>Tracked Change</b>
		Appropriate Uses <del>B1e</del> <u>E(giii)</u>

Modification Reference	Page	Site Reference
MM157	29	<p data-bbox="593 322 1055 352">LP0472 Land off, Lilly Lane, Halifax</p> <p data-bbox="593 384 824 414"><b>Tracked Change</b></p> <p data-bbox="593 446 1144 477">Indicative developable site area <del>0.61</del><u>0.62</u></p> <p data-bbox="593 515 999 545"><b>Site Specific Considerations:</b></p> <ul data-bbox="593 587 2018 1222" style="list-style-type: none"> <li data-bbox="593 587 853 617">- Provision of SuDS</li> <li data-bbox="593 659 1473 689">- Defence line of the water courses and flood resilience &amp; resistance</li> <li data-bbox="593 730 2018 793">- Bridge over Waterside (Hebble Brook) would need widening to accommodate development traffic and provide access</li> <li data-bbox="593 834 1061 865">- Retain 10m buffer to Hebble Brook</li> <li data-bbox="593 906 1554 936">- Design of layout should minimise light and other disturbance to the Brook</li> <li data-bbox="593 978 1532 1008">- <del>Consideration of recommendations in the Heritage Impact Assessment</del></li> <li data-bbox="593 1050 2074 1150">- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li data-bbox="593 1192 927 1222">- Regeneration objectives</li> </ul>

## 2 Employment Allocations

Modification Reference	Page	Site Reference
MM158	30	LP0805 Holmfield railway line, Holdsworth Road, Holmfield, Halifax
		<b>Tracked Change</b>
		<div style="display: flex; justify-content: space-around;"> <div data-bbox="607 432 1361 1300"> <p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  </div> <div data-bbox="1368 432 2125 1300"> <p style="text-align: center;"><b>Map - Modification</b></p>  </div> </div>
<p>Site area (ha) <del>1.37</del> <u>1.40</u></p>		

## 2 Employment Allocations

		<p>Indicative developable site area <del>1.37</del> <u>1.40</u></p> <p>Total <del>B</del> <u>Employment</u> Floorspace <del>4,762</del> <u>4760</u></p>
--	--	---

Modification Reference	Page	Site Reference
MM159	31	LP0976 Clarence Mill, Pellon Lane, Halifax
		<b>Tracked Change</b>
		Appropriate Uses <del>B1c/B2</del> , <u>E(giii)</u>

## 2 Employment Allocations



Modification Reference	Page	Site Reference
MM160	32	<p data-bbox="595 316 1800 347">LP1018 West of Holmfield Industrial Estate, Riley Lane &amp; Holdsworth Road, Holmfield, Halifax</p> <p data-bbox="595 379 819 411"><b>Tracked Change</b></p> <p data-bbox="595 443 904 475">Site area (ha) <del>6.10</del> <u>6.08</u></p> <p data-bbox="595 512 1133 544">Indicative developable site area <del>4.32</del> <u>4.30</u></p> <p data-bbox="595 576 1084 608">Appropriate Uses <del>B1c/B2, B8, E(giii)</del></p> <p data-bbox="595 639 987 671"><b>Site Specific Considerations</b></p> <ul data-bbox="595 703 2047 1198" style="list-style-type: none"> <li>- Access design</li> <li>- Provision of SuDS</li> <li>- Exclude woodland from development area</li> <li>- <del>Consideration of recommendations in the Heritage Impact Assessment, including the setting of Holdsworth House</del></li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li>- <u>The southern part of the site should be kept free of built development in line with the Heritage Impact Assessment.</u></li> </ul> <p data-bbox="595 1238 1659 1310">- Comprehensive and good quality design and layout Refer to guidance in West Yorkshire Low Emission Strategy for air quality mitigation</p> <p data-bbox="595 1350 1379 1382">- <u>Site requires masterplanning in accordance with Policy IM7.</u></p>

Modification Reference	Page	Site Reference
MM161	33	<p data-bbox="595 355 1413 395">LP1133 Land off Sedbergh Road and Siddal New Road, Halifax</p> <p data-bbox="595 419 819 459"><b>Tracked Change</b></p> <p data-bbox="595 483 904 523">Site area (ha) <del>4.37</del> <u>4.35</u></p> <p data-bbox="595 547 1140 587">Indicative developable site area <del>2.87</del> <u>2.86</u></p> <p data-bbox="595 611 1010 651">Appropriate uses <del>B1c/B2</del>, <u>E(qiii)</u></p> <p data-bbox="595 675 987 715"><b>Site Specific Considerations</b></p> <ul data-bbox="595 754 2085 1361" style="list-style-type: none"> <li>- Green and blue infrastructure, eg SuDS</li> <li>- Defence line of the water courses and flood resilience &amp; resistance</li> <li>- Survey of culvert and mitigation</li> <li>- Restoration of Hebble Brook if practical, and provide 10m buffer</li> <li>- Retain woodland</li> <li>- Consideration of recommendations in the Heritage Impact Assessment</li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li>- <u>Retention and reuse of the non-listed buildings identified in the Heritage Impact Assessment where possible.</u></li> </ul>

## 2 Employment Allocations

		<ul style="list-style-type: none"><li>- <u>Retention of the stone boundary walls and the former warehouse wall along Shaw Hill Lane where possible.</u></li><li>- Noise mitigation</li><li>- Land Remediation</li><li>- Particular consideration of quality and sensitivity of design, layout and materials.</li><li>- Junction improvements - Hunger Hill/ Oxford Road</li><li>- Regeneration objectives</li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--	--



Modification Reference	Page	Site Reference
MM162	35	LP1134 Shaw Lodge Mill Complex, Shaw Lane, Halifax
		<b>Tracked Change</b>
		<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p><b>Map - Local Plan Publication Draft</b></p>  </div> <div style="text-align: center;"> <p><b>Map - Modification</b></p>  </div> </div>
<p>Site Area (ha) <del>1.32</del> <u>1.16</u></p>		

## 2 Employment Allocations



	<p>Appropriate uses B1a/c, E(g)</p> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li>- Junction improvements access to A629 Shaw Lane</li><li>- Provision of buffer with railway planted with locally native scrub and woodland species</li><li>- <del>Consideration of recommendations in the Heritage Impact Assessment</del> <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li><li>- <u>Retention and repair of the stone setts and the stone boundary walls.</u></li><li>- <u>The northern part of the site should be kept free of built development in line with the Heritage Impact Assessment</u></li><li>- Good design and layout</li><li>- Land remediation</li><li>- Regeneration objectives</li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	---

## 2 Employment Allocations

Modification Reference	Page	Site Reference
MM163	36	LP1203 Star Garage, Wakefield Road, Copley, Halifax
		<b>Tracked Change</b>
		Appropriate uses <del>B4c/B2</del> , B8, <u>E(qiii)</u>

Modification Reference	Page	Site Reference
MM164	37	LP1217 Land and Premises, Holmfield Industrial Estate, Holmfield, Halifax
		<b>Tracked Change</b>
		<p>Site area (ha) <del>4.34</del> <u>1.30</u></p> <p>Indicative developable site area <del>4.34</del> <u>1.30</u></p> <p>Total <del>B</del> <u>Employment</u>Floorspace (sq m) <del>4900</del> <u>4585</u></p> <p>Appropriate uses <del>B4c/B2/B8</del>, <u>E(qiii)</u></p> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"> <li>- <u>Provision of green and blue infrastructure on site</u>, eg <u>such as</u> SuDS and green roofs</li> <li>- Defence line of the water courses and flood resilience &amp; resistance</li> <li>- Potential junction improvement if required - Whitehill Road / Keighley Road (A629)</li> <li>- Retention of access to premises on adjacent land.</li> <li>- Good quality design, materials and layout, and careful consideration of boundary treatment.</li> </ul>

## 2 Employment Allocations



Modification Reference	Page	Site Reference
MM165	38	LP1218 Land to South east of Holmfield Industrial Estate, Holmfield, Halifax
		<b>Tracked Change</b>
		<div style="display: flex; justify-content: space-around;"> <div data-bbox="618 435 1339 1284"> <p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p>This map shows the site allocation (red outline) and indicative developable area (dotted pattern) for the site. The site is located to the south-east of the Holmfield Industrial Estate. The map includes labels for 'Works', 'Depot', 'Garage', 'Meir', 'School Gate', and 'Singer Bank'. A legend in the bottom-left corner identifies the red outline as 'Site Allocation' and the dotted pattern as 'Indicative Developable Area'. The copyright notice at the bottom reads: '© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.'</p> </div> <div data-bbox="1361 435 2085 1284"> <p style="text-align: center;"><b>Map - Modification</b></p>  <p>This map shows the site allocation (red outline) and indicative developable area (dotted pattern) for the site. The site is located to the south-east of the Holmfield Industrial Estate. The map includes labels for 'Works', 'Depot', 'Garage', 'Meir', 'School Gate', 'Singer Bank', and 'Netherton Works'. A legend in the bottom-left corner identifies the red outline as 'Site Allocation' and the dotted pattern as 'Indicative Developable Area'. The copyright notice at the bottom reads: '© Crown Copyright and database right 2022. Ordnance Survey Licence number 10023069.'</p> </div> </div>
Site area (ha) <del>0.48</del> <u>0.51</u>		

		<p>Indicative developable site area: <del>0.48</del> <u>0.41</u></p> <p>Total <del>B</del> <u>Employment</u> Floorspace (sq m) <del>1,680</del> <u>1560</u></p> <p>Appropriate uses <del>B1c/B2/B8</del>, <u>E(qiii)</u></p> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li>- Green and blue Infrastructure on site such as SuDS and green roofs</li><li>- Defence line of the water courses and flood resilience and resistance. <u>The watercourse and buffer must remain free from development.</u></li><li>- Land contamination remediation.</li><li>- Implementation of Habitat and Landscape Management Plan, to include measures to deculvert Strines Beck and provide a planted 5m buffer. Details to be agreed at planning application stage, as likely to include land outside Calderdale boundary.</li><li>- Tree planting on SE boundary of site.</li></ul>
--	--	--

## 2 Employment Allocations

Modification Reference	Page	Site Reference
MM166	39	<p data-bbox="595 316 1256 347">LP1219 North of Holmfield Industrial Estate, Halifax</p> <p data-bbox="595 379 819 411"><b>Tracked Change</b></p> <p data-bbox="595 443 902 475">Site area (ha) <del>6.85</del> <u>6.82</u></p> <p data-bbox="595 512 1133 544">Indicative developable site area <del>6.28</del> <u>6.25</u></p> <p data-bbox="595 576 1055 608">Appropriate uses <del>B4e/B2/B8</del>, <u>E(qiii)</u></p> <p data-bbox="595 639 999 671"><b>Site Specific Considerations:</b></p> <ul data-bbox="595 711 2101 1158" style="list-style-type: none"> <li><del>— Access design</del> <u>Comprehensive planning of access, design and layout required with other development sites</u></li> <li>- Possible provision of SuDS</li> <li>- Defence line of the water courses and flood resilience &amp; resistance</li> <li>- Provide a minimum stand off from the Strines beck of 10m. Augment the habitat corridor by including floodwater attenuation wetlands linked to the beck corridor with invert levels set to retain at least 100mm of water. Plant with rich fen habitat.</li> <li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li> <li><u>Part of the Site is also proposed to accommodate a new waste facility as per policy WA5 (waste allocation W3 <del>W4</del>)</u></li> </ul>





Modification Reference	Page	Site Reference	
MM167	40	LP1231 Shay Lane, Ovenden, Halifax	
		<b>Tracked Change</b>	
		<p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p>This map shows the site allocation for LP1231 Shay Lane, Ovenden, Halifax. The site is outlined in red. The indicative developable area is shown with a dotted pattern. The map includes a legend with the following items:</p> <ul style="list-style-type: none"> <li>Site Allocation (Red outline)</li> <li>Indicative Developable Area (Dotted pattern)</li> </ul> <p>© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</p>	<p style="text-align: center;"><b>Map - Modification</b></p>  <p>This map shows the modification to the site allocation for LP1231 Shay Lane, Ovenden, Halifax. The site is outlined in red. The indicative developable area is shown with a dotted pattern. The map includes a legend with the following items:</p> <ul style="list-style-type: none"> <li>Site Allocation (Red outline)</li> <li>Indicative Developable Area (Dotted pattern)</li> </ul> <p>© Crown Copyright and database right 2022. Ordnance Survey Licence number 10023069.</p>
Site area (ha) 3.94 <u>3.93</u>			

## 2 Employment Allocations

---



		Indicative developable site area <del>4.19</del> <u>1.61</u> Total <del>B</del> <i>Employment</i> Floorspace (sq m) <del>4,166</del> <u>5,565</u>
--	--	--



Modification Reference	Page	Site Reference
MM168	41	LP1433 Land off Old Lane, Halifax
		Tracked Change
		<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p><b>Map - Local Plan Publication Draft</b></p>  <p>Site area (ha) 0.38 <u>0.39</u></p> </div> <div style="text-align: center;"> <p><b>Map - Modification</b></p>  <p>Appropriate uses B1c-<u>E(qiii)</u></p> </div> </div>
<p>Site area (ha) 0.38 <u>0.39</u>      Appropriate uses B1c-<u>E(qiii)</u></p>		

## 2 Employment Allocations

### 2.4 Mytholmroyd Employment Allocations

Modification Reference	Page	Site Reference
MM169	42	LP1622 Top Land, Cragg Vale, Hebden Bridge
<b>Tracked Change</b>		
<b>Map - Local Plan Publication Draft</b>		<b>Map - Modification</b>
 <p>This map shows the site allocation for LP1622 Top Land, Cragg Vale, Hebden Bridge. The site is outlined in red and is located within a larger area shaded with a stippled pattern, indicating it is an indicative developable area. The map includes a legend with a red box for 'Site Allocation' and a stippled box for 'Indicative Developable Area'. It also contains copyright information: '© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.'</p>		 <p>This map shows the modification to the site allocation for LP1622 Top Land, Cragg Vale, Hebden Bridge. The site is outlined in red and is located within a larger area shaded with a stippled pattern, indicating it is an indicative developable area. The map includes a legend with a red box for 'Site Allocation' and a stippled box for 'Indicative Developable Area'. It also contains copyright information: '© Crown copyright and database rights 2021 Ordnance Survey 0100023069.'</p>

	<p>Indicative Developable Area <del>7.63</del> <u>5.65</u></p> <p>Total <del>B</del> Employment Floorspace: <del>29,330</del> <u>13,944</u></p> <p>Appropriate Uses: <del>B1</del>, B2, <u>B8</u>, <u>E(qiii)</u></p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"><li>- Special Landscape Area</li><li>- Proximity to Grade II Listed Building (Bank House &amp; New Delight Nos.3-7 Hall Bank Lane)</li><li>- Broadhead Clough SSSI</li><li>- Wildlife Habitat Network</li><li>- Public rights of Way (Hebden Royd 062)</li><li>- Land contamination</li><li>- <u>Site is within 2.5km of the SPA/SAC</u></li></ul> <p><b>Reports Required</b></p> <ul style="list-style-type: none"><li>- Flood Risk Assessment</li><li>- Transport Assessment with capacity assessments</li><li>- <u>Ornithological Report informed by surveys undertaken according to "SPA Bird Survey Methodology" by West Yorkshire Ecology</u></li><li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li><li>- Habitat Regulations Assessment (<u>HRA</u>)</li><li>- Noise Impact Assessment</li></ul>
--	---

## 2 Employment Allocations

	<ul style="list-style-type: none"><li>- Land Contamination Report</li><li>- <u>Landscape Impact Assessment</u></li><li><b>Site Specific Considerations</b></li><li>- Provision of SuDS</li><li>- Blue and green infrastructure</li><li>- Storage for storm water run off</li><li>- Realignment of retaining wall of the adjacent area.</li><li>- <del>Consideration of recommendations in the Heritage Impact Assessment</del></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li><li>- <u>Developable area to be determined through landscape work undertaken at planning application stage. This should be informed by the Landscape Impact Assessment.</u></li><li>- <u>Retention and repair of the stone boundary walls.</u></li><li>- Retention of a strong and defensible boundary between the allocation for employment and the Green Belt</li><li>- Improvements at existing vehicle access onto Cragg Road</li><li>- Improved pedestrian connectivity with rail station and bus stops.</li><li>- Speed restriction and /or traffic calming measures may be required on the B6138.</li><li>- Retain woodland and provide 20m buffer to WHN, and plant along boundaries of site.</li></ul>
--	---







## 2 Employment Allocations

	<ul style="list-style-type: none"><li>- Provide stand off between residential and new development to mitigate effects of any noise impact.</li><li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li><li>- <u>Where likely significant effects have not been ruled out:</u><ul style="list-style-type: none"><li><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li><li><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></li><li><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></li><li><u>Monitoring of impacts to assess bird use over time</u></li></ul></li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--



## 2 Employment Allocations

### 2.5 Ripponden Employment Allocations

Modification Reference	Page	Site Reference				
MM170	44	LP1640 Zodian House, Station Road, Sowerby Bridge				
		<b>Tracked Change</b>				
		<table border="1"><thead><tr><th data-bbox="607 520 1361 619">Map - Local Plan Publication Draft</th><th data-bbox="1368 520 2123 619">Map - Modification</th></tr></thead><tbody><tr><td data-bbox="607 624 1361 1383"><p>This map shows the site allocation for LP1640 Zodian House. The site is outlined in red and filled with a stippled pattern. It is located on Station Road, Sowerby Bridge, near Lock Hill Mills. The map includes a legend with a red box for 'Site Allocation' and a stippled box for 'Indicative Developable Area'. The copyright notice is '© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.'</p></td><td data-bbox="1368 624 2123 1383"><p>This map shows the modification to the site allocation for LP1640 Zodian House. The site is outlined in red and filled with a stippled pattern. It is located on Station Road, Sowerby Bridge, near Lock Hill Mills. The map includes a legend with a red box for 'Site Allocation' and a stippled box for 'Indicative Developable Area'. The copyright notice is '© Crown Copyright and database right 2022. Ordnance Survey Licence number 10023069.'</p></td></tr></tbody></table>	Map - Local Plan Publication Draft	Map - Modification	 <p>This map shows the site allocation for LP1640 Zodian House. The site is outlined in red and filled with a stippled pattern. It is located on Station Road, Sowerby Bridge, near Lock Hill Mills. The map includes a legend with a red box for 'Site Allocation' and a stippled box for 'Indicative Developable Area'. The copyright notice is '© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.'</p>	 <p>This map shows the modification to the site allocation for LP1640 Zodian House. The site is outlined in red and filled with a stippled pattern. It is located on Station Road, Sowerby Bridge, near Lock Hill Mills. The map includes a legend with a red box for 'Site Allocation' and a stippled box for 'Indicative Developable Area'. The copyright notice is '© Crown Copyright and database right 2022. Ordnance Survey Licence number 10023069.'</p>
Map - Local Plan Publication Draft	Map - Modification					
 <p>This map shows the site allocation for LP1640 Zodian House. The site is outlined in red and filled with a stippled pattern. It is located on Station Road, Sowerby Bridge, near Lock Hill Mills. The map includes a legend with a red box for 'Site Allocation' and a stippled box for 'Indicative Developable Area'. The copyright notice is '© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.'</p>	 <p>This map shows the modification to the site allocation for LP1640 Zodian House. The site is outlined in red and filled with a stippled pattern. It is located on Station Road, Sowerby Bridge, near Lock Hill Mills. The map includes a legend with a red box for 'Site Allocation' and a stippled box for 'Indicative Developable Area'. The copyright notice is '© Crown Copyright and database right 2022. Ordnance Survey Licence number 10023069.'</p>					

	<p>Site Area (ha) <del>4.33</del> <u>0.46</u></p> <p>Indicative developable site area <del>4.33</del> <u>0.46</u></p> <p>Total <del>B</del> <u>Employment</u> Floorspace <del>5280</del> <u>1812</u></p> <p>Appropriate uses <del>B1,B2,</del> <u>E(g)</u></p> <p><b>Reports Required:</b></p> <ul style="list-style-type: none"><li>- Flood Risk Assessment</li><li>- Site investigation (flooding)</li><li>- Assessment of the existing surface water drainage network</li><li>- Defence line assessment (flooding mitigation)</li><li>- Transport Assessment (including West Street/Station Road junction) and Travel Plan</li><li>- Contaminated Land Report</li><li>- <u>Landscape Impact Assessment</u></li></ul>
--	---

## 2 Employment Allocations

### 2.6 Sowerby Bridge Employment Allocations

Modification Reference	Page	Site Reference
MM171	45	LP1220 Adjacent Lloyds, Wakefield Road, Copley, Halifax
		<p><b>Tracked Change</b></p> <p>Appropriate Uses <del>B1a/B1b/B8</del>, <u>E(g)</u></p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"><li>- <del>Local wildlife corridor</del></li><li>- <u>Site adjacent to the Wildlife Habitat Network</u></li><li>- Unstable land</li><li>- Potential for fluvial and surface water flooding</li><li>- Sowerby Bridge Air Quality Management Area</li><li>- Listed Buildings (Old Hall, Washer Lane – Grade II)</li></ul> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li>- Highway improvements - widening of Washer Lane a junction improvements</li><li>- Provision of SuDS</li><li>- Manage land for amphibian habitat along the north and west of the site.</li></ul>



## 2 Employment Allocations


		<ul style="list-style-type: none"><li>- Plant species rich native hedgerows on boundaries.</li><li>- Defence lines along the right bank of Warley Clough and Flood resilience &amp; resistance</li><li>- Good layout design to protect setting of listed buildings.</li><li>- Noise and air quality mitigation , including good quality design and layout</li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--	--



## 3.1 Brighouse Mixed Use Allocations

Modification Reference	Page	Site Reference
MM172		<u>LP0032 Land to the rear of Crosslee PLC, Brighouse Road, Hipperholme</u> <b>Tracked Change</b>

### 3 Mixed Use Allocations

			<p style="text-align: center;"><b>Map - Modification</b></p>  <p>The map shows a site allocation (red outline) and an indicative developable area (dotted pattern) in an urban setting. The site allocation is a large, irregularly shaped area. The indicative developable area is a smaller, more rectangular area within the site allocation. The map includes a legend with the following items:</p> <ul style="list-style-type: none"><li>Site Allocation (Red outline)</li><li>Indicative Developable Area (Dotted pattern)</li></ul> <p>© Crown copyright and database rights 2020 Ordnance Survey 100023608</p>
		<p><u>Site Area: 10.89</u></p> <p><u>Indicative Developable Area: 8.56</u></p> <p><u>Total Non-Residential floorspace (sq.m): 7,620</u></p> <p><u>Appropriate Uses: B2, B8, C2, C3, E(a), E(qiii), F1</u></p> <p><u>Total No. of Dwellings: 188</u></p> <p><u>Land type: Mixed</u></p>	

	<p><u>Ownership: Private</u></p> <p><b><u>Constraints:</u></b></p> <ul style="list-style-type: none"><li>- <u>Potential for surface water flooding</u></li><li>- <u>Impact on A58 / A644 junction</u></li><li>- <u>Proximity to Grade II Listed Building (1 and 2 Yew Trees)</u></li><li>- <u>Archaeology (PRN 2599)</u></li><li>- <u>AQMA (No 7 Hipperholme)</u></li><li>- <u>Contaminated land</u></li><li>- <u>Lowland mixed deciduous woodland UK BAP Priority habitat</u></li><li>- <u>Wildlife Habitat Network including Grassland of wildlife value</u></li></ul> <p><b><u>Reports required:</u></b></p> <ul style="list-style-type: none"><li>- <u>Policy RT3 Sequential Test and Retail Impact Assessment</u></li><li>- <u>Flood Risk Assessment supported by pre and post development hydraulic modelling</u></li><li>- <u>Site investigation (drainage)</u></li><li>- <u>Transport Assessment (including assessment of Hipperholme crossroads) &amp; Travel Plan</u></li><li>- <u>Access proposals and mitigation proposals and design.</u></li><li>- <u>Noise Impact Assessment</u></li><li>- <u>Air Quality Assessment</u></li></ul>
--	---

### 3 Mixed Use Allocations

- |  |  |
|--|--|
|  | <ul style="list-style-type: none"><li>- <u>Heritage Impact Assessment</u></li><li>- <u>Predetermination Archaeological Evaluation</u></li><li>- <u>Contaminated Land Assessment</u></li><li>- <u>Ecological Impact Assessment including Net Gain assessment using the Defra biodiversity metric and informed by the most recent species surveys</u></li></ul> <p><b><u>Site Specific Considerations:</u></b></p> <ul style="list-style-type: none"><li>- <u>Redevelopment of the site should make provision for 2 ha of employment development (Use Classes B2, B8, E(g))</u></li><li>- <u>Detail of sufficient mitigation measures for any flood risk identified, including provision of SuDS, ensuring access and egress in a flood event and proposals for emergency evacuation where applicable</u></li><li>- <u>Good quality design and layout</u></li><li>- <u>Highway improvements to access</u></li><li>- <u>Consideration to be given to multi-modal transport corridor improvements</u></li><li>- <u>Transport statement to demonstrate that development will not result in an unacceptable impact on highway safety, or result in a severe residual cumulative impact on the road network</u></li><li>- <u>Consideration of guidance in the West Yorkshire Low Emission Strategy</u></li><li>- <u>Mitigation for any noise impact</u></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting</u></li></ul> |
|--|--|

### 3 Mixed Use Allocations

		<ul style="list-style-type: none"><li>- <u>Wildlife Habitat Network should be excluded from the developable area and Grassland enhanced if possible. These considerations will be based on the outcome of future Ecological Impact Assessment</u></li><li>- <u>On-site open space should meet the quantitative and qualitative needs of future residents and other users of the site</u></li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li><li>- <u>The precise extent and mix of uses is dependent on further Transport Assessment and Air Quality Assessment work. Necessary mitigation measures are to be explored and secured through the planning application process</u></li></ul>
--	--	---


### 3 Mixed Use Allocations

Table MM173

Modification Reference	Page	Site Reference
MM173	46	<p data-bbox="595 360 1223 400">LP0579 126 - 128 Bradford Road, Brighouse</p> <p data-bbox="595 424 842 464"><b>Tracked Change</b></p> <p data-bbox="595 488 1043 528">Appropriate Uses <del>B1a</del>, C3, <del>D</del>, <u>E</u></p> <p data-bbox="595 552 1032 592"><b>Site Specific Considerations:</b></p> <ul data-bbox="595 632 1301 951" style="list-style-type: none"><li>- Provision of SuDS</li><li>- Defence lines and flood resilience and resistance</li><li>- Good quality design and layout</li><li>- Noise mitigation measures</li><li>- <i>Site requires masterplanning in accordance with Policy IM7.</i></li></ul>



Table MM174

Modification Reference	Page	Site Reference
MM174	47	LP0771 Firth's Carpets, 432 Bradford Road, Bailiff Bridge, Brighouse
		<b>Tracked Change</b>
		<p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p> 
Site area (Ha) 0.61		

### 3 Mixed Use Allocations

		<p>Indicative developable site area 0.61</p> <p>Appropriate uses A1, C3</p> <p>Total No. of dwellings 30</p> <p>Land type Brownfield</p> <p>Ownership Private</p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"><li>- Potential of surface water flooding from Clifton Beck and Boundary Beck</li><li>- Contaminated land</li></ul> <p><b>Reports Required:</b></p> <ul style="list-style-type: none"><li>- Evaluation of surface drainage network</li><li>- Contaminated Land Assessment</li></ul> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li>- Provision of SuDS</li></ul>
--	--	--

3.2 Elland Mixed Use Allocations

Table MM175

Modification Reference	Page	Site Reference
MM175	48	<p>LP0509 Land and Buildings opposite B &amp; M, Dewsbury Road, Elland</p> <p><b>Tracked Change</b></p> <p>Total <del>B</del> <u>Employment</u> Floorspace (sq m): <del>4908</del> <u>5000</u></p> <p>Appropriate Uses: A1, B1a, B1c, D uses <u>E(giii)/B2, C3</u></p> <p>Total No. of dwellings: <del>0</del> <u>90</u></p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"> <li>- Potential to increase surface water run off</li> <li>- Third party land may <u>be</u> required for access.</li> <li>- Potential land contamination</li> <li>- <u>Proximity to Elland Conservation Area</u></li> <li>- <u>Listed Building (Former Town Hall - Grade II)</u></li> </ul> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"> <li>- Provision of green and blue infrastructure including SuDS</li> <li>- Good quality design and layout</li> </ul>

### 3 Mixed Use Allocations

		<ul style="list-style-type: none"><li>- Very small area of woodland to be retained</li><li>- <del>Consideration of recommendations in the Heritage Impact Assessment</del> <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting</u></li><li>- Air quality mitigation following guidance in West Yorkshire Low Emission Strategy</li><li>- Noise mitigation</li><li>- <u>Site requires masterplanning in accordance with Policy IM7</u></li></ul>
--	--	---

Table MM176

Modification Reference	Page	Site Reference
MM176	49	<p data-bbox="618 365 1523 400">LP1088 West Vale Works, Stainland Road, West Vale, Greetland</p> <p data-bbox="618 427 869 462"><b>Tracked Change</b></p> <p data-bbox="618 489 1167 525">Indicative Developable Area <del>0.64</del> <u>0.47</u></p> <p data-bbox="618 560 1229 595">Total <del>B</del> <u>Employment</u> Floorspace <del>3660</del> <u>1680</u></p> <p data-bbox="618 630 1070 665">Appropriate Uses <del>B1a, C3,</del> <u>E(g)</u></p> <p data-bbox="618 700 1025 735">Total No. of dwellings: 14 <u>8</u></p> <p data-bbox="618 770 808 805"><b>Constraints:</b></p> <ul data-bbox="618 841 1189 1303" style="list-style-type: none"> <li>- Possible land contamination</li> <li>- UK BAP priority area (Black Brook)</li> <li>- Listed Building in close proximity</li> <li>- Historic Environment Record PRN3675</li> <li>- <u>Risk of reservoir flooding</u></li> <li>- <u>Potential fluvial flood risk</u></li> <li>- <u>Non main watercourse (Black Brook)</u></li> </ul> <p data-bbox="618 1339 1059 1374"><b>Site Specific Considerations:</b></p>

### 3 Mixed Use Allocations

	<ul style="list-style-type: none"><li>- Provision of SuDS</li><li>- Realignment of retaining wall of the adjacent area.</li><li>- Buffer of 10m to Black Brook</li><li>- Minimise light pollution and other disturbance in area of Black Brook</li><li>- Noise mitigation</li><li>- Good quality design layout and materials.</li><li>- <del>Consideration of recommendations in the Heritage Impact Assessment</del></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	---

Table MM177

Modification Reference	Page	Site Reference
MM177	50	<p data-bbox="618 368 1048 400">LP1123 Kinnaird Close, Elland</p> <p data-bbox="618 427 864 459"><b>Tracked Change</b></p> <p data-bbox="618 491 1227 523">Total <del>B</del> <u>Employment</u> Floorspace <del>6920</del> <u>4300</u></p> <p data-bbox="618 563 1043 595">Appropriate uses <del>B4</del>, C3, <u>E(g)</u></p> <p data-bbox="618 635 994 667">Total No. dwellings: <del>38</del> <u>68</u></p> <p data-bbox="618 707 801 738"><b>Constraints:</b></p> <ul data-bbox="618 778 1218 1161" style="list-style-type: none"> <li>- Potential to increase surface water run off</li> <li>- Possible contaminated land</li> <li>- Road noise</li> <li>- Air quality</li> <li>- <u>Risk of reservoir flooding</u></li> <li>- <u>Potential fluvial flood risk</u></li> </ul> <p data-bbox="618 1201 1057 1233"><b>Site Specific Considerations:</b></p> <ul data-bbox="618 1273 1818 1369" style="list-style-type: none"> <li>- Provision of SuDS</li> <li>- Consideration of the recommendations in the West Yorkshire Low Emission Strategy.</li> </ul>

### 3 Mixed Use Allocations

---

		<ul style="list-style-type: none"><li>- Mix of uses should be appropriate to a residential location</li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--	--



## 3.3 Halifax Mixed Use Allocations

Table MM178

Modification Reference	Page	Site Reference
MM178	51	<p data-bbox="618 448 1442 483">LP0264 Car Park Between Well Lane / King Street, Halifax</p> <p data-bbox="618 507 864 542"><b>Tracked Change</b></p> <p data-bbox="618 571 1330 606">Total <del>B</del> <u>employment</u> floorspace (sqm): <del>3600</del> <u>1417</u></p> <p data-bbox="618 643 1081 678">Appropriate Uses: <del>B1a, C3, E(gi)</del></p> <p data-bbox="618 715 1043 750">Total No. of dwellings: <del>40</del> <u>40</u></p> <p data-bbox="618 786 1059 821"><b>Site Specific Considerations:</b></p> <ul data-bbox="618 858 2112 1430" style="list-style-type: none"> <li>- Provision of SuDS</li> <li>- Possible mitigation required on A58 and A629 junctions.</li> <li>- <del>Consideration of recommendations in the Heritage Impact Assessment</del> <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li>- Consideration of proximity to commercial uses in layout and design</li> <li>- Possible land remediation</li> <li>- Regeneration objectives</li> <li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li> </ul>

### 3 Mixed Use Allocations

Table MM179



Modification Reference	Page	Site Reference
MM179	52	<p>LP0289 Land off King Cross Street, Halifax</p> <p><b>Tracked Change</b></p> <p>Site area (ha) 0.42 <u>0.41</u></p> <p>Indicative developable site area 0.42 <u>0.41</u></p> <p>Total B <u>Employment</u> Floorspace 3600 <u>684</u></p> <p>Appropriate Uses C3, B4a, A1, D, <u>E(a), E(gi)</u></p> <p>Total No of dwellings: 40 <u>26</u></p> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"> <li>- Good quality design and layout</li> <li>- <del>Consideration of recommendations in the Heritage Impact Assessment</del></li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li>- Possible highway improvements</li> <li>- Regeneration objectives</li> <li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li> </ul>

Table MM180

Modification Reference	Page	Site Reference
MM180	53	<p data-bbox="582 336 1339 368">LP0370 Land off, Armitage Road, King Cross, Halifax</p> <p data-bbox="582 376 833 408"><b>Tracked Change</b></p> <p data-bbox="582 416 1146 448">Appropriate uses A1, B1a, D <u>E(a), E(qi)</u></p> <p data-bbox="582 488 1025 520"><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"> <li data-bbox="582 560 1518 592">- Consider guidance in the West Yorkshire Low Emissions Strategy</li> <li data-bbox="582 632 833 663">- Noise mitigation</li> <li data-bbox="582 703 1447 735">- <u>Site requires masterplanning in accordance with Policy IM7.</u></li> </ul>

### 3 Mixed Use Allocations

Table MM181

Modification Reference	Page	Site Reference
MM181	54	LP0749 Stoney Royd Mill Albion Mills, Bailey Hall Road, Halifax
<b>Tracked Change</b>		
<div style="display: flex; justify-content: space-around;"> <div style="width: 48%;"> <p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p style="text-align: center;">Site area (ha) 4.52</p> </div> <div style="width: 48%;"> <p style="text-align: center;"><b>Map - Modification</b></p>  <p style="text-align: center;">Site area (ha) <u>1.51</u></p> </div> </div>		
<p style="text-align: center;">Site area (ha) <del>4.52</del> <u>1.51</u></p>		

		<p>Indicative developable site area 1.52 <u>0.39</u></p> <p>Total B Employment Floorspace (sq m) <u>1699</u></p> <p>Appropriate uses C3, other, <u>E(gi)</u></p> <p>Total No. of dwellings: <del>79</del> <u>56</u></p> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"> <li>- Mitigation to address noise impacts identified in Noise Impact Assessment</li> <li>- <del>Consideration to recommendations provided within the HIA including a masterplan to ensure all measures identified in the HIA are implemented.</del></li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li>- <u>Retention and restoration of the Listed Coal Drops and adjacent open space.</u></li> <li>- <u>Retention and reuse of the other Listed Buildings on the site.</u></li> <li>- <del>Layout and design to consider flooding issues in FRA and opening of culvert housing Hebble Brook</del></li> <li>- <u>The watercourse and buffer must remain free from development.</u></li> <li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li> </ul>
--	--	--

### 3 Mixed Use Allocations


Table MM182

Modification Reference	Page	Site Reference
MM182	55	<p>LP1170 Mulcture Hall Road, Halifax</p> <p><b>Tracked Change</b></p> <p>Site area: <del>3.24</del> <u>3.23</u></p> <p>Total <del>B</del> <u>Employment</u> Floorspace (sq m): <del>3000</del> <u>2630</u></p> <p>Appropriate Uses: <del>B1, C3</del> <u>E(giii), C3</u></p> <p>Total No. of dwellings: <del>42</del> <u>131</u></p> <p><b>Reports required:</b></p> <ul style="list-style-type: none"> <li>- Hydrological Assessment and evaluation of surface water drainage network</li> <li>- Flood Risk Assessment</li> <li>- Transport Assessment A58 / New Bank and A58 / A629 / Orange Street roundabouts</li> <li>- Land Contamination Assessment</li> <li>- <u>Preliminary Ecological Appraisal and protected species survey</u></li> <li>- <u>Pre-determination archaeological survey</u></li> </ul> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"> <li>- <del>Consideration of recommendations in the Heritage Impact Assessment</del></li> </ul>

	<ul style="list-style-type: none"><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting</u></li><li>- <u>Retention and repair of the stone boundary walls where possible</u></li><li>- Comprehensive layout and design</li><li>- Restoration of Hebble Brook (<u>UK BAP priority habitat</u>), including <u>deculverting of sections of the brook (unless prevented by other environmental constraints), and the provision of a minimum buffer of 10m, creating a habitat corridor along the banks following the Calderdale Wildlife Habitat network</u></li><li>- Land remediation</li><li>- Regeneration initiatives</li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	---

### 3 Mixed Use Allocations

Table MM183

Modification Reference	Page	Site Reference
MM183	56	LP1287 Northgate House / Central Library, Northgate, Halifax
		<p><b>Tracked Change</b></p> <div style="display: flex; justify-content: space-between;"> <div data-bbox="609 480 1364 1326" style="width: 45%;"></div> <div data-bbox="1370 480 2123 1326" style="width: 45%;"> <p style="text-align: center;"><b>Map - Modification</b></p>  <p>Map - Modification</p> <p>Legend:</p> <ul style="list-style-type: none"> <li>Site Allocation (Red outline)</li> <li>Indicative Developable Area (Dotted pattern)</li> </ul> <p>© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</p> </div> </div>
		Site area (ha) 0.92




	<p>Indicative developable site area 0.92</p> <p>Total B Employment Floorspace (sq m)</p> <p>Appropriate uses A1, A2, A3, B1, C1, C3, D uses</p> <p>Total No. of dwellings: 40</p> <p>Land type Brownfield</p> <p>Ownership Public</p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"><li>- Possible below ground archaeological (PRN10903)</li><li>- Halifax Town Centre Conservation Area</li><li>- Listed Buildings (17-25 Northgate - Grade II)</li></ul> <p><b>Reports Required:</b></p> <ul style="list-style-type: none"><li>- Flood Risk Assessment</li><li>- Site investigations (drainage)</li><li>- Assessment of the existing surface water drainage network</li><li>- Predetermination Archaeological Evaluation</li><li>- Transport Statement including access arrangements</li></ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"><li>- Surface water management and provision of SuDS</li></ul>
--	--

### 3 Mixed Use Allocations

---

		<ul style="list-style-type: none"><li>- Consideration of recommendations in the Heritage Impact Assessment</li><li>- Include provision for civic open space</li></ul>
--	--	---

Table MM184

Modification Reference	Page	Site Reference
MM184	57	LP1292 Cow Green Car Park, Halifax
		<b>Tracked Change</b>
		<p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p>© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</p>
Site area (ha) 0.34		

### 3 Mixed Use Allocations

		<p><del>Indicative developable site area 0.34</del></p> <p><del>Total B Employment Floorspace (sq m) 0</del></p> <p><del>Appropriate uses A1, C3</del></p> <p><del>Total No. of dwellings: 141</del></p> <p><del>Land type Brownfield</del></p> <p><del>Ownership Public</del></p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"><li><del>- Adjacent to Halifax Town centre Conservation Area</del></li><li><del>- Proximity to Listed Buildings</del></li><li><del>- Potential land contamination</del></li></ul> <p><b>Reports Required:</b></p> <ul style="list-style-type: none"><li><del>- Site investigation and assessment of existing surface water drainage network.</del></li><li><del>- Transport Statement</del></li><li><del>- Land Contamination Report</del></li><li><del>- Noise Impact Report</del></li></ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"><li><del>- Provision of SuDS</del></li><li><del>- Retain areas of open space</del></li></ul>
--	--	---

		<ul style="list-style-type: none"><li>- Consideration of Heritage Impact Assessment recommendations.</li><li>- Mitigation for potential impact of traffic noise</li></ul>
--	--	---

### 3 Mixed Use Allocations

Table MM185

Modification Reference	Page	Site Reference
MM185	58	<p data-bbox="618 363 1581 400">LP1431 Former Mayfield Garage, Queens Road, King Cross, Halifax</p> <p data-bbox="618 427 864 464"><b>Tracked Change</b></p> <p data-bbox="618 491 1234 528">Appropriate Uses A1, <del>B1/B2</del>, C3, <del>G-D</del> <u>E(qi)</u></p> <p data-bbox="618 560 1055 596"><b>Site Specific Considerations:</b></p> <ul data-bbox="618 635 1473 807" style="list-style-type: none"><li data-bbox="618 635 898 671">- Provision of SuDS</li><li data-bbox="618 703 1070 740">- Good quality design and layout</li><li data-bbox="618 772 1473 807">- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>

Table MM186

Modification Reference	Page	Site Reference
MM186	59	<p data-bbox="595 360 1021 400">LP1632 Horton Street, Halifax</p> <p data-bbox="595 424 842 464"><b>Tracked Change</b></p> <p data-bbox="595 488 1312 528">Total <del>B</del> <u>Employment</u> Floorspace (sq m) <del>4680</del> <u>2945</u></p> <p data-bbox="595 552 1133 592">Appropriate Uses <del>A1, B1, C3, D</del> <u>E(giii)</u></p> <p data-bbox="595 616 999 655">Total No. of dwellings <del>47</del> <u>97</u></p> <p data-bbox="595 679 1032 719"><b>Site Specific Considerations:</b></p> <ul data-bbox="595 743 2089 1310" style="list-style-type: none"> <li data-bbox="595 743 875 783">- Provision of SuDS</li> <li data-bbox="595 807 1626 847">- <del>Consideration of recommendations in the Heritage Impact Assessment</del></li> <li data-bbox="595 871 2089 1023">- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li data-bbox="595 1046 842 1086">- Noise mitigation</li> <li data-bbox="595 1110 1155 1150">- Comprehensive site layout and design</li> <li data-bbox="595 1174 954 1214">- Regeneration objectives</li> <li data-bbox="595 1238 1447 1278">- <u>Site requires masterplanning in accordance with Policy IM7.</u></li> </ul>

## 3 Mixed Use Allocations

### 3.4 Hebden Bridge Mixed Use Allocations

Table MM187

Modification Reference	Page	Site Reference
MM187	60	<p>LP0922 Former Hebden Bridge Fire Station</p> <p><b>Tracked Change</b></p> <p>Appropriate Uses <del>B1a</del>, C3, <u>E</u></p> <p>Total <del>B</del> <u>Employment</u> Floorspace (sq m) <del>2220</del> <u>2213</u></p> <p>Total No. of dwellings: <del>44</del> <u>12</u></p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"> <li>- Fluvial and Pluvial Flood Risk</li> <li>- Hebden Bridge Conservation Area</li> <li>- Ecological Issues – proximity to South Pennine Moors SPA/SAC/SSSI</li> <li>- <u>Site is within 2.5km of the SPA/SAC</u></li> <li>- Noise from nearby commercial/industrial uses</li> </ul> <p><b>Reports Required:</b></p> <ul style="list-style-type: none"> <li>- Flood Risk Assessment, to include Hydrological Assessment</li> <li>- Access proposals and Transport Statement.</li> </ul>



		<ul style="list-style-type: none"> <li>- Noise Impact Assessment.</li> <li>- <u>Ornithological Report informed by surveys undertaken according to “SPA Bird Survey Methodology” by West Yorkshire Ecology</u></li> <li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li> <li>- Habitat Regulations Assessment <u>(HRA)</u></li> </ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"> <li>- Provision of SuDS</li> <li>- <del>Consideration to recommendations provided within the HIA</del></li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li> <li>- <u>Where likely significant effects have not been ruled out:</u> <ul style="list-style-type: none"> <li><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li> <li><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></li> <li><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></li> <li><u>Monitoring of impacts to assess bird use over time</u></li> </ul> </li> </ul>
--	--	---

		<ul style="list-style-type: none"><li>- Consider loss of car parking</li><li>- <u>The proposed Hebden Bridge Flood Alleviation Scheme may need to be considered in this location.</u></li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--	--

Table MM188

Modification Reference	Page	Site Reference
MM188	61	<p data-bbox="595 440 1160 483">LP0174 End of Wilton Street, Brighouse</p> <p data-bbox="595 499 842 542"><b>Tracked Change</b></p> <p data-bbox="595 558 875 601">Site area: <del>2.83</del> <u>2.82</u></p> <p data-bbox="595 633 1211 676">Indicative developable site area: <del>4.85</del> <u>1.84</u></p> <p data-bbox="595 708 1025 751"><b>Site Specific Considerations</b></p> <ul data-bbox="595 767 2047 1241" style="list-style-type: none"> <li>- Design and Layout to mitigate Flood Risk - minimum standoff from the Red Beck of 10m</li> <li>- Provision of green and blue infrastructure <u>on site</u> including provision of <u>such as</u> SuDS and green roofs</li> <li>- Provision of storage for storm water run-off is recommended</li> <li>- Retain all of the adjacent woodland</li> <li>- Reduce developable area by providing a 10m buffer from woodland to be planted with native shrubs</li> <li>- Minimise light pollution and other disturbance to the beck corridor.</li> <li>- <u>Provision of parking restrictions at junction of Wilton Street and Brighouse Wood Lane</u></li> </ul>



Table MM189

Modification Reference	Page	Site Reference
MM189	63	<p data-bbox="607 352 2128 416">LP0548 Land at junction of Granny Hall Lane &amp; Blackburn Road, Brighouse</p> <p data-bbox="607 416 2128 480"><b>Tracked Change</b></p> <p data-bbox="607 480 2128 544">Site Area (ha): <del>0.55</del> <u>0.54</u></p> <p data-bbox="607 544 2128 608">Indicative Developable Site Area: <del>0.55</del> <u>0.54</u></p> <p data-bbox="607 608 2128 671">Indicative Density (dph): <del>36</del> <u>30</u></p> <p data-bbox="607 671 2128 735">Indicative Capacity: <del>49</del> <u>16</u></p> <p data-bbox="607 735 2128 799"><b>Site Specific Considerations</b></p> <p data-bbox="607 799 2128 1003"><u>- Development proposals should include suitable mitigation to compensate for the loss of existing on-site open space. Compensatory provision should include qualitative improvements to other open space in the area.</u></p>

## 4 Housing Allocations

Table MM190

Modification Reference	Page	Site Reference
MM190	64	<p data-bbox="595 360 1384 400">LP0565 Land at Bowling Alley/Scholey Avenue, Rastrick</p> <p data-bbox="595 424 842 464"><b>Tracked Change</b></p> <p data-bbox="595 488 1025 528"><b>Site Specific Considerations</b></p> <ul data-bbox="595 560 2089 1230" style="list-style-type: none"> <li>- Defence lines and flood resilience &amp; resistance</li> <li>- Provision of green and blue infrastructure <u>on site such as</u> including SuDS and green roofs</li> <li>- Provision of storage for storm water run-off is recommended</li> <li>- Third Party Land required to widen part of Bowling Alley Terrace</li> <li>- <u>Potential site access via Scholey Avenue</u></li> <li>- Reduce developable land by providing a buffer of 20m on the SE boundary plant with locally native shrubs.</li> <li>- Locally native species rich hedgerows should be planted on the other boundaries.</li> <li>- Avoid light spillage into the woodland</li> <li>- Include bat tubes and bird boxes within any development</li> <li>- Mitigation measures put in place on the remainder natural/semi-natural green space</li> </ul>

Table MM191

Modification Reference	Page	Site Reference
MM191	65	<p data-bbox="618 363 1594 400">LP0568 Land south of Clough Lane, Rear of New Hey Road, Rastrick</p> <p data-bbox="618 427 864 464"><b>Tracked Change</b></p> <p data-bbox="618 491 1021 528">Site Area (ha): <del>4.34</del> <u>4.33</u></p> <p data-bbox="618 560 1267 596">Indicative developable site area: <del>2.36</del> <u>2.37</u></p> <p data-bbox="618 628 1050 665">Indicative density (dph): <del>35</del> <u>33</u></p> <p data-bbox="618 697 987 734">Indicative capacity: <del>83</del> <u>78</u></p> <p data-bbox="618 770 1048 807"><b>Site Specific Considerations</b></p> <ul data-bbox="618 844 2110 1382" style="list-style-type: none"> <li>- Provision of green and blue infrastructure <u>on site such as</u> <del>including</del> green roofs and SuDS</li> <li>- Provision of storage for storm water run-off is recommended</li> <li>- 10m buffer on the south boundary should be taken out of the developable area and planted densely with native shrubs to improve habitat linkages</li> <li>- The central hedgerow should be retained and restored.</li> <li>- A SuDS scheme should take account of existing biodiversity and take the form of fen, marsh, wet woodland, wet grassland or standing water in basins.</li> <li>- Stand-off from motorway</li> <li>- Good acoustic design required for layout and house types.</li> </ul>



## 4 Housing Allocations

---

		<p>- West Yorkshire Low Emission Strategy has been adopted by the Council. This gives guidance on good practice for mitigating air quality impacts</p>
--	--	--




Table MM192

Modification Reference	Page	Site Reference
MM192	67	LP0571 Site to the rear of 9A, Birds Royd Lane, Brighouse
		<b>Tracked Change</b>
		<div style="display: flex; justify-content: space-around;"> <div data-bbox="607 480 1361 1246"> <p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p>Map - Local Plan Publication Draft showing site allocation (red outline) and indicative developable area (dotted pattern). The map includes labels for 'River Calder', 'Weir', 'Bridge', 'ETL', 'Garage', 'Princess Works', 'PRINCESS STREET', and 'Prince of Wales Mill'. A legend indicates 'Site Allocation' (red outline) and 'Indicative Developable Area' (dotted pattern). Copyright information: © Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</p> </div> <div data-bbox="1361 480 2123 1246"> <p style="text-align: center;"><b>Map - Modification</b></p>  <p>Map - Modification showing updated site allocation (red outline) and indicative developable area (dotted pattern). The map includes labels for 'River Cal', 'ETL', 'Garage', 'Princess Works', 'PRINCESS STREET', 'Prince of Wales Mill', 'Garage', '11', 'Garage', '62.8m', '65.8m', 'Depot', 'TCB', 'Site Allocation', and 'Indicative Developable Area'. Copyright information: © Crown copyright and database rights 2021. Ordnance Survey 0100023069.</p> </div> </div> <p>Site Area (ha): <del>0.48</del> <u>0.50</u></p> <p>Indicative developable site area: <del>0.38</del> <u>0.39</u></p>

## 4 Housing Allocations

	<p>Indicative density (dph): 262 <u>256</u></p> <p><b>Constraints</b></p> <ul style="list-style-type: none"><li>- Surface water flood risk</li><li>- River Calder and lowland mixed deciduous woodland - UK BAP Priority Habitats</li><li>- Protected species - otters and bats</li><li>- Wildlife Habitat Network</li><li>- Proximity to industrial/commercial uses</li><li>- Proximity to Brighthouse Air Quality Management Area</li><li>- <u>Risk of reservoir flooding</u></li><li>- <u>Potential fluvial flood risk</u></li><li>- <u>Adjacent to River Calder</u></li></ul> <p><b>Reports Required</b></p> <ul style="list-style-type: none"><li>- Flood Risk Assessment, to include Hydrological Assessment:<ul style="list-style-type: none"><li>- <u>Flood risk hydraulic modelling</u></li><li>● <u>Emergency Access and egress plans (to be provided to the LPA for consideration and agreement with the Council's emergency planners)</u></li><li>● <u>Specific consideration being given to impacts from historic flooding, such as recent flood events in Calderdale</u></li><li>● <u>Following a sequential approach to the layout of the site – i.e. locating development in areas of least flood risk</u></li></ul></li></ul> <p>Topographical surveys may be required to inform FRA.</p>
--	--

Table MM193

Modification Reference	Page	Site Reference
MM193		LP0771 Firth's Carpets, 432 Bradford Road, Bailiff Bridge, Brighouse
		<b>Tracked Change</b>
		<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"></div> <div style="width: 50%; text-align: center;"> <p><b>Map - Modification</b></p>  <p> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; border: 1px dotted black; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</small> </p> </div> </div>
<u>Site area (Ha): 0.60</u>		

## 4 Housing Allocations

	<p><u>Indicative developable site area: 0.60</u></p> <p><u>Indicative Density (dph): 68</u></p> <p><u>Indicative capacity: 41</u></p> <p><u>Land type: Brownfield</u></p> <p><u>Ownership: Private</u></p> <p><b><u>Constraints</u></b></p> <ul style="list-style-type: none"><li>- <u>Potential of surface water flooding from Clifton Beck and Boundary Beck</u></li><li>- <u>Contaminated land</u></li><li>- <u>Listed Building (Former St Aidan's Mission Church - Grade II)</u></li></ul> <p><b><u>Reports Required</u></b></p> <ul style="list-style-type: none"><li>- <u>Evaluation of surface drainage network</u></li><li>- <u>Contaminated Land Assessment</u></li></ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"><li>- <u>Provision of SuDS</u></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--

Table MM194







Modification Reference	Page	Site Reference
MM194	68	<p data-bbox="595 360 1249 400">LP0846 The Bramble Inn, Field Lane, Rastrick</p> <p data-bbox="595 424 842 464"><b>Tracked Change</b></p> <p data-bbox="595 488 864 528"><b>Reports Required</b></p> <p data-bbox="595 552 1025 592"><i>- <u>Heritage Impact Assessment</u></i></p> <p data-bbox="595 632 1025 671"><b>Site Specific Considerations</b></p> <ul data-bbox="595 695 1518 1015" style="list-style-type: none"> <li>- Retain as many of the trees as possible.</li> <li>- Plant locally native shrubs/trees within the gardens.</li> <li>- Use climbers such as ivy and honeysuckle with the landscaping.</li> <li>- Include bat tubes within at least 4 of the dwellings.</li> <li>- <del>Consideration to recommendations provided within the HIA</del></li> </ul> <p data-bbox="595 1054 2089 1158"><i>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></i></p>

## 4 Housing Allocations

Table MM195

Modification Reference	Page	Site Reference
MM195	69	<p data-bbox="616 363 1310 400">LP0945 Pond Quarry, Lightcliffe Road, Brighouse</p> <p data-bbox="616 427 862 464"><b>Tracked Change</b></p> <p data-bbox="616 491 1064 528">Indicative density (dph): <del>32</del> <u>41</u></p> <p data-bbox="616 555 1019 592">Indicative Capacity: <del>62</del> <u>75</u></p> <p data-bbox="616 635 1041 671"><b>Site Specific Considerations</b></p> <ul data-bbox="616 699 2049 1198" style="list-style-type: none"> <li>- Design of access roads and retaining structures</li> <li>- Provision of green and blue infrastructure <u>on site such as</u> including SuDS and green roofs</li> <li>- Provision of storage for storm water run-off</li> <li>- Highlight opportunities for ecological enhancement and make recommendations for design and allow significant adverse ecological effects to be avoided and for mitigation to be specified</li> <li>- Planting of significant areas of dense native shrubs</li> <li>- Careful consideration with regard to any development close to the cemetery</li> <li>- Consider recommendations of the West Yorkshire Low Emission Strategy</li> </ul>

Table MM196

Modification Reference	Page	Site Reference				
MM196	70	LP1000 Land off Woodhouse Lane, Rastrick				
		<p data-bbox="584 416 2098 480"><b>Tracked Change</b></p> <table border="1" data-bbox="584 480 2098 1246"> <thead> <tr> <th data-bbox="584 480 1344 560">Map - Local Plan Publication Draft</th> <th data-bbox="1344 480 2098 560">Map - Modification</th> </tr> </thead> <tbody> <tr> <td data-bbox="584 560 1344 1246">  </td> <td data-bbox="1344 560 2098 1246">  </td> </tr> <tr> <td colspan="2" data-bbox="584 1246 2098 1410"> <p data-bbox="584 1246 2098 1294">Site Area: <del>0.54</del> <u>0.46</u></p> <p data-bbox="584 1294 2098 1410">Indicative Developable Area: <del>0.53</del> <u>0.46</u></p> </td> </tr> </tbody> </table>	Map - Local Plan Publication Draft	Map - Modification		
Map - Local Plan Publication Draft	Map - Modification					
						
<p data-bbox="584 1246 2098 1294">Site Area: <del>0.54</del> <u>0.46</u></p> <p data-bbox="584 1294 2098 1410">Indicative Developable Area: <del>0.53</del> <u>0.46</u></p>						

## 4 Housing Allocations

		<p>Indicative Density: 45 <u>22</u></p> <p>Indicative Capacity: 24 <u>10</u></p> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"><li>- <del>Consideration to recommendations provided within the HIA</del></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li><li>- Green and Blue Infrastructure including SuDS</li><li>- Retain Trees where possible</li><li>- <u>Development proposals should include the enhancement of other open spaces in the area such as at the adjacent Woodhouse Recreation Ground</u></li></ul>
--	--	--









Table MM197

Modification Reference	Page	Site Reference
MM197	71	<p data-bbox="589 355 2094 411">LP1032 Southages Quarry, Ogden Lane &amp; Toothill Bank, Rastrick</p> <p data-bbox="589 411 2094 480"><b>Tracked Change</b></p> <p data-bbox="589 480 2094 549"><b>Site Specific Considerations</b></p> <ul data-bbox="589 549 2094 911" style="list-style-type: none"> <li>- Defense lines and provision of green and blue infrastructure including SUDS</li> <li>- Exclude an area of grassland from the developable area</li> <li>- Protect the settings of nearby listed buildings through careful consideration of scale, height and materials.</li> <li>- Existing trees should be retained to the western boundary</li> <li>- Good acoustic design required for layout and house types</li> </ul> <p data-bbox="589 911 2094 991"><u>- Access to the site should be taken from Toothill Bank at a point opposite the existing Bowling Club.</u></p>

# 4 Housing Allocations

Table MM198

Modification Reference	Page	Site Reference				
MM198	72	LP1033 Land off Toothill Bank, Rastrick				
<b>Tracked Change</b>						
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th data-bbox="607 483 1361 539" style="width: 50%; text-align: center;">Map - Local Plan Publication Draft</th> <th data-bbox="1368 483 2123 539" style="width: 50%; text-align: center;">Map - Modification</th> </tr> </thead> <tbody> <tr> <td data-bbox="607 544 1361 1257" style="text-align: center;">  <p>Map - Local Plan Publication Draft showing site allocation (red outline) and indicative developable area (dotted pattern). The site area is 3.22 ha and the indicative developable area is 2.12 ha. Legend: Site Allocation (red outline), Indicative Developable Area (dotted pattern). © Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</p> </td> <td data-bbox="1368 544 2123 1257" style="text-align: center;">  <p>Map - Modification showing site allocation (red outline) and indicative developable area (dotted pattern). The site area is 3.23 ha and the indicative developable area is 3.23 ha. Legend: Site Allocation (red outline), Indicative Developable Area (dotted pattern). © Crown copyright and database rights 2020. Ordnance Survey 0100023069.</p> </td> </tr> </tbody> </table>			Map - Local Plan Publication Draft	Map - Modification	 <p>Map - Local Plan Publication Draft showing site allocation (red outline) and indicative developable area (dotted pattern). The site area is 3.22 ha and the indicative developable area is 2.12 ha. Legend: Site Allocation (red outline), Indicative Developable Area (dotted pattern). © Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</p>	 <p>Map - Modification showing site allocation (red outline) and indicative developable area (dotted pattern). The site area is 3.23 ha and the indicative developable area is 3.23 ha. Legend: Site Allocation (red outline), Indicative Developable Area (dotted pattern). © Crown copyright and database rights 2020. Ordnance Survey 0100023069.</p>
Map - Local Plan Publication Draft	Map - Modification					
 <p>Map - Local Plan Publication Draft showing site allocation (red outline) and indicative developable area (dotted pattern). The site area is 3.22 ha and the indicative developable area is 2.12 ha. Legend: Site Allocation (red outline), Indicative Developable Area (dotted pattern). © Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</p>	 <p>Map - Modification showing site allocation (red outline) and indicative developable area (dotted pattern). The site area is 3.23 ha and the indicative developable area is 3.23 ha. Legend: Site Allocation (red outline), Indicative Developable Area (dotted pattern). © Crown copyright and database rights 2020. Ordnance Survey 0100023069.</p>					
<p>Site Area (ha): 3.22     <u>3.23</u></p> <p>Indicative Developable Area: <del>2.12</del>     <u>3.23</u></p>						

		<p>Indicative Capacity: 64 <u>97</u></p> <p><b>Reports required:</b></p> <ul style="list-style-type: none"> <li>- Hydrological Assessment as part of a Flood Risk Assessment</li> <li>- Well planned site investigations (Drainage)</li> <li>- Transport Assessment, to include Access Road Design</li> <li>- Contaminated Land Assessment</li> <li>- Land Stability Assessment</li> <li>- <u>Ecological Impact Assessment informed by the Defra metric and demonstrating Biodiversity Net Gain</u></li> </ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"> <li>- <del>A site specific policy is required to e</del> Ensure the retention <u>and strengthening</u> of a strong and defensible boundary between the allocation for housing and the Green Belt</li> <li>- Surface water management measures, <u>such as</u> including provision of SuDS and green roofs</li> <li>- Provision of storage for storm water run-off is recommended</li> <li>- <del>Remove the grassland from the developable area and maintain grassland on site</del></li> <li>- <u>Retain the woodland, mature trees and hedgerows on the site. The stream with a buffer of 5m should also remain free from development. These areas should be integrated into landscaping and should not form part of private gardens.</u></li> <li>- <u>Site layout should take into account the steep topography of the eastern section of the site, and consideration be given to using this land for landscaping/open space. The precise extent of landscaping/open space will be determined through masterplanning.</u></li> </ul>
--	--	---

## 4 Housing Allocations

---

		<ul style="list-style-type: none"><li>- <u>Improvements to other open space in the area should be carried out, for example at the adjacent Carr Green Recreation Ground and Playing Fields.</u></li><li>- <u>Access to the site should be taken from Toothill Bank at a point to be agreed with the local planning authority and designed to minimise its impact on the landscape.</u></li></ul>
--	--	--

Table MM199

Modification Reference	Page	Site Reference
MM199	73	<p data-bbox="595 363 1126 400">LP1053 Squire Hill Quarry, Brighthouse</p> <p data-bbox="595 427 842 464"><b>Tracked Change</b></p> <p data-bbox="595 491 981 528">Site Area (ha): <del>3.73</del> <u>3.75</u></p> <p data-bbox="595 560 1025 596"><b>Site Specific Considerations</b></p> <ul data-bbox="595 628 2089 1378" style="list-style-type: none"> <li>- Provision of green and blue infrastructure <u>on site such as</u> including SuDS and green roofs</li> <li>- Provision of storage for storm water run-off is recommended</li> <li>- Third party land required to create suitable access</li> <li>- Remove from the developable area a 10m buffer from all woodland and plant with locally native shrubs</li> <li>- Retain shrubs on east boundary and plant species rich locally native hedgerow on north boundary</li> <li>- Provide mitigation for the increased recreational pressure on nearby LWS</li> <li>- Avoid light spillage into the woodland.</li> <li>- A SUDs scheme should take account of existing biodiversity and take the form of fen, marsh, wet woodland, wet grassland or standing water in basins.</li> <li>- Noise Mitigation</li> <li>- <u>Site access of LP1053 and LP1054 need to be linked to minimise additional accesses on to Brookfoot Lane.</u></li> </ul>

## 4 Housing Allocations

Table MM200

Modification Reference	Page	Site Reference
MM200	74	<p data-bbox="616 363 1245 400">LP1054 Land off, Brookfoot Lane, Brighthouse</p> <p data-bbox="616 427 864 464"><b>Tracked Change</b></p> <p data-bbox="616 491 1048 528"><b>Site Specific Considerations</b></p> <ul data-bbox="616 560 2107 986" style="list-style-type: none"> <li>- Provision of green and blue infrastructure <u>on site such as</u> including SuDS and green roofs</li> <li>- Provision of storage for storm water run-off is recommended</li> <li>- Provide a minimum stand off from the LWS of 20m. Allow to naturally scrub over with locally native trees.</li> <li>- Remove from the developable area a 5m buffer from the western boundary and plant with locally native shrubs</li> <li>- Provide mitigation for the increased recreational pressure on nearby LWS</li> <li>- <u>Site access of LP1053 and LP1054 need to be linked to minimise additional accesses on to Brookfoot Lane</u></li> </ul>

Table MM201

Modification Reference	Page	Site Reference
MM201	75	<p data-bbox="589 355 2094 411">LP1060 Land at Shirley Grove, Lightcliffe</p> <p data-bbox="589 411 2094 480"><b>Tracked Change</b></p> <p data-bbox="589 480 2094 549"><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"> <li data-bbox="589 549 2094 592">- Provision of SuDS for attenuation of surface water run off</li> <li data-bbox="589 592 2094 635">- <del>Improvements to other open spaces in the vicinity such as Bentley Avenue and Aysgarth Avenue</del></li> <li data-bbox="589 635 2094 783">- <u>Improvements to other open space in the area should be carried out. These could include additional equipment at the nearby play area at Bentley Avenue and the provision of goal posts on the grassed area at Aysgarth Avenue.</u></li> <li data-bbox="589 783 2094 895">- <u>Development proposals should retain the hawthorn and elder hedgerow along the site boundary with Bentley Avenue or provide similar compensatory habitat within the site.</u></li> <li data-bbox="589 895 2094 1003">- <u>Development proposals should retain the single cherry tree currently on site.</u></li> </ul>

## 4 Housing Allocations

Table MM202



Modification Reference	Page	Site Reference
MM202	77	LP1077 Southedge Quarry, Brighthouse Road, Hipperholme
		<b>Tracked Change</b>
		Site Area: <del>13.08</del> <u>13.04</u>
		Indicative developable area: <del>6.67</del> <u>6.66</u>
		Indicative density (dph): <del>32</del> <u>26</u>
		Indicative Capacity: <del>213</del> <u>174</u>
		<b>Reports Required</b>
		- Flood Risk Assessment
		- Evaluation of surface drainage network
		- Full masterplan and Transport Assessment/Travel Plan with assessments of junction to be agreed but including A58 / A644 junction
		- Ecological Management Plan
		- Contaminated land assessment
		- Noise impact assessment
		- <u>Landscape Impact Assessment</u>
		<b>Site Specific Considerations</b>



		<ul style="list-style-type: none"><li>- Provision of green and blue infrastructure <u>on site such as</u> including SuDS and green roofs</li><li>- Provision of storage for storm water run-off is recommended</li><li>- Mitigating improvements required at A58 / A644 junction</li><li>- Remove deciduous woodland from developable area</li><li>- Retain and restore hedgerow; retain trees and shrubs where possible.</li><li>- Plant dense locally native shrubs adjacent to woodland to prevent access except along rights of way.</li><li>- Specify and implement other prescriptions to minimise impacts on the woodland due to increased recreational pressure.</li><li>- Plant woodland and develop locally native grasslands in the remainder of the area excluded from the developable area.</li><li>- Retention of the stone boundary wall <u>where appropriate and practical</u></li><li>- Have regard to the West Yorkshire Low Emission Strategy which has been adopted by the Council. This gives guidance on good practice for mitigating air quality impacts.</li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--	---

# 4 Housing Allocations

Table MM203

Modification Reference	Page	Site Reference
MM203	78	<p data-bbox="616 363 1590 400">LP1078 Land between Dewsbury Road and New Hey Road, Rastrick</p> <p data-bbox="616 427 869 464"><b>Tracked Change</b></p> <div style="display: flex; justify-content: space-around;"> <div data-bbox="616 480 1361 1321"> <p data-bbox="772 486 1205 523"><b>Map - Local Plan Publication Draft</b></p>  </div> <div data-bbox="1368 480 2123 1321"> <p data-bbox="1624 486 1877 523"><b>Map - Modification</b></p>  </div> </div> <p data-bbox="616 1332 963 1369">Site Area: 40.62 <u>10.57</u></p>

		<p>Indicative developable area: 5-15 <u>5.12</u></p> <p>Indicative density (dph): <del>29</del> 52</p> <p>Indicative capacity: 449 <u>267</u></p> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"> <li>- Provision of SuDS</li> <li>- <del>Retention of existing playing pitch or enhancement of other facilities in the area</del></li> <li>- <u>Open Space shall be provided as per the details approved in planning approval 19/00628/FUL for construction of 267 dwellings and public open space including demolition of buildings on land at New Hey Road, Delf Hill And Shannon Road, Mount Lane, Brighouse.</u></li> <li>- Implement guidance in the West Yorkshire Low Emission Strategy</li> <li>- <del>Consideration of recommendations provided within the Heritage Impact Assessment.</del></li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li>- Exclude all areas of the Wildlife Habitat Network, the woodland and the 3 fields in the north east from the developable area.</li> <li>- Consideration of the guidance in the West Yorkshire Low Emission Strategy</li> <li>- Good quality design and layout.</li> <li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li> </ul>
--	--	--

## 4 Housing Allocations

Table MM204

Modification Reference	Page	Site Reference
MM204	79	<p data-bbox="616 363 1615 400">LP1093 Former Hill Crest Quarry, Halifax Road, Hove Edge, Brighouse</p> <p data-bbox="616 427 864 464"><b>Tracked Change</b></p> <p data-bbox="616 491 887 528"><b>Reports Required</b></p> <ul data-bbox="616 560 1480 879" style="list-style-type: none"> <li>- Flood Risk Assessment to include Hydrological assessment</li> <li>- Protected Species Survey</li> <li>- Contaminated Land Assessment</li> <li>- Noise Impact Assessment</li> <li>- <u>Landscape Impact Assessment</u></li> </ul> <p data-bbox="616 911 1032 948"><b>Site Specific Consideration</b></p> <ul data-bbox="616 979 2107 1378" style="list-style-type: none"> <li>- Provision of green and blue infrastructure such as SuDS and green roofs, taking into account biodiversity</li> <li>- Provision of storage for storm water run-off is recommended</li> <li>- 20m buffer from the woodland, planted with species rich native shrubs and hedgerows</li> <li>- Have regard to West Yorkshire Low Emission Strategy which has been adopted by the Council. This gives guidance on good practice for mitigating air quality impacts</li> <li>- <u>Applicants should provide a joint access for LP1093 and LP1095 to minimise additional accesses on the local highway network</u></li> </ul>

Table MM205

Modification Reference	Page	Site Reference
MM205	80	<p data-bbox="589 355 1234 400">LP1095 Halifax Road, Hove Edge, Brighthouse</p> <p data-bbox="589 419 846 464"><b>Tracked Change</b></p> <p data-bbox="589 483 920 528">Site Area: <del>4.83</del> <u>4.81</u></p> <p data-bbox="589 547 869 592"><b>Reports Required</b></p> <ul data-bbox="589 627 1659 1086" style="list-style-type: none"> <li>- Access Junction design on to A644</li> <li>- Operational assessment to demonstrate no detriment to operation of A644</li> <li>- Transport Assessment &amp; Travel Plan</li> <li>- Flood Risk Assessment, informed by Hydrological Assessment</li> <li>- Protected Species Surveys</li> <li>- Contaminated Land Assessment</li> <li>- <u>Landscape Impact Assessment</u></li> </ul> <p data-bbox="589 1185 1010 1230"><b>Site Specific Consideration</b></p> <ul data-bbox="589 1265 2085 1406" style="list-style-type: none"> <li>- Localised widening would be required to provide a Right Turn Lane on the A644</li> <li>- Provision of green and blue infrastructure including provision of SuDS and storage for storm water run-off. SuDS should take account of existing biodiversity.</li> </ul>

## 4 Housing Allocations

		<ul style="list-style-type: none"><li>- Access Junction design</li><li>- <u>Applicants should provide a joint access for LP1093 and LP1095 to minimise additional accesses on the local highway network.</u></li><li>- Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt</li><li>- New linear park and possible play equipment</li><li>- <del>Consideration to recommendations provided within the HIA.</del></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li><li>- Mitigation measures identified in Contaminated Land Assessment</li></ul>
--	--	---

Table MM206

Modification Reference	Page	Site Reference
MM206	81	<p data-bbox="595 360 1144 400">LP1116 Brighthouse Road, Hipperholme</p> <p data-bbox="595 424 842 464"><b>Tracked Change</b></p> <p data-bbox="595 488 1211 528">Indicative developable site area: 4.05 <u>1.04</u></p> <p data-bbox="595 552 1025 592"><b>Site Specific Considerations</b></p> <ul data-bbox="595 632 2101 1062" style="list-style-type: none"> <li data-bbox="595 632 875 663">- Provision of SuDS</li> <li data-bbox="595 703 1424 735">- Good acoustic design required for layout and house types</li> <li data-bbox="595 775 2051 847">- West Yorkshire Low Emission Strategy has been adopted by the Council. This gives guidance on good practice for mitigating air quality impacts.</li> <li data-bbox="595 887 1447 919">- <del>Consideration to recommendations provided within the HIA</del></li> <li data-bbox="595 951 2101 1062">- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> </ul>



## 4 Housing Allocations

Table MM207

Modification Reference	Page	Site Reference
MM207	82	LP1322 George Street, Rastrick
		<b>Tracked Change</b>
		Indicative developable site area: <del>0.35</del> <u>0.36</u>



Table MM208

Modification Reference	Page	Site Reference
MM208	83	LP1469 Land at Stoney Hill, Lillands Lane, Brighouse
		<b>Tracked Change</b>
		<div style="display: flex; justify-content: space-around;"> <div data-bbox="582 478 1344 1332"> <p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p>This map shows the site allocation (red outline) and indicative developable area (dotted pattern) for LP1469 Land at Stoney Hill, Lillands Lane, Brighouse. The site is bounded by Lillands Lane to the north and Stoney Hill to the east. A legend in the bottom left corner identifies the red outline as 'Site Allocation' and the dotted pattern as 'Indicative Developable Area'. It also includes the text: '© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.'</p> </div> <div data-bbox="1344 478 2094 1332"> <p style="text-align: center;"><b>Map - Modification</b></p>  <p>This map shows the modified site allocation (red outline) and indicative developable area (dotted pattern) for LP1469 Land at Stoney Hill, Lillands Lane, Brighouse. The site is bounded by Lillands Lane to the north and Stoney Hill to the east. A legend in the bottom left corner identifies the red outline as 'Site Allocation' and the dotted pattern as 'Indicative Developable Area'. It also includes the text: '© Crown copyright and database rights 2021 Ordnance Survey 0100023069'.</p> </div> </div>
<p>Site Area: 0.44 <u>0.46</u></p>		

## 4 Housing Allocations

		<p>Indicative Developable Area: 0.44 <u>0.46</u></p> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"><li>- Capacity building of existing drainage network and well planned site investigations.</li><li>- Provision of SuDS</li><li>- Highway improvements required to Stoney Hill from the Lillands Lane junction</li><li>- Consider the impact on visual amenity currently provided by the site.</li><li>- Good acoustic design required for layout and house types.</li><li>- <u>Standard trees should be retained where possible.</u></li></ul>
--	--	--

Table MM209

Modification Reference	Page	Site Reference
MM209	84	<p data-bbox="595 363 1480 400">LP1648 Land north of Crosslee, Brighthouse Road, Hipperholme</p> <p data-bbox="595 427 842 464"><b>Tracked Change</b></p> <p data-bbox="595 491 1039 528">Indicative density (dph): <del>36</del> <u>48</u></p> <p data-bbox="595 560 1010 596">Indicative capacity <del>34</del> <u>41</u></p> <p data-bbox="595 628 775 665"><b>Constraints</b></p> <p data-bbox="595 697 2089 772"><del>- Cumulative traffic impact with other potential sites in Hipperholme would result in a severe impact - <u>Impact on A58 / A644 junction</u></del></p> <ul data-bbox="595 804 2056 1123" style="list-style-type: none"> <li>- Lowland mixed deciduous woodland a UK Biodiversity Action Plan priority habitat to the east of the site</li> <li>- Within Calderdale Wildlife Habitat Network</li> <li>- Proximity to Hipperholme AQMA (No. 7)</li> <li>- Potential contaminated land</li> <li>- Potential noise from industrial site to the south</li> </ul> <p data-bbox="595 1155 864 1192"><b>Reports Required</b></p> <ul data-bbox="595 1224 1883 1410" style="list-style-type: none"> <li>- Transport Assessment (<u>including assessment of Hipperholme crossroads</u>) and Travel Plan.</li> <li>- Contaminated Land Assessment</li> <li>- Noise Impact Assessment</li> </ul>

## 4 Housing Allocations

	<p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"><li>- Provision of SuDS</li><li>- Improvements at the signalised Hipperholme crossroads.</li><li>- <u>Consideration to be given to multi-modal transport corridor improvements</u></li><li>- <u>Transport statement to demonstrate that development will not result in an unacceptable impact on highway safety, or result in a severe residual cumulative impact on the road network</u></li><li>- <u>Development of LP1648 to be designed to ensure access from LP0032 can be achieved</u></li><li>- Exclude lowland mixed deciduous woodland a UK Biodiversity Action Plan priority habitat from site allocation</li><li>- Have regards to the West Yorkshire Low Emission Strategy which has been adopted by the Council. This gives guidance on good practice for mitigating air quality impacts.</li></ul>
--	---

4.2 Brighouse Garden Suburbs

Table MM210

Modification Reference	Page	Site Reference
MM210	85	<p data-bbox="595 448 1570 483">LP1451 Land between Bradley Wood and Woodhouse Lane, Rastrick</p> <p data-bbox="595 507 842 542"><b>Tracked Change</b></p> <p data-bbox="595 571 1016 606">Site Area (ha): <del>63.2</del> <u>63.00</u></p> <p data-bbox="595 643 1178 678">Indicative developable area: <del>44.9</del> <u>44.76</u></p> <p data-bbox="595 715 775 750"><b>Constraints</b></p> <ul data-bbox="595 786 2089 1433" style="list-style-type: none"> <li>- Potential for increased surface water run-off</li> <li>- Highways (Impact on the Strategic Highway Network; and significant traffic impact flows in central Brighouse)</li> <li>- Ecology (river and lowland mixed deciduous woodland to the south of the site both UK BAP priority habitats; species rich semi-improved grassland in the south central area and a short section of disused railway to the north-east fall within the Wildlife Habitat Network)</li> <li>- Heritage (Grade II Firth House; Grade II Listed Anchor Pit Lock to the east of the site; Class III Archaeological Site (PRN 2675) within the site; and The Gatehouse on Huddersfield Road which is undesignated)</li> <li>- Noise from motorway</li> <li>- Impact upon Brighouse AQMA</li> <li>- Toothill being monitored for traffic pollution</li> <li>- <u>Rights of Way (Brighouse 093, 095, 124, 125)</u></li> </ul>

## 4 Housing Allocations

	<p><u>- Risk of ball strike on development adjacent to Augustinians Cricket Club.</u></p> <p><b>Reports Required</b></p> <ul style="list-style-type: none"><li>- Hydrological Assessment as part of a Flood Risk Assessment</li><li>- Transport Assessment <u>and Travel Plan</u></li><li>- Ecological Appraisal including ecological surveys (such as Phase 1 habitat and protected species surveys) and an ecological record search with West Yorkshire Ecology Ecological Impact Assessment and Ecological Management Plan will be required</li><li>- Noise Impact Assessment</li><li>- Predetermination Archaeological Evaluation</li></ul> <p><u>- Health Impact Assessment</u></p> <p><u>- Air Quality Impact Assessment</u></p> <p><u>- Land Contamination Assessment</u></p> <ul style="list-style-type: none"><li>- Masterplan</li></ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"><li>- Provision of green and blue infrastructure including SuDS</li><li>- Topography and water features that affect the layout of the development</li><li>- Contribute to the additional schemes identified by the Highways England West Yorkshire Infrastructure Study and included in the Infrastructure Delivery Plan. Junction improvements around Brighouse</li><li>- Provide a minimum stand-off from the river of 10m and 20m from Bradley Wood</li><li>- Provide for biodiverse recreational space within the development in order to reduce pressure on Bradley Wood <u>Ancient Woodland</u>.</li><li>- Provide funding for habitat protection</li></ul>
--	--

		<ul style="list-style-type: none"> <li>- SuDS scheme should take account of existing biodiversity and take the form of fen, marsh, wet woodland, wet grassland or standing water in basins</li> </ul> <p>Biodiversity mitigation/enhancement should provide locally native species rich unimproved grassland and locally native species rich hedgerows, restoring gaps in the Wildlife Habitat Network</p> <ul style="list-style-type: none"> <li>- <del>Inclusion of Open Space</del></li> </ul> <p><u>- Masterplanning work to identify the location and typology breakdown of Open Space throughout the site. Provision on the allocation will be above the Open Space policy requirements.</u></p> <p><u>- Consideration to recommendations provided within the HIA. Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></p> <p><u>- Consider recommendations of the West Yorkshire Low Emission Strategy.</u> West Yorkshire Low Emission Strategy has been adopted by the Council. This gives guidance on good practice for mitigating air quality impacts.</p> <p>- Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt</p> <p><u>- Applications for development adjacent to Augustinians Cricket Club must undertake a ball strike risk assessment and as a minimum consider recreational cricket and ball speeds of up to 40 metres per second. Any mitigation package that the ball strike risk assessment advises should be built into the scheme by the developer; and be constructed and maintained in perpetuity at the developer's expense.</u></p> <p><u>- Site requires masterplanning in accordance with Policy IM7.</u></p> <p><u>- Provision of one on-site, two-form entry primary school. Unless up-to-date pupil projections indicate to the contrary, the school will aim to open in September 2025 and will include early years provision.</u></p> <p><u>- Masterplanning of site to include production of an infrastructure cost delivery plan to include phasing to indicate when key infrastructure will be required.</u></p>
--	--	---

## 4 Housing Allocations

		<ul style="list-style-type: none"><li>- <u>Retention and enhancement of existing Rights of Way on site (Brighouse 093, 095, 124, 125)</u></li><li>- <u>Landscape and Visual Impact Assessment (LVIA) to be carried out as part of the masterplanning process.</u></li><li>- <u>Unless demonstrated otherwise through an up-to-date Transport Assessment, no more than 680 units shall be delivered in advance of the completion of the critical schemes listed in the IDP (2021). The IDP is a provisional list and is subject to change as masterplanning work progresses and the A641 business case is developed.</u></li><li>- <u>The primary route will enter the site at a single access point from the A641 at the Western boundary. It is not expected that there will be any other primary access points to the site.</u></li><li>- <u>Secondary accesses to the site will be provided to the site via Ryecroft Lane and Woodhouse Gardens.</u></li><li>- <u>Ryecroft Lane will provide access to the new primary school and local centre.</u></li><li>- <u>Additional pedestrian and cycle accesses will be in appropriate locations providing linkages to the North, East, South and West.</u></li><li>-<u>Provision of a local centre which shall be constructed in the early phases of development.</u></li></ul>
--	--	---



Table MM211

Modification Reference	Page	Site Reference
MM211	87	<p data-bbox="595 363 1585 400">LP1463 Land between, Highmoor Lane and Bradford Road, Brighouse</p> <p data-bbox="595 427 842 464"><b>Tracked Change</b></p> <p data-bbox="595 491 1048 528">Site Area (ha): 140.66 <u>140.44</u></p> <p data-bbox="595 560 1093 596">Indicative developable area: 105.15</p> <p data-bbox="595 628 1055 665">Indicative density (dph): 49 <u>20</u></p> <p data-bbox="595 697 775 734"><b>Constraints</b></p> <ul data-bbox="595 766 2085 1417" style="list-style-type: none"> <li>- Potential for increased surface water run-off</li> <li>- Highways (Impact on the Strategic Highway Network; and significant traffic impact flows in central Brighouse)</li> <li>- Ecology (Species rich acid and neutral grassland likely to be UK BAP priority habitat; Lowland mixed deciduous woodland; Wildlife Habitat Network; and Birds including curlew, lapwing, golden plover and tree sparrow)</li> <li>- Heritage (Grade II Woolrow and Woolrow Farmhouse; Class III Archaeological site PRN4062; Locally Listed Historic Park and Garden Wellholme Park; undesignated Former Railway Structures)</li> <li>- Impact upon Brighouse AQMA</li> <li>- Turbines and potential of noise and shadow flicker</li> <li>- Contaminated Land</li> <li>- <u>Rights of Way (Brighouse 058, 059, 068, 070, 071, 072, 073, 138)</u></li> </ul>

## 4 Housing Allocations

		<p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"><li>- Consideration of topography and water features that affect the layout of the development.</li><li>- Provision of green and blue infrastructure including SuDS</li><li>- Contribute to the additional schemes identified by the Highways England West Yorkshire Infrastructure Study and included in the Infrastructure Delivery Plan. Junction improvements around Brighouse</li><li>- Remove Wildlife Habitat Network areas from proposed allocation</li><li>- On-going grassland and woodland management for biodiversity enhancement</li><li>- <del>Inclusion of Open Space</del></li></ul> <p><u>- Masterplanning work to identify the location and typology breakdown of Open Space throughout the site. Provision on the allocation will be above the Open Space policy requirements.</u></p> <p><del>- Consideration to recommendations provided within the HIA. <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></del></p> <p><u>- Development proposals will be required to demonstrate how the development will contribute to securing the repair of the Grade II Listed Woolrow</u></p> <p><u>- Consider recommendations of the West Yorkshire Low Emission Strategy.</u> West Yorkshire Low Emission Strategy has been adopted by the Council. This gives guidance on good practice for mitigating air quality impacts.</p> <li>- Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt.</li> <li><u>- Site requires masterplanning in accordance with Policy IM7.</u></li>
--	--	--

		<ul style="list-style-type: none"><li>- <u>Provision of one on-site, two-form entry primary school. Unless up-to-date pupil projections indicate to the contrary, the school will aim to open in September 2025 and will include early years provision.</u></li> <li>- <u>Masterplanning of site to include production of an infrastructure cost delivery plan to include phasing to indicate when key infrastructure will be required.</u></li> <li>- <u>Landscape and Visual Impact Assessment (LVIA) to be carried out as part of the masterplanning process.</u></li> <li>- <u>Masterplanning to ensure designs safeguard the character and identity of the Thornhills hamlet and the wooded valley slopes.</u></li> <li>- <u>Unless demonstrated otherwise through an up-to-date Transport Assessment, no more than 680 units shall be delivered in advance of the completion of the critical schemes listed in the IDP (2021). The IDP is a provisional list and is subject to change as masterplanning work progresses and the A641 business case is developed.</u></li> <li>- <u>Delivery of the Garden Suburb is feasible through provision of a spine road, however the final layout and access options will be refined through the masterplanning work.</u></li> <li>- <u>The primary school and local centre shall be accessed from the A643.</u></li> <li>- <u>Provision of a local centre which shall be constructed in the early phases of development.</u></li></ul>
--	--	--

# 4 Housing Allocations

## 4.3 Elland Housing Allocations

Table MM212

Modification Reference	Page	Site Reference
MM212	89	LP0037 Long Heys Farm, Long Heys, Greetland
		<b>Tracked Change</b>
		<div style="display: flex; justify-content: space-around;"> <div style="width: 48%;"> <p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p> </div> <div style="width: 48%;"> <p style="text-align: center;"><b>Map - Modification</b></p> </div> </div>

		<p>Indicative Developable Area: 0.84 <u>0.80</u></p> <p>Indicative Capacity: 30 <u>29</u></p> <p><b>Constraints</b></p> <ul style="list-style-type: none"> <li>- <del>Stainland Conservation Area</del></li> <li>- <del>Flood storage area</del></li> <li>- <u>Holywell Brook (UK BAP priority habitat)</u></li> <li>- <u>Wildlife Habitat Network</u></li> <li>- <u>Potential to increase surface water run off</u></li> <li>- <u>Grade II listed viaduct (220m south) / Grade II listed boundary marker on Jagger Bridge</u></li> <li>- <u>Long Heys Farm (potential standoff)</u></li> </ul> <p><b>Reports</b></p> <ul style="list-style-type: none"> <li>- <del>Transport Statement</del></li> <li>- <u>Flood Risk Assessment, informed by a Hydrological Assessment</u></li> <li>- <u>Transport Assessment</u></li> <li>- <u>Ecological Impact Assessment</u></li> </ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"> <li>- <del>Provision of SuDS</del></li> </ul>
--	--	---

## 4 Housing Allocations


		<ul style="list-style-type: none"><li>- <u>Provision of green and blue infrastructure, such as SuDS and green roofs.</u></li><li>- <del>Measures to discourage the use of the Church Lane junction with Stainland Road</del></li><li>- <del>Consider the impact on visual amenity currently provided by the site.</del></li><li>- <u>Leave a minimum stand off of 10m from Holywell Brook and plant with locally native species.</u></li><li>- <u>Minimise light pollution and other disturbance to Holywell Beck.</u></li><li>- <u>Building heights and materials need to be carefully considered.</u></li><li>- <u>Existing trees should be retained wherever possible.</u></li><li>- <del>Consideration to recommendations provided within the HIA.</del></li><li>- <u>Realignment of retaining wall of the adjacent area of the development.</u></li><li>- <u>The listed boundary marker should be retained and protected during any construction works.</u></li><li>- <u>Stand-off necessary if Long Heys Farm is operational.</u></li><li>- Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt</li></ul>
--	--	---

Table MM213

Modification Reference	Page	Site Reference
MM213	90	LP0065 Land north-west, Nab End Lane, West Vale
		<b>Tracked Change</b>
		Site Area (ha): <del>4.04</del> <u>1.00</u>

# 4 Housing Allocations

Table MM214

Modification Reference	Page	Site Reference
MM214	91	LP0075 Land at Laithe Croft Farm, Bowling Green Road, Stainland
		<p><b>Tracked Change</b></p> <p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p> 



**Site removed from the Local Plan**

Site area (Ha): 0.32

Indicative developable area (dph): 0.32

Indicative density: 35

Indicative Capacity 11

Land Type: Greenfield

Ownership: Private:

**Constraints:**

~~— Stainland Conservation Area~~

~~— Land Contamination~~

**Reports Required:**

~~— Transport Statement~~

~~— Hydrological Assessment~~

~~— Land contamination Report~~

**Site Specific Considerations:**

~~— Provision of SuDs~~

~~— Consideration to issues raised within the HRA~~

## 4 Housing Allocations

Table MM215



Modification Reference	Page	Site Reference
MM215	91	LP0075 Land at Laithe Croft Farm, Bowling Green Road, Stainland
		<p data-bbox="616 427 869 464"><b>Tracked Change</b></p> <p data-bbox="1294 501 1435 528" style="text-align: right;"><b>Picture 4.1</b></p>  <p data-bbox="616 1315 2114 1390">The two consequential Green Belt changes proposed in <a href="#">CC48</a> (GBD292 and GBD320) as a result of allocating site LP0075 are deleted. The Green Belt boundary in this location reverts to that designated in the RCUDP.</p>

Table MM216

Modification Reference	Page	Site Reference
MM216	92	<p data-bbox="595 360 1487 400">LP0146 Land to the west of West View, Church Lane, Stainland</p> <p data-bbox="595 424 842 464"><b>Tracked Change</b></p> <p data-bbox="595 488 1025 528"><b>Site Specific Considerations</b></p> <ul data-bbox="595 552 2089 1062" style="list-style-type: none"> <li data-bbox="595 552 882 592">- Provision of SuDS.</li> <li data-bbox="595 624 1756 663">- Measures to discourage the use of the Church Lane junction with Stainland Road</li> <li data-bbox="595 695 1576 735">- Consider the impact on visual amenity currently provided by the site.</li> <li data-bbox="595 767 1451 807">- <del>Consideration to recommendations provided within the HIA.</del></li> <li data-bbox="595 839 2089 951">- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li data-bbox="595 983 2089 1062">- Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt.</li> </ul>

## 4 Housing Allocations

Table MM217

Modification Reference	Page	Site Reference
MM217	CC39:  17	<p data-bbox="616 363 1653 400"><u>LP0177 Land adjacent to Ellistones Place, Saddleworth Road, Greetland</u></p> <p data-bbox="616 427 864 464"><b>Tracked Change</b></p> <p data-bbox="869 496 1099 528"><b>Map - Modification</b></p>  <p data-bbox="638 1173 920 1268"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="background-color: #cccccc; border: 1px solid black; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Indicative Developable Area            © Crown copyright and database rights 2021            Ordnance Survey 0100023069         </p>

		<p><u>Site Area: 6.03</u></p> <p><u>Indicative Developable Area: 5.83</u></p> <p><u>Indicative density (dph): 30</u></p> <p><u>Indicative Capacity:- 175</u></p> <p><u>Land type: Greenfield</u></p> <p><u>Ownership: Private</u></p> <p><b><u>Constraints</u></b></p> <ul style="list-style-type: none"><li>- <u>Sunny Bank Clough and Daleside Clough watercourses</u></li><li>- <u>Bradley Hall Farmhouse (Grade II)</u></li><li>- <u>Wildlife Habitat Network</u></li><li>- <u>Potential air quality impact</u></li><li>- <u>Black Brook (UK BAP priority habitat)</u></li><li>- <u>Sensitive adjacent uses (school, camp site, farm, industry)</u></li></ul> <p><b><u>Reports Required</u></b></p> <ul style="list-style-type: none"><li>- <u>Air Quality Assessment</u></li><li>- <u>Flood Risk Assessment</u></li></ul>
--	--	--


## 4 Housing Allocations

	<ul style="list-style-type: none"><li>- <u>Topographical Survey, Transport Assessment, Travel Plan and operational assessment of local road network</u></li><li>- <u>Noise Impact Assessment</u></li><li>- <u>Ecological Impact Assessment</u></li><li>- <u>Ecological Record search with West Yorkshire Ecology</u></li><li>- <u>After the master plan is produced, an Ecological Impact Assessment and Ecological Management Plan will be required. Reports should comply with CIEEM guidance</u></li></ul> <p><b><u>Site Specific Considerations</u></b></p> <ul style="list-style-type: none"><li>- <u>Information detailing site connectivity and safe access by non-car modes and required improvements identified.</u></li><li>- <u>Consideration to recommendations provided within the FRA.</u></li><li>- <u>Maintain and enhance the woodland margins to provide screening.</u></li><li>- <u>Development to consider layout and design to avoid flood risk impacts and provision of green and blue infrastructure on site (such as SuDS &amp; Green Roofs) is required to maximise infiltration and storage of rain water. A SuDS scheme should take account of existing biodiversity and take the form of fen, marsh, wet woodland, wet grassland or standing water in basins.</u></li><li>- <u>Realignment of retaining wall of the adjacent area of the development.</u></li></ul> <p><u>Reduce developable land by excluding the Wildlife Habitat Network in its entirety together with a 10m buffer.</u></p> <ul style="list-style-type: none"><li>- <u>Biodiversity mitigation / enhancement should provide locally native species rich unimproved grassland and locally native species rich hedgerows and native woodland.</u></li></ul>
--	---

	<ul style="list-style-type: none"><li>- <u>Mitigate for the increased recreation pressure on the Black Brook by surfacing the streamside path with occasional fencing to allow recolonisation, restoring grasslands and planting dense native shrubs by the stream at the east of the site.</u></li><li>- <u>Retain and enhance existing hedgerows and woodland.</u></li><li>- <u>Retain and enhance watercourses and associated vegetation.</u></li><li>- <u>Consider the impact on visual amenity currently provided by the site.</u></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li><li>- <u>Necessary standoffs between development and sensitive adjacent uses (school, campsite, farm, industry).</u></li><li>- <u>Strong and defensible boundary between the New Housing Site and the Green Belt will be required.</u></li><li>- <u>Provision of Open Space.</u></li><li>- <u>Consideration to guidance provided within the West Yorkshire Low Emission Strategy.</u></li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--

# 4 Housing Allocations

Table MM218

Modification Reference	Page	Site Reference
MM218	CC39:  19	<u>LP0952 Land at New Gate Farm, Saddleworth Road, Greetland</u>
		<p><b>Tracked Change</b></p> <p style="text-align: center;"><b>Map - Modification</b></p>  <p>The map displays a residential area with a large site allocation outlined in red. The site allocation is situated between Saddleworth Road to the north and a stream to the south. A legend in the bottom left corner identifies the red outline as 'Site Allocation' and a stippled area as 'Indicative Developable Area'. The map also shows various buildings, roads, and green spaces. A copyright notice at the bottom of the map reads: '© Crown Copyright and database right 2019. Ordnance Survey Licence number 10023069.'</p>



Site area (ha): 10.63

Developable Area: 8.70

Indicative Density: 33

Indicative Capacity: 286

Land Type: Greenfield

Ownership: Private

**Constraints**

- Crawstone Clough water course
- Risk of surface water flooding
- Rights of Way (Elland 052)
- Industrial site to south (Sia Fibral)
- Wildlife Habitat Network.
- Deciduous woodland (UK BAP priority habitat)
- Potential air quality impact

**Reports Required**

- Flood Risk Assessment
- Hydrological Assessment
- Transport Assessment

## 4 Housing Allocations

	<ul style="list-style-type: none"><li>- <u>Travel Plan</u></li><li>- <u>Predetermination Archaeological Evaluation</u></li><li>- <u>Bat and Great Crested Newt surveys.</u></li><li>- <u>Air Quality Impact Assessment</u></li><li>- <u>Noise Impact Assessment</u></li></ul> <p><b><u>Site Specific Considerations</u></b></p> <ul style="list-style-type: none"><li>- <u>Provision of green and blue Infrastructure on site such as SuDS and green roofs to reduce the infiltration rate of precipitation as well as provide storage for storm water run-off. The SuDS scheme should take account of existing biodiversity and take the form of wet woodland, fen, marsh, wet grassland or standing water in basins.</u></li><li>- <u>The WHN and a 10 - 20 m buffer should be excluded from the developable area and planted with locally native trees and shrubs.</u></li><li>- <u>Existing hedgerows should be retained and restored. Additional locally native species rich hedgerows should be planted. Trees should be retained where possible.</u></li><li>- <u>Provision of Open Space</u></li><li>- <u>The stone boundary walls around the site should be retained wherever possible.</u></li><li>- <u>Safeguard right of way (Elland 052)</u></li><li>- <u>Strong and defensible boundary between the New Housing Site and the Green Belt will be required.</u></li><li>- <u>Have regard to the West Yorkshire Low Emission Strategy which has been adopted by the Council. This gives guidance on good practice for mitigating air quality impacts.</u></li></ul>
--	--

		<ul style="list-style-type: none"><li>- <u>Creation of a gateway into Greetland at the north west corner of the site. The land will be free from development and landscaped to ensure the provision of an attractive gateway.</u></li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--	--

## 4 Housing Allocations

Table MM219

Modification Reference	Page	Site Reference
MM219	93	LP0964 Land off Rochdale Road, West Vale
		<b>Tracked Change</b>
		Indicative density (dph): <del>28</del> <u>31</u> Indicative Capacity: 44 <u>15</u>

Table MM220

Modification Reference	Page	Site Reference
MM220	94	<p data-bbox="595 360 1368 400">LP0978 Land off Lower Edge Road/Shaw Lane, Elland</p> <p data-bbox="595 424 842 464"><b>Tracked Change</b></p> <p data-bbox="595 488 864 528"><b>Reports Required</b></p> <ul data-bbox="595 552 1055 592" style="list-style-type: none"> <li>- <u>Ecological Impact Assessment</u></li> </ul> <p data-bbox="595 632 1025 671"><b>Site Specific Considerations</b></p> <ul data-bbox="595 695 2089 1023" style="list-style-type: none"> <li>- Provision of SuDS.</li> <li>- Consideration to recommendations provided in HIA.</li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li>- Provision of Open Space.</li> </ul>

## 4 Housing Allocations


Table MM221

Modification Reference	Page	Site Reference
MM221	95	<p data-bbox="616 363 1480 400">LP1030 Land adjoining South Parade, Adj Maple Fold, Elland</p> <p data-bbox="616 427 864 464"><b>Tracked Change</b></p> <p data-bbox="616 491 1267 528">Indicative developable site area: <del>0.38</del> <u>0.39</u></p> <p data-bbox="616 560 797 596"><b>Constraints</b></p> <ul data-bbox="616 635 2107 991" style="list-style-type: none"> <li>- Wildlife Habitat Network.</li> <li>- Deciduous woodland (UK BAP Priority habitat)</li> <li>- Blackley Baptist Church, Blackley Chapel House and Prospect View 3 listed buildings 250m south of site (Grade II listed)</li> <li>- Existing industrial and commercial development to south of site.</li> <li>- <del>Access arrangement (third party land)</del></li> </ul> <p data-bbox="616 1023 875 1059"><b>Reports required</b></p> <ul data-bbox="616 1098 1032 1198" style="list-style-type: none"> <li>- Noise Impact Assessment</li> <li>- <del>Third party land agreement.</del></li> </ul> <p data-bbox="616 1305 1048 1342"><b>Site Specific Considerations</b></p>

		<ul style="list-style-type: none"><li>- Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt.</li><li>- Provision of green and blue infrastructure on site such as SuDS and green roofs.</li><li>- <del>Adjacent site LP0959 to ensure development links to enable access to site LP1030 from Blackley Road.</del></li><li>- Reduce developable area by 30% at eastern side of site and plant with locally native trees and shrubs.</li><li>- <del>Third Party land is required to enable access from South Parade (Highways Development Management).</del></li><li>- <del>Consideration to recommendations provided within the HIA.</del></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li></ul>
--	--	--

# 4 Housing Allocations

Table MM222

Modification Reference	Page	Site Reference
MM222	97	<p data-bbox="616 363 1272 400">LP1407 Land off Scar Bottom Lane, Greetland</p> <p data-bbox="616 427 869 464"><b>Tracked Change</b></p> <div data-bbox="638 480 1361 1278"> <p data-bbox="772 491 1205 528"><b>Map - Local Plan Publication Draft</b></p>  <p data-bbox="651 1134 943 1214"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; vertical-align: middle;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; border: 1px dotted black; vertical-align: middle;"></span> Indicative Developable Area         </p> <p data-bbox="651 1230 936 1262">© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</p> </div>




		<p><b>Site removed from the Local Plan</b></p> <p>Site area (Ha): 0.44</p> <p>Indicative developable area (dph): 0.44</p> <p>Indicative density: 36</p> <p>Indicative capacity: 16</p> <p>Land Type: Greenfield</p> <p>Ownership: Private</p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"> <li>- Wildlife Habitat Network</li> <li>- Local Wildlife Site and SEGI (150m away)</li> <li>- UK BAP Priority Habitat — Deciduous woodland</li> <li>- History of surface water flooding</li> <li>- Access</li> </ul> <p><b>Reports Required:</b></p> <ul style="list-style-type: none"> <li>- Flood Risk Assessment</li> <li>- Transport Assessment</li> <li>- Amphibian Survey</li> <li>- Third Party Land</li> </ul>
--	--	--

## 4 Housing Allocations

---

		<p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li>- Provision of green and blue infrastructure on site such as SuDS and green roofs</li><li>- Enhance woodland links to the north-east (Wildlife Habitat Network and deciduous woodland)</li><li>- Plant the buffer with locally native shrubs and implement a programme of woodland management.</li><li>- Improvements to Scar Bottom Lane (including footways and street lighting) and at its junction with Rochdale Road.</li></ul>
--	--	--

Table MM223

Modification Reference	Page	Site Reference
MM223	CC39:  21	<p data-bbox="595 363 1456 399"><u>LP1567 Land adjacent to Exley Lane, North of Elland, Elland</u></p> <p data-bbox="595 427 840 462"><b>Tracked Change</b></p> <p data-bbox="846 494 1086 526"><b>Map - Modification</b></p>  <p data-bbox="622 1173 862 1268"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; border-bottom: 1px dotted black; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown Copyright and database right 2022. Ordnance Survey Licence number 10023069.</small> </p>

## 4 Housing Allocations


		<p><u>Site Area (ha):-20.54</u></p> <p><u>Indicative developable site area: 15.46</u></p> <p><u>Indicative density (dph): 29</u></p> <p><u>Indicative capacity: 450</u></p> <p><u>Land type: Greenfield</u></p> <p><u>Ownership: Private</u></p> <p><b><u>Constraints:</u></b></p> <ul style="list-style-type: none"><li>- <u>Potential to increase surface water flooding</u></li><li>- <u>Plains Lane Drain and Wood Nook Drain</u></li><li>- <u>Wildlife Habitat Network</u></li><li>- <u>Right of Way - Elland 011 (outside developable area)</u></li><li>- <u>Elland Park Wood Ancient Woodland and Local Wildlife Site</u></li><li>- <u>Archaeological Site PRN3995 (Elland Park – Medieval Deer Park)</u></li><li>- <u>Archaeological Site PRN10978 (Farm buildings associated with Elland Old Hall)</u></li><li>- <u>Park Wood Crematorium (a locally important Historic Park and Garden)</u></li><li>- <u>Noise from industrial and commercial uses / road traffic noise</u></li></ul> <p><b><u>Reports Required:</u></b></p>
--	--	--

- Flood Risk Assessment, to be informed by a Hydrological Assessment of Plains Lane Drain and Wood Nook Drain
  - Transport Assessment and Travel Plan including assessments of local junctions.
  - Predetermination Archaeological Evaluation
  - Noise Impact Assessment
  - Preliminary Ecological Appraisal
  - Ecological Impact Assessment and Ecological Management Plan
- Site Specific Considerations:**
- Provision of blue and green infrastructure on site (such as SuDS & Green Roofs) is required to maximise infiltration and storage of rain water. The SUDs scheme should take account of existing biodiversity and take the form of fen, marsh, wet woodland, wet grassland or standing water in basins.
  - The impact on views from the Crematorium should be considered.
  - A site specific policy is required to ensure the retention of a strong and defensible boundary between the allocation for housing and the Green Belt.
  - The developable area should be reduced by providing a 10m buffer adjacent to the Wildlife Habitat Network on the north section and adjacent to the railway, Elland Park Wood and the woodland by the caravan park on the south section.
  - As proposed, to restore a gap in the Wildlife Habitat Network, a belt of native woodland should be planted.
  - Increased recreation impact on nearby sites of ecological importance will need mitigation.
  - Remove the section of the allocation from within Elland Park from the developable area
  - Full assessment of impacts on Elland Park

## 4 Housing Allocations

		<ul style="list-style-type: none"><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li><li>- <u>Site layout should take into account the steep topography of the north western slopes, and consideration be given to using this land for landscaping/open space. The precise extent of landscaping/open space to be determined through masterplanning.</u></li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--	--

Table MM224

Modification Reference	Page	Site Reference
MM224	CC39:	<p data-bbox="582 352 2103 414"><u>LP1616 Land at Ainley Top, South West of the Junction of the A643/New Hey Rd, Ainley Top, Elland</u></p> <p data-bbox="582 414 2103 478"><b>Tracked Change</b></p> <p data-bbox="582 478 2103 542"><b>Map - Modification</b></p>  <p data-bbox="616 734 1310 1431">The map displays a site allocation area outlined in red, situated south-west of the junction of the A643 and New Hey Rd. The allocation area is adjacent to an 'Indicative Developable Area' shown with a dotted pattern. The map includes labels for 'Ainley Top', 'Penny Lane', 'A643', and 'New Hey Rd'. A legend in the bottom-left corner identifies the red outline as 'Site Allocation' and the dotted pattern as 'Indicative Developable Area'. Copyright information for Ordnance Survey is also present on the map.</p>

## 4 Housing Allocations


		<p><u>Site Area (ha):2.19</u></p> <p><u>Indicative developable sites area: 1.60</u></p> <p><u>Indicative density (dph): 30</u></p> <p><u>Indicative capacity: 48</u></p> <p><u>Land type: Greenfield</u></p> <p><u>Ownership: Private</u></p> <p><b><u>Constraints:</u></b></p> <ul style="list-style-type: none"><li>- <u>Potential risk of increase surface water flooding</u></li><li>- <u>Gernhill Wood Ancient Woodland</u></li><li>- <u>Castle Hill (Scheduled Ancient Monument)</u></li><li>- <u>Park Gates and Pair of Lodges to Fixby Hall (Grade II)</u></li><li>- <u>Road Traffic Noise</u></li></ul> <p><b><u>Reports Required:</u></b></p> <ul style="list-style-type: none"><li>- <u>Flood Risk Assessment, to include Hydrological assessment</u></li><li>- <u>Transport Assessment</u></li><li>- <u>Noise Impact Assessment</u></li></ul> <p><b><u>Site Specific Considerations:</u></b></p> <ul style="list-style-type: none"><li>- <u>Green and blue Infrastructure on site such as SuDS and green roofs.</u></li></ul>
--	--	---



		<ul style="list-style-type: none"><li>- <u>Plant native species-rich hedgerows along boundaries.</u></li><li>- <u>Provide mitigation for adverse impact on Gernhill Wood Ancient Woodland by incorporating accessible natural greenspace, with species-rich locally native grassland, in the design.</u></li><li>- <u>Consideration to advice contained within the West Yorkshire Low Emission Strategy.</u></li><li>- <u>Provision of Open Space.</u></li><li>- <u>Strong and defensible boundary between the New Housing Site and the Green Belt will be required.</u></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--	---

# 4 Housing Allocations

Table MM225

Modification Reference	Page	Site Reference
MM225	CC39:	<u>LP1625 Land to the west of Silverdale Terrace, Greetland</u>
	24	<p><b>Tracked Change</b></p> <p style="text-align: center;"><b>Map - Modification</b></p>  <p>Map - Modification</p> <p>The map shows a residential area with Saddleworth Road at the top and Silverdale Terrace running diagonally. A red outline defines the site allocation area, which is filled with a dotted pattern to indicate it is an indicative developable area. The site is bounded by Saddleworth Road to the north, Silverdale Terrace to the east, and an irregular boundary to the south and west. Dimensions are marked: 25.3m on the western boundary, 121.0m on the northern boundary, and 116.4m on the eastern boundary. Other features include 'Hedge Cottages' to the north, 'Westfield' to the south, and various house numbers (379, 380, 381, 382, 383, 384, 385, 386, 387, 388, 389, 390, 391, 392, 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 409, 410, 411, 412, 413, 414, 415, 416, 417, 418, 419, 420, 421, 422, 423, 424, 425, 426, 427, 428, 429, 430, 431, 432, 433, 434, 435, 436, 437, 438, 439, 440, 441, 442, 443, 444, 445, 446, 447, 448, 449, 450, 451, 452, 453, 454, 455, 456, 457, 458, 459, 460, 461, 462, 463, 464, 465, 466, 467, 468, 469, 470, 471, 472, 473, 474, 475, 476, 477, 478, 479, 480, 481, 482, 483, 484, 485, 486, 487, 488, 489, 490, 491, 492, 493, 494, 495, 496, 497, 498, 499, 500, 501, 502, 503, 504, 505, 506, 507, 508, 509, 510, 511, 512, 513, 514, 515, 516, 517, 518, 519, 520, 521, 522, 523, 524, 525, 526, 527, 528, 529, 530, 531, 532, 533, 534, 535, 536, 537, 538, 539, 540, 541, 542, 543, 544, 545, 546, 547, 548, 549, 550, 551, 552, 553, 554, 555, 556, 557, 558, 559, 560, 561, 562, 563, 564, 565, 566, 567, 568, 569, 570, 571, 572, 573, 574, 575, 576, 577, 578, 579, 580, 581, 582, 583, 584, 585, 586, 587, 588, 589, 590, 591, 592, 593, 594, 595, 596, 597, 598, 599, 600, 601, 602, 603, 604, 605, 606, 607, 608, 609, 610, 611, 612, 613, 614, 615, 616, 617, 618, 619, 620, 621, 622, 623, 624, 625, 626, 627, 628, 629, 630, 631, 632, 633, 634, 635, 636, 637, 638, 639, 640, 641, 642, 643, 644, 645, 646, 647, 648, 649, 650, 651, 652, 653, 654, 655, 656, 657, 658, 659, 660, 661, 662, 663, 664, 665, 666, 667, 668, 669, 670, 671, 672, 673, 674, 675, 676, 677, 678, 679, 680, 681, 682, 683, 684, 685, 686, 687, 688, 689, 690, 691, 692, 693, 694, 695, 696, 697, 698, 699, 700, 701, 702, 703, 704, 705, 706, 707, 708, 709, 710, 711, 712, 713, 714, 715, 716, 717, 718, 719, 720, 721, 722, 723, 724, 725, 726, 727, 728, 729, 730, 731, 732, 733, 734, 735, 736, 737, 738, 739, 740, 741, 742, 743, 744, 745, 746, 747, 748, 749, 750, 751, 752, 753, 754, 755, 756, 757, 758, 759, 760, 761, 762, 763, 764, 765, 766, 767, 768, 769, 770, 771, 772, 773, 774, 775, 776, 777, 778, 779, 780, 781, 782, 783, 784, 785, 786, 787, 788, 789, 790, 791, 792, 793, 794, 795, 796, 797, 798, 799, 800, 801, 802, 803, 804, 805, 806, 807, 808, 809, 810, 811, 812, 813, 814, 815, 816, 817, 818, 819, 820, 821, 822, 823, 824, 825, 826, 827, 828, 829, 830, 831, 832, 833, 834, 835, 836, 837, 838, 839, 840, 841, 842, 843, 844, 845, 846, 847, 848, 849, 850, 851, 852, 853, 854, 855, 856, 857, 858, 859, 860, 861, 862, 863, 864, 865, 866, 867, 868, 869, 870, 871, 872, 873, 874, 875, 876, 877, 878, 879, 880, 881, 882, 883, 884, 885, 886, 887, 888, 889, 890, 891, 892, 893, 894, 895, 896, 897, 898, 899, 900, 901, 902, 903, 904, 905, 906, 907, 908, 909, 910, 911, 912, 913, 914, 915, 916, 917, 918, 919, 920, 921, 922, 923, 924, 925, 926, 927, 928, 929, 930, 931, 932, 933, 934, 935, 936, 937, 938, 939, 940, 941, 942, 943, 944, 945, 946, 947, 948, 949, 950, 951, 952, 953, 954, 955, 956, 957, 958, 959, 960, 961, 962, 963, 964, 965, 966, 967, 968, 969, 970, 971, 972, 973, 974, 975, 976, 977, 978, 979, 980, 981, 982, 983, 984, 985, 986, 987, 988, 989, 990, 991, 992, 993, 994, 995, 996, 997, 998, 999, 1000).</p> <p>Legend:</p> <ul style="list-style-type: none"> <li>Site Allocation (Red outline)</li> <li>Indicative Developable Area (Dotted pattern)</li> </ul> <p>© Crown Copyright and database right 2019. Ordnance Survey Licence number 10023069.</p>

		<p><u>Site Area (ha): 1.01</u></p> <p><u>Indicative developable sites area: 1.01</u></p> <p><u>Indicative density (dph): 30</u></p> <p><u>Indicative capacity: 30</u></p> <p><u>Land type: Greenfield</u></p> <p><u>Ownership: Private</u></p> <p><b><u>Constraints</u></b></p> <ul style="list-style-type: none"> <li>- <u>Risk of surface water flooding</u></li> <li>- <u>Site of archaeological interest (SWYOR-6B3838)</u></li> </ul> <p><b><u>Reports Required</u></b></p> <ul style="list-style-type: none"> <li>- <u>Transport Assessment</u></li> <li>- <u>Flood Risk Assessment</u></li> <li>- <u>Post-determination archaeological condition</u></li> </ul> <p><b><u>Site Specific Considerations</u></b></p> <ul style="list-style-type: none"> <li>- <u>Provision of green and blue Infrastructure on site such as SuDS and green roofs.</u></li> <li>- <u>Plant locally native species rich hedgerows on boundaries.</u></li> <li>- <u>Provision of Open Space.</u></li> <li>- <u>Retention of the stone boundary walls and any other features of historic interest should</u></li> </ul>
--	--	---

## 4 Housing Allocations

---

		<p><i><u>be sought wherever possible.</u></i></p> <p><i>- <u>Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt.</u></i></p> <p><i>- <u>Site requires masterplanning in accordance with Policy IM7.</u></i></p>
--	--	--

Table MM226

Modification Reference	Page	Site Reference
MM226	98	<p data-bbox="584 352 2103 416">LP1657 Land at Whitwell Green Lane, Elland</p> <p data-bbox="584 416 2103 480"><b>Tracked Change</b></p> <p data-bbox="584 480 2103 544">Site Area (ha): <del>0.76</del> <u>0.75</u></p> <p data-bbox="584 544 2103 608">Indicative developable site area: <del>0.76</del> <u>0.75</u></p> <p data-bbox="584 608 2103 671">Indicative density (dph): 45 <u>40</u></p> <p data-bbox="584 671 2103 735">Indicative Capacity: <del>34</del> <u>30</u></p> <p data-bbox="584 735 2103 799"><b>Reports required</b></p> <ul data-bbox="584 799 2103 863" style="list-style-type: none"> <li>- <del>Third Party Land Control</del></li> </ul> <p data-bbox="584 863 2103 927"><b>Site specific considerations</b></p> <ul data-bbox="584 927 2103 1251" style="list-style-type: none"> <li>- <del>Whitwell Green Lane to be upgraded to increase carriageway width and to enable the provision of new footways on both sides.</del></li> <li>- <u>Traffic calming measures between the site and Dewsbury Road.</u></li> <li>- <u>Improvements at the Dewsbury Road junction including providing a right turn lane pocket with white lining</u></li> </ul>

## 4 Housing Allocations

### 4.4 Halifax Housing Allocations

Table MM227


Modification Reference	Page	Site Reference
MM227	99	LP0046 Goosegate Farm, Heathy Lane, Holmfield, Halifax
		<b>Tracked Change</b>
		<p>Site area (ha) <del>0.75</del> <u>0.74</u></p> <p>Indicative developable site area <del>0.70</del> <u>0.69</u></p> <p><b>Constraints</b></p> <ul style="list-style-type: none"> <li>- <del>Access - Substandard Visibility Splays &amp; narrow</del></li> <li>- Local Wildlife Site - Beechwood Park LNR/LWS</li> <li>- Contaminated land</li> <li>- Grade II Listed Building - Threapcroft Farm to the west</li> <li>- Rights of Way (Halifax 251)</li> </ul>

Table MM228


Modification Reference	Page	Site Reference
MM228	100	LP0103 Land at Horley Green Road, Claremount, Halifax <b>Tracked Change</b>

## 4 Housing Allocations

Map - Local Plan Publication Draft



Map - Modification



Maximum developable site area: ~~4.25~~ 0.25

Maximum Density: ~~45~~ 56

Maximum Capacity: ~~56~~ 14

### Site Specific Considerations:

- Provision of SuDS through green and blue infrastructure
- Restore an area of lowland meadow to be used as open space by supplementary planting with appropriate species and management.



		<ul style="list-style-type: none"><li>- <u>Consider recommendations of the</u> West Yorkshire Low Emission Strategy <del>has been</del> adopted by the Council. This gives guidance on good practice for mitigating air quality impacts.</li><li>- <u>Development proposals should include compensatory on-site open space provision that provides significant qualitative enhancements to the remaining Public Open Space at the site. Compensatory provision should include an equipped play area and other appropriate facilities/features with the remaining Public Open Space being located where visibility is maximised, and it makes a positive contribution to the appearance and setting of the surrounding street scene.</u></li><li>- Consider the impact on visual amenity currently provided by the site</li></ul>
--	--	--

## 4 Housing Allocations

Table MM229

Modification Reference	Page	Site Reference
MM229	102	<p data-bbox="616 368 1285 400">LP0234 Swinton, Hays Lane, Mixenden, Halifax</p> <p data-bbox="616 427 864 459"><b>Tracked Change</b></p> <p data-bbox="616 491 1016 523">Site Area (ha): <del>3.33</del> <u>3.32</u></p> <p data-bbox="616 563 1256 595">Indicative developable site area: <del>2.52</del> <u>2.51</u></p> <p data-bbox="616 635 1095 667"><b>Indicative Density (dph):</b> <del>37</del> <u>39</u></p> <p data-bbox="616 707 1025 738"><b>Indicative Capacity:</b> <del>93</del> <u>98</u></p> <p data-bbox="616 778 804 810"><b>Constraints:</b></p> <ul data-bbox="616 850 1144 1161" style="list-style-type: none"> <li>- Surface water run off</li> <li>- Flood Risk</li> <li>- Contaminated Land</li> <li>- Within MSA</li> <li>- <u>Site is within 2.5km of the SPA/SAC</u></li> </ul> <p data-bbox="616 1201 887 1233"><b>Reports Required</b></p> <ul data-bbox="616 1273 1794 1369" style="list-style-type: none"> <li>- Transport Assessment</li> <li>- Travel Plan with assessments of Raw Lane/A629 and Moor End Rd / Heath Hill Rd</li> </ul>

		<ul style="list-style-type: none"> <li>- Contaminated Land Report</li> <li>- Flood Risk Assessment</li> <li>- <u>Landscape Impact Assessment</u></li> <li>- <u>Ornithological Report informed by surveys undertaken according to “SPA Bird Survey Methodology” by West Yorkshire Ecology</u></li> <li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li> <li>- <u>Habitat Regulations Assessment (HRA)</u></li> </ul> <p><b>Site specific considerations:</b></p> <ul style="list-style-type: none"> <li>- Reduce developable land by providing a buffer of 10m around the site and around the woodland within the site.</li> <li>- Retain the vegetation within these buffers and supplementary plant with locally native shrubs.</li> <li>- Restore an area of lowland meadow to be used as open space by supplementary planting with appropriate species and management.</li> <li>- Provision of SuDS</li> <li>- Provision of green and blue infrastructure</li> <li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li> <li>- <u>Where likely significant effects have not been ruled out:</u></li> </ul> <p style="text-align: center;"><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></p>
--	--	--

## 4 Housing Allocations

		<p><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></p> <p><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></p> <p><u>Monitoring of impacts to assess bird use over time</u></p>
--	--	---

Table MM230

Modification Reference	Page	Site Reference
MM230	103	<p data-bbox="595 360 2089 416">LP0238 Land at rear of former St Bernadettes Church, Clough Lane, Mixenden, Halifax</p> <p data-bbox="595 416 2089 480"><b>Tracked Change</b></p> <p data-bbox="595 480 2089 544"><b>Constraints:</b></p> <ul data-bbox="595 544 2089 751" style="list-style-type: none"> <li>- Potential for increased surface water run-off</li> <li>- Potential impact on the South Pennine Moors SPA/SAC/SSSI</li> <li>- <u>Site is within 2.5km of the SPA/SAC</u></li> </ul> <p data-bbox="595 751 2089 815"><b>Reports Required:</b></p> <ul data-bbox="595 815 2089 1214" style="list-style-type: none"> <li>- Capacity building of existing drainage network</li> <li>- Transport Statement</li> <li>- <u>Ornithological Report informed by surveys undertaken according to "SPA Bird Survey Methodology" by West Yorkshire Ecology</u></li> <li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li> <li>- Habitat Regulations Assessment <u>(HRA)</u></li> </ul> <p data-bbox="595 1214 2089 1278"><b>Site specific considerations:</b></p> <ul data-bbox="595 1278 2089 1433" style="list-style-type: none"> <li>- Provision of SuDS and network capacity building</li> <li>- Assessment may be required of Clough Lane / Mixenden Road mini-roundabout</li> </ul>

## 4 Housing Allocations

		<ul style="list-style-type: none"><li>- Plant area of dense native shrubs</li><li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li><li>- <u>Where likely significant effects have not been ruled out:</u><ul style="list-style-type: none"><li><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li><li><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></li><li><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></li><li><u>Monitoring of impacts to assess bird use over time</u></li></ul></li></ul>
--	--	--

Table MM231

Modification Reference	Page	Site Reference
MM231	104	<p data-bbox="595 360 2089 416">LP0242 Land opposite 109-119, Mixenden Road, Mixenden, Halifax</p> <p data-bbox="595 416 2089 480"><b>Tracked Change</b></p> <p data-bbox="595 480 2089 544"><b>Constraints:</b></p> <ul data-bbox="595 544 2089 895" style="list-style-type: none"> <li>- Surface water run off</li> <li>- Access</li> <li>- Sewer</li> <li>- Ecology - South Pennine Moors SPA/SAC/SSSI</li> <li>- <u>Site is within 2.5km of the SPA/SAC</u></li> </ul> <p data-bbox="595 895 2089 959"><b>Reports Required:</b></p> <ul data-bbox="595 959 2089 1358" style="list-style-type: none"> <li>- Access Design</li> <li>- Transport Statement</li> <li>- <u>Ornithological Report informed by surveys undertaken according to "SPA Bird Survey Methodology" by West Yorkshire Ecology</u></li> <li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li> <li>- Habitat Regulations Assessment (<u>HRA</u>)</li> </ul> <p data-bbox="595 1358 2089 1422"><b>Site specific considerations:</b></p>

## 4 Housing Allocations

		<ul style="list-style-type: none"><li>- Provision of SuDS</li><li>- Provision of green and blue infrastructure</li><li>- Provision of Open Space (amenity greenspace)</li><li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li><li>- <u>Where likely significant effects have not been ruled out:</u><ul style="list-style-type: none"><li><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li><li><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></li><li><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></li><li><u>Monitoring of impacts to assess bird use over time</u></li></ul></li></ul>
--	--	--



Table MM232


Modification Reference	Page	Site Reference
MM232	105	LP0261 Land at Turner Avenue South, Ovenden, Halifax
		<p><b>Tracked Change</b></p> <p>Site Area (ha): <del>2.69</del> <u>2.68</u></p> <p>Indicative developable site area: <del>2.69</del> <u>2.68</u></p> <p>Indicative density (dph): 34 <u>29</u></p> <p>Indicative Capacity: <del>94</del> <u>77</u></p> <p><b>Site Specific Considerations:</b></p> <p><del>- Consider provision of public open space required as part of development of this site and adjacent site</del></p> <p><u>- Development proposals for LP0261, LP1368 and LP0523 should include the provision of a local park with children's play facilities on LP0261 or LP0523 to mitigate loss of open space.</u></p> <p><u>- Development proposals should include suitable mitigation for the loss of land that was last used as a Multi-Use Game Area (MUGA). Compensatory Open Space provision should include qualitative improvements to other 3G pitches/MUGAs in the local area and should be calculated in conjunction with sites LP0523 &amp; LP1368.</u></p> <p><u>- Development proposals should retain the hedgerows and standard trees located to the north of Furness Gardens.</u></p>

## 4 Housing Allocations

Table MM233

Modification Reference	Page	Site Reference
MM233	106	LP0353 Land to the rear 109 Fairfax Crescent, Southowram, Halifax
		<b>Tracked Change</b>
		Indicative developable site area: <del>0.33</del> <u>0.32</u>

Table MM234

Modification Reference	Page	Site Reference
MM234	107	<p data-bbox="595 363 1413 400">LP0397 Land adjacent to Daisy Bank, Savile Park, Halifax</p> <p data-bbox="595 427 842 464"><b>Tracked Change</b></p> <p data-bbox="748 496 1178 523"><b>Map - Local Plan Publication Draft</b></p>  <p data-bbox="595 1342 1099 1374"><b>Site removed from the Local Plan</b></p>

## 4 Housing Allocations

		<p>Site area (Ha): 0.52</p> <p><del>Indicative developable site area: 0.52</del></p> <p><del>Indicative density (dph): 20</del></p> <p><del>Indicative capacity: 10</del></p> <p><del>Land type: Greenfield</del></p> <p><del>Ownership: Private</del></p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"><li><del>– Surface water flood risk</del></li><li><del>– Access only suitable for a small mews court type development of up to around 10 dwellings</del></li><li><del>– Within Savile Park Conservation Area</del></li><li><del>– Light spillage from adjacent tennis courts</del></li></ul> <p><b>Reports Required:</b></p> <ul style="list-style-type: none"><li><del>– Hydrological Assessment</del></li><li><del>– Capacity building of existing drainage network and well planned site investigations.</del></li><li><del>– Protected Species Survey</del></li></ul> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li><del>– Provision of green and blue infrastructure including SuDS</del></li></ul>
--	--	--

		<ul style="list-style-type: none"><li>— Boundary trees and shrubs should be retained, and native shrubs should be planted.</li><li>— Consideration to recommendations provided within the HIA.</li><li>— Provision of a stand-off to mitigate impacts of light spillage from Queens Tennis Club</li></ul>
--	--	---

## 4 Housing Allocations

Table MM235

Modification Reference	Page	Site Reference
MM235	108	<p data-bbox="618 360 1357 400">LP0400 Land off Birdcage Lane, Savile Park, Halifax</p> <p data-bbox="618 424 864 464"><b>Tracked Change</b></p> <p data-bbox="618 488 976 528">Site Area (ha): <del>0.34</del> <u>0.29</u></p> <p data-bbox="618 552 1223 592">Indicative developable site area: <del>0.34</del> <u>0.29</u></p> <p data-bbox="618 632 1043 671"><b>Site Specific Considerations</b></p> <ul data-bbox="618 695 2112 1102" style="list-style-type: none"> <li>- Appropriate lighting scheme should be provided to mitigate against adverse ecological impacts</li> <li>- <del>Consideration to recommendations provided within the HIA</del></li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li>- <u>Retention and repair of the stone boundary wall.</u></li> <li>- <u>Existing mature trees to be retained.</u></li> </ul>

Table MM236

Modification Reference	Page	Site Reference
MM236	110	LP0452 Land at Ovenden Green, Ovenden, Halifax
		<p><b>Tracked Change</b></p> <p>Site Area (ha): <del>2.45</del> <u>2.44</u></p> <p>Indicative developable site area: <del>2.45</del> <u>2.44</u></p> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"> <li>- Provision of SuDS</li> <li>- Junction mitigation may be required at Ovenden Way/A629</li> <li>- <u>Development proposals should include the provision of on-site open space facilities and/or the enhancement/provision of open space facilities within the catchment of the development</u></li> <li>- <u>Development proposals should include the provision of a community garden/allotment and a small local play area.</u></li> </ul>

Table MM237

Modification Reference	Page	Site Reference
MM237	111	LP0454 Land off Wheatley Road, Lee Mount, Halifax
		<b>Tracked Change</b>

## 4 Housing Allocations

		Indicative density (dph): <del>30</del> <u>21</u> Indicative capacity: <del>20</del> <u>14</u>
--	--	---



Table MM238

Modification Reference	Page	Site Reference
MM238	113	<p data-bbox="595 360 1335 400">LP0523 Land at Furness Avenue, Illingworth, Halifax</p> <p data-bbox="595 424 842 464"><b>Tracked Change</b></p> <p data-bbox="595 488 972 528">Site Area (ha); <del>3.46</del> <u>3.45</u></p> <p data-bbox="595 552 1227 592">Indicative developable site area: <del>3.46</del> <u>3.45</u></p> <p data-bbox="595 616 1077 655">Indicative density (dph): <del>30</del> <u>46</u></p> <p data-bbox="595 679 1043 719">Indicative capacity: <del>104</del> <u>158</u></p> <p data-bbox="595 743 1032 783"><b>Site Specific Considerations:</b></p> <ul data-bbox="595 807 2103 1426" style="list-style-type: none"> <li data-bbox="595 807 1760 847">- Capacity building of existing drainage network and well planned site investigations</li> <li data-bbox="595 871 875 911">- Provision of SuDS</li> <li data-bbox="595 935 1536 975">- Potential mitigation at A629/Shay Lane Junction (congested point)</li> <li data-bbox="595 999 1962 1038">- <u>Development proposals should retain the hedgerows and standard trees located to the north of Furness Gardens.</u></li> <li data-bbox="595 1062 2103 1102">- <u>Development proposals for LP0261, LP1368 and LP0523 should include the provision of a local park with children's play facilities on LP0261 or LP0523 to mitigate loss of open space.</u></li> <li data-bbox="595 1126 2103 1166">- <u>Development proposals should include suitable mitigation for the loss of land that was last used as a Multi-Use Game Area (MUGA). Compensatory Open Space provision should include qualitative improvements to other 3G pitches/MUGAs in the local area and should be calculated in conjunction with sites LP0261 &amp; LP1368.</u></li> </ul>

## 4 Housing Allocations

Table MM239

Modification Reference	Page	Site Reference
MM239	114	<p data-bbox="618 363 1563 400">LP0531 Land off Whitehill Road, Keighley Road, Illingworth, Halifax</p> <p data-bbox="618 427 864 464"><b>Tracked Change</b></p> <p data-bbox="618 491 1048 528">Site Area (ha): <del>7.18</del> <u>7.16</u></p> <p data-bbox="618 560 1267 596">Indicative developable site area: <del>4.34</del> <u>4.33</u></p> <p data-bbox="618 628 1061 665">Indicative density (dph): <del>30</del> <u>29</u></p> <p data-bbox="618 697 1032 734">Indicative capacity: <del>130</del> <u>127</u></p> <p data-bbox="618 766 1059 802"><b>Site Specific Considerations:</b></p> <ul data-bbox="618 834 2123 1345" style="list-style-type: none"> <li>- Evaluation of existing drainage network and suitability of SuDS</li> <li>- Creation of new access without undue impact on the A629 and feasibility of re-locating the bus layby and stop</li> <li>- Provide a 20m buffer from the Local Wildlife Site to planted with an MG1e type meadow mix and left unmanaged to scrub over</li> <li>- The field to the north as shown should be left as MG6 grassland and grazed or cut with a view to moving towards acid to neutral species rich grassland.</li> <li>- Consider the impact on visual amenity currently provided by the site.</li> <li>- <del>Provision of buffer/screening between site and adjacent farm</del></li> </ul>

		<ul style="list-style-type: none"><li>- <u>An area of at least 35m from Mason's Green Farm should be kept free of residential properties including gardens, to ensure appropriate separation distance is maintained to protect the amenity of the development.</u></li><li>- Consideration to recommendations in the West Yorkshire Low Emission Strategy</li></ul>
--	--	---

## 4 Housing Allocations

Table MM240



Modification Reference	Page	Site Reference
MM240	115	<p data-bbox="616 368 1312 400">LP0683 Land at Bank Top/Common Lane, Halifax</p> <p data-bbox="616 427 864 459"><b>Tracked Change</b></p> <p data-bbox="616 491 1057 523"><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"> <li data-bbox="616 563 2096 635">- Layout and design to avoid flood risk impacts; <u>provision of blue and green infrastructure on site (such as SuDS &amp; Green Roof<sub>s</sub>)</u> to maximise infiltration and storage of rain water; assessment of drainage network.</li> <li data-bbox="616 675 1137 707">- Access Design and Safety Auditing.</li> <li data-bbox="616 746 1603 778">- Planting of native species rich hedgerow on south western boundary.</li> <li data-bbox="616 818 2067 890">- Visual impact of development to be considered. Consideration in design and layout to commercial and agricultural uses with appropriate stand offs included.</li> <li data-bbox="616 930 1480 962">- <del>Consideration to recommendations provided within the HIA.</del></li> <li data-bbox="616 1002 2112 1106">- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li data-bbox="616 1145 2112 1209">- Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt</li> </ul>

Table MM241

Modification Reference	Page	Site Reference
MM241	116	<p data-bbox="595 360 1413 400">LP0814 Land at Richmond Street, Stannary Place, Halifax</p> <p data-bbox="595 424 842 464"><b>Tracked Change</b></p> <p data-bbox="595 488 999 528">Site Area (ha): <del>0.99</del> <u>0.98</u></p> <p data-bbox="595 552 1245 592">Indicative developable site area: <del>0.99</del> <u>0.98</u></p> <p data-bbox="595 616 1043 655">Indicative density (dph): <del>45</del> <u>55</u></p> <p data-bbox="595 679 976 719">Indicative capacity: <del>45</del> <u>54</u></p>

# 4 Housing Allocations

Table MM242

Modification Reference	Page	Site Reference
MM242	117	LP0815 Works Depot, Stannary Place, Halifax
<b>Tracked Change</b>		
<div style="display: flex; justify-content: space-around;"> <div data-bbox="607 485 1361 1326"> <p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p>© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</p> </div> <div data-bbox="1368 485 2123 1326"> <p style="text-align: center;"><b>Map - Modification</b></p>  <p>© Crown copyright and database rights 2021 Ordnance Survey 0100023069</p> </div> </div>		
<p>Site area (ha): <del>4.62</del> <u>1.33</u></p>		

		Indicative developable area: 4.62 <u>1.33</u> Indicative density (dph): 45 <u>38</u> Indicative capacity: 73 <u>51</u>
--	--	--

## 4 Housing Allocations

Table MM243

Modification Reference	Page	Site Reference
MM243	118	LP0950 Beacon Lodge Quarry, Long Lane, Halifax
		<b>Tracked Change</b>
		Indicative developable site area: <del>4.80</del> <u>2.16</u> Indicative Capacity: <del>54</del> <u>64</u>



Table MM244


Modification Reference	Page	Site Reference
MM244	119	<p data-bbox="595 360 1653 400">LP0968 Land at West End Golf Club, Paddock Lane, Highroad Well, Halifax</p> <p data-bbox="595 424 842 464"><b>Tracked Change</b></p> <p data-bbox="595 488 954 528">Site Area (ha): <del>2.74</del> <u>2.70</u></p> <p data-bbox="595 552 1205 592">Indicative developable site area: <del>2.74</del> <u>2.70</u></p> <p data-bbox="595 632 1032 671"><b>Site Specific Considerations:</b></p> <ul data-bbox="595 695 2089 1318" style="list-style-type: none"> <li>- Provision of SuDS</li> <li>- Access and setting back of boundary walls</li> <li>- Retention of stone boundary walls and of trees</li> <li>- Assessment of any harm to Heritage Assets in neighbouring area</li> <li>- Robust boundary between allocation and Golf Club; stand off and any necessary physical mitigation between allocation and club house</li> <li>- <u>Development proposals should include suitable mitigation to compensate for the loss of existing on-site open space. The loss of part of the golf club (1.5 holes) should be compensated for by re-providing this on the adjoining public open space located at Roils Head playing fields. The consequential loss of Public Open Space should be compensated for by making qualitative improvements to the remaining open space and the clubhouse and by undertaking suitable ecological enhancements both on-site and in the immediate locality.</u></li> </ul>

## 4 Housing Allocations

---

		- Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt
--	--	---

Table MM245

Modification Reference	Page	Site Reference
MM245	CC39:  25	<u>LP0983 Land at Maltings Road, Wheatley, Halifax</u>
		<p><b>Tracked Change</b></p> <p><b>Map - Modification</b></p>  <p>The map displays a site allocation area outlined in red, situated on Maltings Road. A larger area is shaded with a stippled pattern, representing an indicative developable area. The map includes labels for 'The Maltings College' and 'Children's Nursery'. A legend in the bottom-left corner identifies the red outline as 'Site Allocation' and the stippled area as 'Indicative Developable Area'. Copyright information at the bottom of the map reads: '© Crown Copyright and database right 2022. Ordnance Survey Licence number 10023069.'</p>

## 4 Housing Allocations

	<p><u>Site Area (ha): 1.35</u></p> <p><u>Indicative developable site area: 0.86</u></p> <p><u>Indicative density (dph): 35</u></p> <p><u>Indicative capacity: 30</u></p> <p><u>Land type: Greenfield</u></p> <p><u>Ownership: Private</u></p> <p><b><u>Constraints</u></b></p> <ul style="list-style-type: none"><li>- <u>Historic land drainage issues</u></li><li>- <u>UK BAP Priority habitat on site - Deciduous woodland</u></li><li>- <u>Potential for contaminated land</u></li><li>- <u>Noise in relation to nearby depot</u></li><li>- <u>Old Maltings at Fountain Head Brewery (Grade II Listed Building)</u></li></ul> <p><b><u>Reports Required</u></b></p> <ul style="list-style-type: none"><li>- <u>Transport Assessment</u></li><li>- <u>Contaminated Land Assessment</u></li><li>- <u>Noise Impact Assessment</u></li><li>- <u>Flood Risk Assessment</u></li><li>- <u>Woodland Management Plan</u></li></ul>
--	---

		<p><b><u>Site Specific Considerations</u></b></p> <ul style="list-style-type: none"><li>- <u>Provision of SuDS; Provision of green and blue infrastructure; Provision of storage for storm water run-off; realignment of retaining wall of the adjacent area.</u></li><li>- <u>Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt</u></li><li>- <u>Deciduous woodland to remain excluded from the developable land; woodland management to be prepared and implemented; boundary trees and shrubs to be retained</u></li><li>- <u>Mitigate for disturbance to stream, woodland and SPA/SAC.</u></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li><li>- <u>Any mitigation measures identified in the contaminated land and noise impact assessments to be implemented.</u></li></ul>
--	--	---

## 4 Housing Allocations

Table MM246

Modification Reference	Page	Site Reference
MM246	120	<p data-bbox="616 363 1317 400">LP0990 Land off Denfield Lane, Wheatley, Halifax</p> <p data-bbox="616 427 864 464"><b>Tracked Change</b></p> <p data-bbox="616 491 1003 528">Site Area (ha): <del>4.07</del> <u>1.06</u></p> <p data-bbox="616 560 797 596"><b>Constraints</b></p> <ul data-bbox="616 635 1077 810" style="list-style-type: none"> <li>- Potential surface water flooding</li> <li>- Access</li> <li>- <u>Historical Rights of Way</u></li> </ul> <p data-bbox="616 847 1048 884"><b>Site Specific Considerations</b></p> <ul data-bbox="616 922 2063 1342" style="list-style-type: none"> <li>- Provision of green and blue infrastructure, such as SuDS</li> <li>- Drawing showing access with sufficient visibility and gradient.</li> <li>- Mitigation may be required at Shroggs Road / A629 junction and Straight Lane / A629 junction</li> <li>- Ensure strip 10m wide along southern boundary not included in developable boundary, restore to acid grassland and manage appropriately.</li> <li>- Consideration to visual impact of development.</li> <li>- Retention of stone boundary walls and of trees</li> </ul>

		<ul style="list-style-type: none"><li>- Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt</li><li>- <u>Provision is made to enhance other recreational space in the area.</u></li><li>- <u>Retain and enhance historical rights of way within the site including the need for pedestrian access onto Denfield Lane.</u></li></ul>
--	--	---

## 4 Housing Allocations

Table MM247

Modification Reference	Page	Site Reference
MM247	121	<p data-bbox="618 363 1279 400">LP1004 Land off Burnley Road, Warley, Halifax</p> <p data-bbox="618 427 864 464"><b>Tracked Change</b></p> <p data-bbox="618 491 887 528"><b>Reports Required</b></p> <ul data-bbox="618 560 1563 951" style="list-style-type: none"> <li>- Contaminated Land Assessment</li> <li>- Noise Impact Assessment (road noise)</li> <li>- Hydrological Assessment - Warley Clough water course</li> <li>- Topographic survey and feasible layout drawing of access/junction</li> <li>- Bat Survey</li> <li>- <u>Landscape Impact Assessment</u></li> </ul> <p data-bbox="618 986 1048 1023"><b>Site Specific Considerations</b></p> <ul data-bbox="618 1054 2101 1385" style="list-style-type: none"> <li>- Provision of green and blue infrastructure <u>on site such as</u> SuDS/green roofs, provision of storage for stormwater run-off.</li> <li>- <del>Consideration to recommendations provided within the HIA.</del> <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting.</u></li> <li>- <u>The buildings identified in the Heritage Impact Assessment as making an important contributing to the character of the Conservation Area should be retained and reused.</u></li> </ul>



		<ul style="list-style-type: none"><li>- Measures to address traffic noise from Burnley Road</li><li>- Retain native trees where possible, and plant native trees and shrubs on boundaries.</li></ul>
--	--	--

## 4 Housing Allocations



Table MM248

Modification Reference	Page	Site Reference
MM248	122	<p data-bbox="616 363 1861 400">LP1009 Site of demolished School, Clough Lane / Brow Bottom Lane, Mixenden, Halifax</p> <p data-bbox="616 427 864 464"><b>Tracked Change</b></p> <p data-bbox="616 491 1043 528"><b>Indicative Capacity:</b> <del>55</del> <u>38</u></p> <p data-bbox="616 560 804 596"><b>Constraints:</b></p> <ul data-bbox="616 635 1384 807" style="list-style-type: none"> <li>- Potential increase in surface water flooding</li> <li>- <del>Less than 2km from South Pennines SPA/SCA/SSSI</del></li> <li>- <u>Site is within 2.5km of the SPA/SAC</u></li> </ul> <p data-bbox="616 847 887 884"><b>Reports required:</b></p> <ul data-bbox="616 916 1767 1374" style="list-style-type: none"> <li>- Flood Risk Assessment</li> <li>- Transport Statement</li> <li>- <u>Ornithological Report informed by surveys undertaken according to “SPA Bird Survey Methodology” by West Yorkshire Ecology</u></li> <li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li> <li>- Habitat Regulations Assessment (<u>HRA</u>)</li> </ul>

		<p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"> <li>- Provision of SuDS</li> <li>- Access road design and widening</li> <li>- <del>Measures to reduce pressure on South Pennines SSSI/SAC/SPA</del></li> <li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li> <li>- <u>Development proposals should include the provision of on-site open space facilities and/or the enhancement/provision of open space facilities within the catchment of the development.</u></li> <li>- <u>Where likely significant effects have not been ruled out:</u> <ul style="list-style-type: none"> <li><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li> <li><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></li> <li><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></li> <li><u>Monitoring of impacts to assess bird use over time</u></li> </ul> </li> </ul>
--	--	---

# 4 Housing Allocations


Table MM249

Modification Reference	Page	Site Reference
MM249	123	LP1019 Land adjacent to White House Farm, Riley Lane, Holmfield, Halifax
<b>Tracked Change</b>		
<div style="display: flex; justify-content: space-around;"> <div style="width: 45%;"> <p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p>This map shows the site allocation (red outline) and indicative developable area (dotted pattern) for the site. The site is located adjacent to White House Farm and Holdsworth Farm. The map includes labels for 'RILEY LANE', 'PARTON ROAD', 'White House Farm', 'Holdsworth Farm', and 'Dale Fold Farm'. A legend in the bottom left corner identifies the red outline as 'Site Allocation' and the dotted pattern as 'Indicative Developable Area'. Copyright information at the bottom reads: '© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.'</p> </div> <div style="width: 45%;"> <p style="text-align: center;"><b>Map - Modification</b></p>  <p>This map shows the site allocation (red outline) and indicative developable area (dotted pattern) for the site. The site is located adjacent to White House Farm and Holdsworth Farm. The map includes labels for 'RILEY LANE', 'PARTON ROAD', 'White House Farm', 'Holdsworth Farm', and 'Dale Fold Farm'. A legend in the bottom left corner identifies the red outline as 'Site Allocation' and the dotted pattern as 'Indicative Developable Area'. Copyright information at the bottom reads: '© Crown Copyright and database right 2022. Ordnance Survey Licence number 10023069.'</p> </div> </div>		
<p>Site Area (ha): <del>1.32</del> <u>1.27</u></p>		

		<p>Indicative Developable Site Area: 4.13 <u>1.09</u></p> <p>Indicative Density: <del>36</del> <u>25</u></p> <p>Indicative Capacity: 44 <u>27</u></p> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"> <li><del>- Retain and enhance woodland on site excluded from developable area</del></li> <li>- Provision of SuDS; Provision of green and blue infrastructure; Provision of storage for storm water run-off</li> <li>- Consider the impact on visual amenity currently provided by the site.</li> <li><del>- Consideration to recommendations provided within the HIA (including retention of tree belt to east with enhancement/management/maintenance)</del></li> </ul> <p><u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></p> <ul style="list-style-type: none"> <li><u>- The mature tree belt along the site's eastern boundary shall be retained and reinforced</u></li> <li>- Consideration to recommendations in the West Yorkshire Low Emission Strategy.</li> <li>- A site specific policy would be required to create <u>Ensure the creation of</u> a strong and defensible boundary between the allocation for housing and the Green Belt.</li> </ul>
--	--	--

# 4 Housing Allocations

Table MM250







Modification Reference	Page	Site Reference
MM250	CC39:  26	<p data-bbox="607 336 1218 368"><u>LP1128 Land off Park Lane, Siddal, Halifax</u></p> <p data-bbox="607 376 853 408"><b>Tracked Change</b></p> <p data-bbox="869 416 1104 448"><b>Map - Modification</b></p>  <p data-bbox="607 1374 882 1406"><u>Site area (ha): 1.06</u></p> <p data-bbox="607 1445 1133 1477"><u>Indicative developable site area: 1.06</u></p>

		<p><u>Indicative density (dph): 36</u></p> <p><u>Indicative capacity: 38</u></p> <p><u>Land type: Greenfield</u></p> <p><u>Ownership: Private</u></p> <p><b><u>Constraints:</u></b></p> <ul style="list-style-type: none"> <li>- <u>Topography</u></li> <li>- <u>Possible Land Contamination</u></li> </ul> <p><b><u>Reports Required:</u></b></p> <ul style="list-style-type: none"> <li>- <u>Topographic Survey/Transport Assessment/Travel Plan, Access junction design</u></li> <li>- <u>Flood Risk Assessment</u></li> <li>- <u>Contaminated Land Assessment</u></li> </ul> <p><b><u>Site Specific Considerations:</u></b></p> <ul style="list-style-type: none"> <li>- <u>Surface water management and SuDS application.</u></li> <li>- <u>Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt.</u></li> <li>- <u>Possible contribution to mitigation at Jubilee Rd / A629 junction.</u></li> <li>- <u>Widening of carriageway and footway required to provide a continuation of the same carriageway width with the existing footway extending into the site.</u></li> </ul>
--	--	---



# 4 Housing Allocations

Table MM251



Modification Reference	Page	Site Reference				
MM251	124	LP1137 Horley Green Works, Horley Green Road, Claremount, Halifax				
<b>Tracked Change</b>						
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th data-bbox="607 485 1361 528" style="width: 50%; text-align: center;">Map - Local Plan Publication Draft</th> <th data-bbox="1368 485 2123 528" style="width: 50%; text-align: center;">Map - Modification</th> </tr> </thead> <tbody> <tr> <td data-bbox="607 533 1361 1326" style="text-align: center;">  </td> <td data-bbox="1368 533 2123 1326" style="text-align: center;">  </td> </tr> </tbody> </table>			Map - Local Plan Publication Draft	Map - Modification		
Map - Local Plan Publication Draft	Map - Modification					
						
<p>Site Area (ha): <del>0.84</del> <u>0.78</u></p>						



		<p>Indicative developable site area-0.84 <u>0.78</u></p> <p><b>Reports Required</b></p> <ul style="list-style-type: none"><li>- Transport Statement.</li><li>- Contaminated Land Assessment</li><li>- <u>Landscape Impact Assessment</u></li></ul>
--	--	--

# 4 Housing Allocations

Table MM252

Modification Reference	Page	Site Reference
MM252	125	LP1180 Old Lane Dyeworks, Old Lane, Halifax
<b>Tracked Change</b>		
<div style="display: flex; justify-content: space-around;"> <div style="width: 45%;"> <p data-bbox="770 496 1200 523" style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p data-bbox="651 1134 943 1262"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; border-bottom: 1px dotted black; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</small> </p> </div> <div style="width: 45%;"> <p data-bbox="1626 496 1868 523" style="text-align: center;"><b>Map - Modification</b></p>  <p data-bbox="1402 1134 1644 1270"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; border-bottom: 1px dotted black; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown Copyright and database right 2022. Ordnance Survey Licence number 10023069.</small> </p> </div> </div>		
<p data-bbox="618 1342 965 1374">Site Area (ha) <del>2.61</del> <u>2.60</u></p>		

		<p>Indicative Developable Area: 1.51    <u>0.38</u></p> <p>Indicative density (dph): 42    <u>166</u></p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"> <li>- Flooding - Ovenden Brook and surface water</li> <li>- Lowland Mixed Deciduous Woodland</li> <li>- <u>Wildlife Habitat Network.</u></li> <li>- Heritage - Old Lane Mill and Former Boiler House and Attached Chimney to North of Old Lane Mill (Grade II* Listed Buildings), Ackroyden Conservation Area, possible archaeological remains</li> <li>- Contaminated Land</li> <li>- Noise - waste transfer station and road</li> </ul> <p><b>Reports Required:</b></p> <ul style="list-style-type: none"> <li>- Transport Assessment &amp; Travel Plan for site and mitigation proposal</li> <li>- Flood Risk Assessment &amp; Hydrological assessment of Ovenden Brook and surface water evaluation, <u>to include:</u> <ul style="list-style-type: none"> <li>● <u>Flood risk hydraulic modelling of Ovenden Brook</u></li> <li>● <u>Emergency Access and egress plans (to be provided to the LPA for consideration and agreement with the Council's emergency planners)</u></li> <li>● <u>Specific consideration being given to impacts from historic flooding, such as recent flood events in Calderdale</u></li> <li>● <u>Specification for sites contained in flood zones 2 and 3 that any more or highly vulnerable uses may not be permitted on the ground floor</u></li> </ul> </li> </ul>
--	--	--

## 4 Housing Allocations







		<ul style="list-style-type: none"><li>• <u>Following a sequential approach to the layout of the site – i.e. locating development in areas of least flood risk</u></li><li>• <u>Consideration of Surface Water Flood Risk</u></li></ul> <ul style="list-style-type: none"><li>- Archaeological recording in advance of development</li><li>- Contaminated Land Assessment</li><li>- Predetermination Archaeological Evaluation</li><li>- Noise Impact Assessment</li></ul> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li>- Remove woodland from developable area</li><li>- <del>Consideration to recommendations provided within the HIA including linking of new development to conversion of mill buildings.</del> <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li><li>- <u>The undeveloped areas surrounding the Listed Buildings identified in the Heritage Impact Assessment as being of High Sensitivity shall remain free of development.</u></li><li>- <u>Development proposals shall secure the repair and sensitive restoration of the Listed Building.</u></li><li>- Measures to address noise from waste transfer station and road.</li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--	---

Table MM253

Modification Reference	Page	Site Reference
MM253	128	LP1197 Park Lane, Siddal, Halifax
		<b>Tracked Change</b>
		Site Area (ha): <del>1.09</del> <u>1.08</u>  Indicative developable site area: <del>1.09</del> <u>1.08</u>

# 4 Housing Allocations

Table MM254

Modification Reference	Page	Site Reference				
MM254	130	LP1216 Land off Mill Lane and Old Lane, Boothtown, Halifax				
<b>Tracked Change</b>						
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th data-bbox="607 485 1361 528" style="text-align: center;">Map - Local Plan Publication Draft</th> <th data-bbox="1368 485 2123 528" style="text-align: center;">Map - Modification</th> </tr> </thead> <tbody> <tr> <td data-bbox="607 533 1361 1326" style="text-align: center;">  <p style="text-align: center;"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; background: repeating-linear-gradient(45deg, transparent, transparent 2px, black 2px, black 4px); border: 1px dotted black; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</small> </p> </td> <td data-bbox="1368 533 2123 1326" style="text-align: center;">  <p style="text-align: center;"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; background: repeating-linear-gradient(45deg, transparent, transparent 2px, black 2px, black 4px); border: 1px dotted black; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown Copyright and database right 2022. Ordnance Survey Licence number 10023069.</small> </p> </td> </tr> </tbody> </table>			Map - Local Plan Publication Draft	Map - Modification	 <p style="text-align: center;"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; background: repeating-linear-gradient(45deg, transparent, transparent 2px, black 2px, black 4px); border: 1px dotted black; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</small> </p>	 <p style="text-align: center;"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; background: repeating-linear-gradient(45deg, transparent, transparent 2px, black 2px, black 4px); border: 1px dotted black; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown Copyright and database right 2022. Ordnance Survey Licence number 10023069.</small> </p>
Map - Local Plan Publication Draft	Map - Modification					
 <p style="text-align: center;"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; background: repeating-linear-gradient(45deg, transparent, transparent 2px, black 2px, black 4px); border: 1px dotted black; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</small> </p>	 <p style="text-align: center;"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; background: repeating-linear-gradient(45deg, transparent, transparent 2px, black 2px, black 4px); border: 1px dotted black; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown Copyright and database right 2022. Ordnance Survey Licence number 10023069.</small> </p>					
<p><b>Site Area: 9.6     <u>4.71</u></b></p>						



		<p><b>Indicative Developable Area:</b> 6.57 <u>3.20</u></p> <p><b>Indicative density (dph):</b> 30 <u>29</u></p> <p><b>Indicative Site Capacity:</b> 497 <u>94</u></p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"> <li>- Potential for Fluvial (Ovenden Brook) and Pluvial Flooding</li> <li>- Public rights of way (Halifax 435, 436 and 736)</li> <li>- Semi improved species rich grassland</li> <li>- <u>Wildlife Habitat Network</u></li> <li>- Overhead Power Line</li> <li>- Multiple Ownerships</li> <li>- Substandard alignment on Broad Tree Road towards junction with A629</li> <li>- <del>Proximity to Listed Buildings (Boothtown House and 21-25 Hall Street North)</del></li> <li>- Archaeological site PRN4718 Site of 14th Century Boothtown Hall, site also contains PRN5443</li> <li>- Impact of industrial, commercial and road traffic noise to the west</li> <li>- Contaminated Land</li> </ul> <p><b>Reports required:</b></p> <ul style="list-style-type: none"> <li>- Flood Risk Assessment</li> </ul>
--	--	--

## 4 Housing Allocations

	<ul style="list-style-type: none"><li>- More investigations into route to/from site. Full Transport Assessment and Travel Plan and access junction proposals to distribute the peak hour trips sufficiently such that the impact on the CAT 2 A629 would be acceptable.</li><li>- Bat Survey</li><li>- <u>Preliminary Ecological Appraisal and protected species surveys required alongside a sensitive landscape plan (including SuDS) to ensure there is no fragmentation of CWHN and a net gain in biodiversity.</u></li><li>- Desk based assessment and archaeological field evaluation should be undertaken prior to development in line with NPPF.</li><li>- Noise Impact Assessment</li><li>- Contaminated Land Assessment</li></ul> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li>- Green and blue infrastructure on site such as SuDS and green roofs to reduce the infiltration rate of precipitation as well as provide storage for storm water run-off</li><li>- Realignment of retaining wall of the adjacent area of the development to mitigate drainage</li><li>- <del>Improvements will be required to Broad Tree Road and probably at A629</del></li><li>- <u>Access improvements required to Grantham Road</u></li><li>- <u>Permeable pedestrian and cycle access required between site LP1216 and LP1229</u></li><li>- Remove Semi improved species rich grassland from developable area</li><li>- Provide for long term ecological management of species rich grassland</li><li>- Plant species rich hedgerows on boundaries using locally native species</li></ul>
--	--



		<ul style="list-style-type: none"><li>- Consideration to recommendations provided within the HIA</li><li>- PRN5443 - may recommend archaeological condition if development permitted</li><li>- Layout to consider overhead power lines</li><li>- <u>Site requires masterplanning in accordance with Policy IM7</u></li></ul>
--	--	--

## 4 Housing Allocations

Table MM255


Modification Reference	Page	Site Reference
MM255	132	<p data-bbox="616 368 1151 400">LP1229 Near Royd, Ovenden, Halifax</p> <p data-bbox="616 427 864 459"><b>Tracked Change</b></p> <p data-bbox="616 491 1055 523">Site Area (ha): <del>16.68</del> <u>16.62</u></p> <p data-bbox="616 563 1301 595">Indicative developable site area: <del>15.79</del> <u>15.74</u></p> <p data-bbox="616 635 1084 667"><b>Indicative density (dph):</b> <del>30</del> <u>36</u></p> <p data-bbox="616 707 1061 738"><b>Indicative capacity:</b> <del>474</del> <u>562</u></p> <p data-bbox="616 778 804 810"><b>Constraints:</b></p> <ul data-bbox="616 850 2107 1377" style="list-style-type: none"> <li>- Ecology - proximity to Ovenden Brook, and lowland mixed deciduous woodland – UK BAP Priority Habitats.</li> <li>- Site access - full signalised junction likely to be required on A629.</li> <li>- <u>Unstable Land</u></li> <li>- Over Head Powerlines.</li> <li>- Potential to increase surface water run off.</li> <li>- Flooding - adjacent to Ovenden Brook.</li> <li>- Various archaeological assets near by.</li> <li>- Rights of Way (Halifax 429 &amp; 433).</li> </ul>

	<ul style="list-style-type: none"><li>- Third party land, if required, to achieve access over Ovenden Brook.</li></ul> <p><b>Reports Required:</b></p> <ul style="list-style-type: none"><li>- Flood Risk Assessment, including Hydrological Assessment</li><li>- Investigations into existing drainage network.</li><li>- Layout including detail of how traffic could be accommodated adequately on the local road network and the A629 in particular.</li><li>- Full Transport Assessment and Travel Plan.</li><li>- Access Junction and Topographical survey.</li><li>- Road Safety Assessment.</li><li>- Ecological Impact Assessment (informed by a bat survey).</li><li>- Recommend archaeological desk-based assessment.</li><li>- Third party land control.</li></ul> <p><u>- Land Stability Report.</u></p> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li>- Provision of green and blue infrastructure, including SuDS.</li><li>- Stand off from Ovenden Brook to be planted with locally native species, and to be excluded from residential gardens/public space.</li></ul> <p><u>- Explore opportunities to deculvert Ovenden Brook where possible</u></p>
--	---

## 4 Housing Allocations

	<ul style="list-style-type: none"><li>- <u>Assess the impact of retaining the culvert on the effectiveness of the Wildlife Habitat Network and seek opportunities to improve habitats</u></li><li>- Remove lowland mixed deciduous woodland from indicative developable area.</li><li>- Minimise light pollution and other disturbance to the beck.</li><li>- Consider the impact on visual amenity currently provided by the site.</li><li>- Consider location of overhead powerlines in the design and layout of any scheme.</li><li>- Third party land, if required, to achieve access over Ovenden Brook.</li><li>- No increase in development footprint for the area within FZ3ai.</li><li>- <u>Permeable pedestrian and cycle access required between site LP1216 and LP1229</u></li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	---

Table MM256

Modification Reference	Page	Site Reference
MM256	CC39:  57	<u>LP1292 Cow Green Car Park, Halifax</u>
<b>Tracked Change</b>		
<p style="text-align: center;"><b>Map - Modification</b></p>  <p>The map displays the site allocation and indicative developable area for LP1292 Cow Green Car Park, Halifax. The site allocation is shown as a red rectangle, and the indicative developable area is shown as a dotted area. The map includes streets such as Gibbet Street, Mount Street, Lister Lane, and Cow Green. A legend in the bottom left corner identifies the symbols used on the map. The map also shows various landmarks and features, including Swine Market, Lister Court, and a Car Park. Dimensions of 160.0m and 154.2m are indicated on the map.</p> <p><b>Legend:</b></p> <ul style="list-style-type: none"> <li>Site Allocation (Red rectangle)</li> <li>Indicative Developable Area (Dotted area)</li> </ul> <p>© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</p>		
<u>Site area (Ha): 0.34</u>		
<u>Indicative developable site area: 0.34</u>		

## 4 Housing Allocations

		<p><u>Indicative density (dph): 265</u></p> <p><u>Indicative capacity: 90</u></p> <p><u>Land type: Brownfield</u></p> <p><u>Ownership: Public</u></p> <p><b><u>Constraints:</u></b></p> <ul style="list-style-type: none"><li>- <u>Adjacent to Halifax Town centre Conservation Area</u></li><li>- <u>Proximity to Listed Buildings</u></li><li>- <u>Potential land contamination</u></li></ul> <p><b><u>Reports required:</u></b></p> <ul style="list-style-type: none"><li>- <u>Site investigation and assessment of existing surface water drainage network.</u></li><li>- <u>Transport Statement</u></li><li>- <u>Land Contamination Report</u></li><li>- <u>Noise Impact Report</u></li></ul> <p><b><u>Site Specific Considerations:</u></b></p> <ul style="list-style-type: none"><li>- <u>Provision of SuDS</u></li><li>- <u>Retain areas of open space</u></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their setting</u></li></ul>
--	--	--

		<ul style="list-style-type: none"><li>- <u>Mitigation for potential impact of traffic noise</u></li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--	--

## 4 Housing Allocations

Table MM257

Modification Reference	Page	Site Reference
MM257	134	<p data-bbox="616 368 1518 400">LP1368 Furness Drive/Turner Avenue South, Illingworth, Halifax</p> <p data-bbox="616 427 864 459"><b>Tracked Change</b></p> <p data-bbox="616 491 1070 523">Indicative density (dph): <del>36</del> <u>23</u></p> <p data-bbox="616 563 969 595">Indicative capacity: <del>9</del> <u>6</u></p> <p data-bbox="616 635 1055 667"><b>Site Specific Considerations:</b></p> <p data-bbox="616 707 2096 770"><u>- Development proposals should retain the hedgerows and standard trees located to the north of Furness Gardens.</u></p> <p data-bbox="616 818 1928 850"><del>- Provision of public open space required as part of development of this site and adjacent site</del></p> <p data-bbox="616 858 2123 922"><u>- Development proposals for LP0261, LP1368 and LP0523 should include the provision of a local park with children's play facilities on LP0261 or LP0523 to mitigate loss of open space.</u></p> <p data-bbox="616 962 2112 1106"><u>- Development proposals should include suitable mitigation for the loss of land that was last used as a Multi-Use Game Area (MUGA). Compensatory Open Space provision should include qualitative improvements to other 3G pitches/MUGAs in the local area and should be calculated in conjunction with sites LP0261 &amp; LP0523.</u></p>



Table MM258

Modification Reference	Page	Site Reference
MM258	135	<p data-bbox="584 352 2103 416">LP1379 Heathmoor Park Road/Field Head Lane, Illingworth, Halifax</p> <p data-bbox="584 416 2103 480"><b>Tracked Change</b></p> <p data-bbox="584 480 2103 544">Site Area (ha): <del>4.13</del> <u>1.14</u></p> <p data-bbox="584 544 2103 608">Indicative developable site area: <del>4.43</del> <u>1.14</u></p> <p data-bbox="584 608 2103 671"><b>Indicative density (dph):</b> <del>36</del> <u>38</u></p> <p data-bbox="584 671 2103 735"><b>Indicative capacity:</b> <del>41</del> <u>43</u></p> <p data-bbox="584 735 2103 799"><b>Constraints:</b></p> <ul data-bbox="584 799 2103 1326" style="list-style-type: none"> <li>- Potential for increased surface water run-off</li> <li>- Land drainage issues</li> <li>- Possible land contamination</li> <li>- Site may support lowland meadow or lowland acid grassland UK BAP habitats</li> <li>- Wildlife Habitat Network</li> <li>- Right of Way (Halifax 214)</li> <li>- <u>Site is within 2.5km of the SPA/SAC</u></li> </ul> <p data-bbox="584 1326 2103 1423"><b>Reports required:</b></p>

## 4 Housing Allocations


	<ul style="list-style-type: none"><li>- Flood Risk Assessment, to include a Hydrological Assessment</li><li>- Transport Statement</li><li>- Contaminated Land Assessment</li><li>- Botanical Survey</li><li>- <u>Ornithological Report informed by surveys undertaken according to “SPA Bird Survey Methodology” by West Yorkshire Ecology</u></li><li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li><li>- <u>Habitat Regulations Assessment (HRA)</u></li></ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"><li>- Provision of blue and green infrastructure, including SuDs</li><li>- <del>Consideration of the need for open space in the local area, and the impact on visual amenity currently provided by the site.</del></li><li>- <u>Consider the impact on visual amenity currently provided by the site.</u></li><li>- <u>Development proposals should include suitable mitigation to compensate for the loss of existing on-site open space.</u></li><li>- Consider impact on UK BAP Priority Habitats and planting of locally native hedgerow to minimise damage to adjacent heathland and create area of locally native wildflower meadow nearby</li><li>- <u>Retain an Remove</u> area of less improved grassland from developable area</li><li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li><li>- <u>Where likely significant effects have not been ruled out:</u></li></ul>
--	--

## 4 Housing Allocations

		<p><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></p> <p><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></p> <p><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></p> <p><u>Monitoring of impacts to assess bird use over time</u></p>
--	--	--

# 4 Housing Allocations

Table MM259

Modification Reference	Page	Site Reference
MM259	CC39:  27	<p data-bbox="607 336 1518 368"><i>LP1409 Wood Lane, Off Ovenden Wood Road, Wheatley, Halifax</i></p> <p data-bbox="607 376 853 408"><b>Tracked Change</b></p> <p data-bbox="869 416 1099 448"><b>Map - Modification</b></p>  <p data-bbox="607 1241 882 1273"><i>Site area (ha): 4.31</i></p> <p data-bbox="607 1313 1128 1345"><i>Indicative developable site area: 3.62</i></p>

		<p><u>Indicative density (dph): 30</u></p> <p><u>Indicative capacity: 109</u></p> <p><u>Land type: Greenfield</u></p> <p><u>Ownership: Private</u></p> <p><b><u>Constraints:</u></b></p> <ul style="list-style-type: none"> <li>- <u>Access from Wood Lane, without improvement, is not appropriate</u></li> <li>- <u>Surface water flooding risk / potential for increased surface water run-off.</u></li> <li>- <u>Adjacent to Hebble Brook and Dodgson Clough and deciduous woodland - UK Biodiversity Action Plan priority habitats.</u></li> <li>- <u>Wildlife Habitat Network</u></li> </ul> <p><b><u>Reports Required:</u></b></p> <ul style="list-style-type: none"> <li>- <u>Flood Risk Assessment, including Hydrological Assessment and consideration of layout and design.</u></li> <li>- <u>Transport Assessment/Travel Plan and access proposals.</u></li> <li>- <u>Habitat Regulations Assessment should be undertaken. This should be informed by ornithological surveys (to include nocturnal golden plover surveys).</u></li> </ul> <p><b><u>Site Specific Considerations:</u></b></p> <ul style="list-style-type: none"> <li>- <u>Consider design and layout with regards to flood risk.</u></li> <li>- <u>Realignment of retaining wall of the adjacent area.</u></li> <li>- <u>Provision of SuDS and green and blue infrastructure, taking account of existing biodiversity.</u></li> </ul>
--	--	--

## 4 Housing Allocations

		<ul style="list-style-type: none"> <li>- <u>Provision of buffer from the beck and associated wetland, and Wildlife Habitat Network; the latter to be planted with native grass seed.</u></li> <li>- <u>Consider the impact on visual amenity currently provided by the site.</u></li> <li>- <u>Open space would be required as part of any development since there are deficiencies in other typologies</u></li> <li>- <u>Improvements required to the Ovenden Wood Road and Wood Lane junction</u></li> <li>- <u>Provision of a safe pedestrian crossing across Hebble Brook</u></li> </ul>
--	--	--

Table MM260

Modification Reference	Page	Site Reference
MM260	136	LP1425 Land South of Phoebe Lane, Siddal, Halifax
		<b>Tracked Change</b>
		Site Area (ha): <del>3.30</del> <u>3.29</u>

Table MM261

Modification Reference	Page	Site Reference
MM261	137	<p data-bbox="618 363 1749 400">LP1429 Former St Catherines High School, Holdsworth Road, Holmfield, Halifax</p> <p data-bbox="618 427 864 464"><b>Tracked Change</b></p> <p data-bbox="618 491 1021 528">Site Area (ha): <del>2.76</del> <u>2.75</u></p> <p data-bbox="618 560 1267 596">Indicative developable site area: <del>2.76</del> <u>2.75</u></p> <p data-bbox="618 628 1077 665">Indicative density (dph): <del>30</del> <u>39</u></p> <p data-bbox="618 697 1021 734">Indicative capacity: <del>83</del> <u>108</u></p> <p data-bbox="618 766 1059 802"><b>Site Specific Considerations:</b></p> <ul data-bbox="618 834 2123 1358" style="list-style-type: none"> <li data-bbox="618 834 898 871">- Provision of SuDS</li> <li data-bbox="618 903 1536 940">- <del>Consider impact of loss of tennis courts on provision in the area</del></li> <li data-bbox="618 971 2123 1094">- <u>Development proposals should include compensatory open space provision for the loss of on-site tennis courts in the form of improvements to open space facilities in the immediate locality to include the enhancement of facilities at Beechwood Park or Holmfield Park.</u></li> <li data-bbox="618 1126 2123 1249">- <del>Consideration to recommendations made within the HIA</del> <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li> <li data-bbox="618 1281 2123 1358">- <del>Reduce developable land by providing a buffer of 10m around the site and around the woodland within the site. Retain the vegetation within these buffers and supplementary plant with locally native shrubs.</del></li> </ul>

## 4 Housing Allocations

---

		<u>- Plant boundaries with native species-rich hedgerows.</u>
--	--	---



Table MM262

Modification Reference	Page	Site Reference
MM262	138	<p data-bbox="618 363 1727 400">LP1481 Former St Catherines High School Grounds, Holdsworth Road, Halifax</p> <p data-bbox="618 427 864 464"><b>Tracked Change</b></p> <p data-bbox="618 491 1055 528"><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"> <li data-bbox="618 560 1921 596">- Provision of green and blue infrastructure <u>on site such as</u><del>including</del> of SuDS and green roofs</li> <li data-bbox="618 628 1576 665">- <u>Species rich native hedgerows should be planted on all boundaries</u></li> <li data-bbox="618 697 1473 734">- <del>Consideration to recommendations provided within the HIA.</del></li> <li data-bbox="618 766 2112 882">- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li> <li data-bbox="618 914 2078 994">- <u>Development proposals should include improvements to open space facilities in the immediate locality to include the enhancement of facilities at Beechwood Park or Holmfield Park.</u></li> <li data-bbox="618 1026 1361 1062">- <u>Retain area of lowland mixed deciduous woodland.</u></li> </ul>

## 4 Housing Allocations


Table MM263

Modification Reference	Page	Site Reference
MM263	139	<p data-bbox="595 368 1339 400">LP1486 Land off Hambleton Drive, Mixenden, Halifax</p> <p data-bbox="595 427 842 459"><b>Tracked Change</b></p> <p data-bbox="595 491 786 523"><b>Constraints:</b></p> <ul data-bbox="595 563 1928 807" style="list-style-type: none"> <li>- Potential to increase surface water run off.</li> <li>- Potential for flooding from Clough Bank Beck</li> <li>- <del>Site lies within the Natural England consultation zone for the South Pennine Moors SAC/SPA</del></li> <li>- <u>Site is within 2.5km of the SPA/SAC</u></li> </ul> <p data-bbox="595 847 875 879"><b>Reports Required:</b></p> <ul data-bbox="595 919 2040 1270" style="list-style-type: none"> <li>- Hydrological Assessment of Clough Bank Beck and surface water assessment</li> <li>- Transport Statement</li> <li>- <u>Ornithological Report informed by surveys undertaken according to "SPA Bird Survey Methodology" by West Yorkshire Ecology</u></li> <li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li> <li>- Habitat Regulations Assessment (<u>HRA</u>)</li> </ul> <p data-bbox="595 1310 1025 1342"><b>Site Specific Considerations</b></p> <ul data-bbox="595 1382 2089 1414" style="list-style-type: none"> <li>- Defence lines along the right bank of Clough Bank Beck and Flood resilience &amp; resistance including SuDS</li> </ul>

		<ul style="list-style-type: none"><li>- Include consideration of the cumulative effect of adjacent Mixenden sites</li><li>- <del>Consideration of cumulative impact on provision of children's play and improvements to existing open space in the locality</del></li><li>- <u>Compensatory Open Space provision should be calculated cumulatively for sites LP1486, LP1488 &amp; LP1489 with enhanced facilities to be provided on new open space designation New-1487.</u></li><li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li><li>- <u>Where likely significant effects have not been ruled out:</u><ul style="list-style-type: none"><li><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li><li><u>Provision of equivalent or greater quantity and quality of replacement habitat on-site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></li><li><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></li><li><u>Monitoring of impacts to assess bird use over time</u></li></ul></li></ul>
--	--	--

# 4 Housing Allocations

Table MM264

Modification Reference	Page	Site Reference
MM264	140	<p data-bbox="595 363 1317 400">LP1487 Land off, Balkram Road, Mixenden, Halifax</p> <p data-bbox="595 427 842 464"><b>Tracked Change</b></p> <div data-bbox="584 480 2101 1326"> <p data-bbox="745 496 1178 528" style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p data-bbox="595 1342 875 1374">Site area (ha): 0.34</p> </div>

		<p>Indicative developable area: 0.34 Indicative density (dph): 40 Indicative capacity: 14  Land type: Greenfield</p> <p>Ownership: Private</p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"> <li>- Site lies within the Natural England Consultation Zone for the South Pennine Moors SPA/SAG</li> <li>- Potential for increased surfaced water run-off</li> <li>- Surface water flood risk from Cough Bank Beck</li> </ul> <p><b>Reports Required:</b></p> <ul style="list-style-type: none"> <li>- Hydrological assessment of Clough Bank Beck and surface water assessment</li> <li>- Transport Assessment/Cumulative effect of adjacent Mixenden Sites</li> <li>- Habitast Regulations Assessment</li> </ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"> <li>- Defence lines along the right bank of cough Bank Beck and Flood resilience &amp; resistance including SuDS</li> <li>- The cumulative effect of adjacent Mixenden sites should be considered with regards to A629 at Raw Lane junction or Moor End Road --</li> <li>- Consideration of cumulative impact on provision of children's play and improvements to existing open space in the locality</li> </ul>
--	--	---

## 4 Housing Allocations

Table MM265

Modification Reference	Page	Site Reference
MM265	141	<p data-bbox="618 363 1429 400">LP1488 Land off, Hambleton Crescent, Mixenden, Halifax</p> <p data-bbox="618 427 864 464"><b>Tracked Change</b></p> <p data-bbox="618 491 808 528"><b>Constraints:</b></p> <ul data-bbox="618 560 1951 807" style="list-style-type: none"> <li data-bbox="618 560 1227 596">- Potential to increase surface water run off.</li> <li data-bbox="618 632 1267 668">- Potential for flooding from Clough Bank Beck</li> <li data-bbox="618 703 1951 740">- <del>Site lies within the Natural England consultation zone for the South Pennine Moors SAC/SPA</del></li> <li data-bbox="618 775 1144 812"><u>- Site is within 2.5km of the SPA/SAC</u></li> </ul> <p data-bbox="618 847 887 884"><b>Reports required:</b></p> <ul data-bbox="618 916 2063 1275" style="list-style-type: none"> <li data-bbox="618 916 1738 952">- Hydrological assessment of Clough Bank Beck and surface water assessment.</li> <li data-bbox="618 987 1581 1024">- Transport Statement / Cumulative effect of adjacent Mixenden sites</li> <li data-bbox="618 1059 2063 1131"><u>- <i>Ornithological Report informed by surveys undertaken according to “SPA Bird Survey Methodology” by West Yorkshire Ecology</i></u></li> <li data-bbox="618 1166 1939 1203"><u>- <i>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</i></u></li> <li data-bbox="618 1238 1196 1275">- Habitat Regulations Assessment (<u>HRA</u>)</li> </ul> <p data-bbox="618 1310 1048 1347"><b>Site Specific Considerations</b></p> <ul data-bbox="618 1378 2107 1415" style="list-style-type: none"> <li data-bbox="618 1378 2107 1415">- Defence lines along the right bank of Clough Bank Beck and Flood resilience &amp; resistance including SuDS</li> </ul>

		<ul style="list-style-type: none"> <li>- The cumulative effect of adjacent Mixenden sites should be considered with regards to A629 at Raw Lane junction or Moor End Road</li> <li>- <del>Consideration of cumulative impact on provision of children's play and improvements to existing open space in the locality</del></li> <li>- <u>Compensatory Open Space provision should be calculated cumulatively for sites LP1486, LP1488 &amp; LP1489 with enhanced facilities to be provided on new open space designation New-1487.</u></li> <li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li> <li>- <u>Where likely significant effects have not been ruled out:</u> <ul style="list-style-type: none"> <li><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li> <li><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></li> <li><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></li> <li><u>Monitoring of impacts to assess bird use over time</u></li> </ul> </li> </ul>
--	--	---

## 4 Housing Allocations

Table MM266

Modification Reference	Page	Site Reference
MM266	142	<p data-bbox="618 363 1503 400">LP1489 Land south of, Hambleton Crescent, Mixenden, Halifax</p> <p data-bbox="618 427 864 464"><b>Tracked Change</b></p> <p data-bbox="618 491 801 528"><b>Constraints:</b></p> <ul data-bbox="618 560 1951 807" style="list-style-type: none"> <li>- Potential for increased surface water run-off</li> <li>- Surface water flood risk from Clough Bank Beck</li> <li>- <del>Site lies within the Natural England consultation zone for the South Pennine Moors SAC/SPA</del></li> <li>- <u>Site is within 2.5km of the SPA/SAC</u></li> </ul> <p data-bbox="618 842 887 879"><b>Reports required:</b></p> <ul data-bbox="618 911 2056 1270" style="list-style-type: none"> <li>- Hydrological assessment of Clough Bank Beck and surface water assessment.</li> <li>- Transport Statement / Cumulative effect of adjacent Mixenden sites</li> <li>- <u>Ornithological Report informed by surveys undertaken according to “SPA Bird Survey Methodology” by West Yorkshire Ecology</u></li> <li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li> <li>- Habitat Regulations Assessment (<u>HRA</u>)</li> </ul> <p data-bbox="618 1305 1048 1342"><b>Site Specific Considerations</b></p> <ul data-bbox="618 1374 2112 1410" style="list-style-type: none"> <li>- Defence lines along the right bank of Clough Bank Beck and Flood resilience &amp; resistance including SuDS</li> </ul>



		<ul style="list-style-type: none"> <li>- The cumulative effect of adjacent Mixenden sites should be considered with regards to A629 at Raw Lane junction or Moor End Road</li> <li>- <del>Consideration of cumulative impact on provision of children's play and improvements to existing open space in the locality</del></li> <li>- <u>Compensatory Open Space provision should be calculated cumulatively for sites LP1486, LP1488 &amp; LP1489 with enhanced facilities to be provided on new open space designation New-1487.</u></li> <li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li> <li>- <u>Where likely significant effects have not been ruled out:</u> <ul style="list-style-type: none"> <li><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li> <li><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></li> <li><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></li> <li><u>Monitoring of impacts to assess bird use over time</u></li> </ul> </li> </ul>
--	--	---

## 4 Housing Allocations


Table MM267

Modification Reference	Page	Site Reference
MM267	143	LP1547 Land at Abbey Park, Illingworth, Halifax
		<b>Tracked Change</b>
		Site Area (ha): <del>2.49</del> <u>2.47</u>
		Indicative developable site area: <del>2.49</del> <u>2.47</u>
		Indicative density (dph): <del>30</del> <u>34</u>
		Indicative capacity: <del>75</del> <u>83</u>
		<b>Constraints:</b>
		- Potential to increase surface water run-off
		- Amenity green space
		<u>- Site is within 2.5km of the SPA/SAC</u>
		<b>Reports required:</b>
		- Flood Risk Assessment
		- Transport Assessment and Travel Plan including assessments of local junctions.
		<u>- Ornithological Report informed by surveys undertaken according to "SPA Bird Survey Methodology" by West Yorkshire Ecology</u>
		<u>- Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u>

		<p><u>- Habitat Regulations Assessment (HRA)</u></p> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"> <li>- Capacity building of existing drainage system</li> <li>- Assessment required of Heathmoor Park Rd / A629 Keighley Rd)</li> <li>- Consideration of enhancement of other open spaces in the vicinity.</li> <li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li> <li>- <u>Where likely significant effects have not been ruled out:</u></li> </ul> <p><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></p> <p><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></p> <p><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></p> <p><u>Monitoring of impacts to assess bird use over time</u></p>
--	--	---

# 4 Housing Allocations

Table MM268



Modification Reference	Page	Site Reference
MM268	CC39:	<u>LP1590 Land adjacent to the Wells, Stock Lane, Highroad Well, Halifax</u>
	28	<p><b>Tracked Change</b></p> <p style="text-align: center;"><b>Map - Modification</b></p>  <p> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; border: 1px dotted black; margin-right: 5px;"></span> Indicative Developable Area         </p> <p><small>© Crown Copyright and database right 2019. Ordnance Survey Licence number 10023069.</small></p>

		<p><u>Site Area (ha): 0.59—0.61</u></p> <p><u>Indicative developable site area: 0.40</u></p> <p><u>Indicative capacity (dph): 40</u></p> <p><u>Indicative capacity: 16</u></p> <p><u>Land type: Greenfield</u></p> <p><u>Ownership: Private</u></p> <p><b><u>Constraints:</u></b></p> <ul style="list-style-type: none"> <li>- <u>Surface water flood risk.</u></li> <li>- <u>Warley Clough</u></li> <li>- <u>Topography (access)</u></li> <li>- <u>Proximity to Listed Buildings (St John the Evangelist Church, Stock Lane House, and The Wells all Grade II Listed) and Warley Conservation Area.</u></li> <li>- <u>Lowland mixed deciduous woodland - UK BAP Priority Habitat / Wildlife Habitat Network</u></li> <li>- <u>Potential land contamination</u></li> </ul> <p><b><u>Reports Required:</u></b></p> <ul style="list-style-type: none"> <li>- <u>Flood Risk Assessment, Hydrological Assessment of Warley Clough water is an optional mitigation measure</u></li> <li>- <u>Topographic Survey</u></li> <li>- <u>Contaminated Land Assessment</u></li> <li>- <u>Conduct Protected Species Survey</u></li> </ul>
--	--	---

## 4 Housing Allocations

	<ul style="list-style-type: none"><li>- <u>Transport Statement</u></li><li><b><u>Site Specific Considerations:</u></b></li><li>- <u>Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt.</u></li><li>- <u>Provision of SuDS through green and blue infrastructure.</u></li><li>- <u>Consider the impact on visual amenity currently provided by the site.</u></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li><li>- <u>Exclude buffer of 10m adjacent to woodland from developable area and plant with locally native shrubs.</u></li><li>- <u>Implement a programme of woodland management in adjacent woodland</u></li></ul>
--	--

Table MM269

Modification Reference	Page	Site Reference
MM269	145	LP1609 Land at Titan Works, Claremount Road, Boothtown, Halifax
		<b>Tracked Change</b>
		<div style="display: flex; justify-content: space-around;"> <div data-bbox="584 480 1344 1329"> <p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p>This map shows the site allocation for LP1609 Land at Titan Works. The site is outlined in red and filled with a stippled pattern. The map includes labels for 'Claremount Road', 'Sandforth Avenue', and 'Indicative Developable Area'. A legend in the bottom left corner identifies the red outline as 'Site Allocation' and the stippled area as 'Indicative Developable Area'. Copyright information for 2018 is also present.</p> </div> <div data-bbox="1344 480 2103 1329"> <p style="text-align: center;"><b>Map - Modification</b></p>  <p>This map shows the modification to the site allocation for LP1609 Land at Titan Works. The site is outlined in red and filled with a stippled pattern. The map includes labels for 'Claremount Road', 'Sandforth Avenue', and 'Indicative Developable Area'. A legend in the bottom left corner identifies the red outline as 'Site Allocation' and the stippled area as 'Indicative Developable Area'. Copyright information for 2022 is also present.</p> </div> </div>
<p>Site Area (ha): <del>0.99</del> <u>1.01</u></p>		

## 4 Housing Allocations

---

		Indicative developable site area: <del>0.99</del> <u>1.01</u> Indicative density (dph): <del>49</del> <u>46</u> Indicative capacity: <del>49</del> <u>46</u>
--	--	--



Table MM270

Modification Reference	Page	Site Reference
MM270	146	<p data-bbox="595 448 1301 483">LP1501 Land east of Manor Drive, Hebden Bridge</p> <p data-bbox="595 512 842 547"><b>Tracked Change</b></p> <p data-bbox="595 576 786 611"><b>Constraints:</b></p> <ul data-bbox="595 647 2089 1142" style="list-style-type: none"> <li data-bbox="595 647 1088 683">- Highways (Visibility and gradient).</li> <li data-bbox="595 719 1626 754">- Loss of children's play space, recreational area and natural open space.</li> <li data-bbox="595 791 969 826">- Special Landscape Area.</li> <li data-bbox="595 863 1037 898">- Possible Land Contamination.</li> <li data-bbox="595 935 1921 970"><del>- Proximity to South Pennine Moors SPA/SAC/SSSI - within Natural England consultation zone</del></li> <li data-bbox="595 1007 1122 1042"><u>- Site is within 2.5km of the SPA/SAC</u></li> <li data-bbox="595 1078 2089 1142">- Proximity to Manor House, Grade II Listed, and cluster of Grade II*/ Grade II listed buildings (Great Burlees and Little Burlees).</li> </ul> <p data-bbox="595 1182 864 1217"><b>Reports Required</b></p> <ul data-bbox="595 1254 2045 1430" style="list-style-type: none"> <li data-bbox="595 1254 2045 1318">- Transport Assessment, to include topographic survey, a feasibility layout drawing is required to assess certainty</li> <li data-bbox="595 1358 2045 1430"><u>- Ornithological Report informed by surveys undertaken according to "SPA Bird Survey Methodology" by West Yorkshire Ecology</u></li> </ul>

## 4 Housing Allocations

		<ul style="list-style-type: none"><li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li><li>- Habitat Regulations Assessment (<u>HRA</u>)</li><li>- Contaminated Land Assessment</li><li>- Land Stability Report</li><li>- <u>Landscape Impact Assessment</u></li></ul> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li>- Provision of SuDS (taking account of existing biodiversity and taking the form of fen, marsh, wet grassland and standing water in basins).</li><li>- Landscaping scheme to include plant species which are native, of local provenance and/or provide a benefit to wildlife in the area).</li><li>- Retention of small area of designated open space on southern end of site or provision of an alternative site within any future development.</li><li>- Retention of the existing trees and the planting of new trees to the south-east corner and along the eastern boundary of the site to screen the site from the nearby listed buildings.</li><li>- Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt</li></ul> <ul style="list-style-type: none"><li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li><li>- <u>Where likely significant effects have not been ruled out:</u></li></ul> <p><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></p>
--	--	---

## 4 Housing Allocations

		<p><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></p> <p><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></p> <p><u>Monitoring of impacts to assess bird use over time</u></p>
--	--	---

## 4 Housing Allocations

Table MM271

Modification Reference	Page	Site Reference
MM271	147	<p data-bbox="616 368 1256 400">LP1503 Land at Stoney Lane, Hebden Bridge</p> <p data-bbox="616 427 864 459"><b>Tracked Change</b></p> <p data-bbox="616 491 987 523"><b>Indicative Density:</b> <del>93</del><u>69</u></p> <p data-bbox="616 560 1010 592"><b>Indicative Capacity:</b> <del>27</del><u>20</u></p> <p data-bbox="616 635 808 667"><b>Constraints:</b></p> <ul style="list-style-type: none"> <li data-bbox="616 703 1055 735">- Possible Land Contamination.</li> <li data-bbox="616 772 958 804">- Hebden Bridge AQMA.</li> <li data-bbox="616 841 815 873">- Right of Way</li> <li data-bbox="616 909 1245 941">- BAP Priority habitat (Deciduous woodland).</li> <li data-bbox="616 978 981 1010">- Wildlife Habitat Network.</li> <li data-bbox="616 1046 1151 1078">- <u>Site is within 2.5km of the SPA/SAC</u></li> <li data-bbox="616 1115 1133 1147">- <u>Hebden Bridge Conservation Area</u></li> <li data-bbox="616 1184 1525 1216">- <u>No.74 Bridge Lanes opposite the site (Grade II Listed Building)</u></li> <li data-bbox="616 1252 2063 1284">- <u>Nos. 51-69 Bridge Lanes (includes Nos. 2-20 River Street) opposite the site (Grade II Listed Building)</u></li> <li data-bbox="616 1321 2078 1353">- <u>Nos. 71-95 Bridge Lanes (includes Nos. 1-19 Calder Place) opposite the site (Grade II Listed Building)</u></li> </ul>

		<p><b>Reports Required:</b></p> <ul style="list-style-type: none"> <li>- Contaminated Land Assessment.</li> <li>- Noise Impact Assessment.</li> <li>- <u>Ornithological Report informed by surveys undertaken according to “SPA Bird Survey Methodology” by West Yorkshire Ecology</u></li> <li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li> <li>- <u>Habitat Regulations Assessment (HRA)</u></li> </ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"> <li>- Provision of SuDS.</li> <li>- Consideration to recommendations provided within the HIA.</li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li> <li>- <u>The design, layout, height and massing of development must conserve and enhance the appearance of the Hebden Bridge Conservation Area and the settings of heritage assets in the area.</u></li> <li>- <u>Development must respect the historic pattern of development, in particular the characteristic terraced form.</u></li> <li>- <u>Building materials should reflect those characteristic of Hebden Bridge.</u></li> <li>- Retention of woodland together with a 10m buffer, to be excluded from development.</li> <li>- Consideration of the West Yorkshire Low Emission Strategy which has been adopted by the Council. This gives guidance on good practice for mitigating air quality impacts.</li> </ul>
--	--	---

## 4 Housing Allocations

	<ul style="list-style-type: none"><li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li><li>- <u>Where likely significant effects have not been ruled out:</u><ul style="list-style-type: none"><li><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li><li><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></li><li><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></li><li><u>Monitoring of impacts to assess bird use over time</u></li></ul></li></ul>
--	--

Table MM272

Modification Reference	Page	Site Reference
MM272	148	<p data-bbox="595 451 1335 483">LP0011 Tenterfields, Burnley Road, Luddenden Foot</p> <p data-bbox="595 515 842 547"><b>Tracked Change</b></p> <p data-bbox="595 579 943 611">Site Area (ha): <del>2.63</del> <u>2.62</u></p> <p data-bbox="595 643 1178 675">Indicative developable site area: <del>2.11</del> <u>2.10</u></p> <p data-bbox="595 707 1037 738"><b>Site Specific Considerations:</b></p> <ul data-bbox="595 786 2089 1425" style="list-style-type: none"> <li>- Provision of green and blue infrastructure including SuDS</li> <li>- Stand-off of at least 10m is provided from the canal and screening should be provided to avoid increased light levels over the water.</li> <li>- Existing trees to the north east should also be retained, and removed from the indicative developable area.</li> <li>- Species rich native hedgerows should be planted on all boundaries</li> <li>- Site of PRN 552 - recommend archaeological condition if granted permission</li> <li>- <del>Consideration to recommendations provided within the HIA</del></li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li> <li>- Regard should be had to the West Yorkshire Emission Strategy</li> </ul>

## 4 Housing Allocations

---

		<ul style="list-style-type: none"><li>- Provision of stand-off between indicative developable area and industrial uses to the south</li><li>- Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt</li></ul>
--	--	---



Table MM273

Modification Reference	Page	Site Reference
MM273	150	<p data-bbox="595 360 1570 400">LP0253 Junction of Grosvenor Place, Burnley Road, Luddenden Foot</p> <p data-bbox="595 424 842 464"><b>Tracked Change</b></p> <p data-bbox="595 488 786 528"><b>Constraints:</b></p> <ul data-bbox="595 552 1480 1094" style="list-style-type: none"> <li>- Possible contaminated land</li> <li>- Former Coach &amp; Horses Public House - non designated asset</li> <li>- <del>South Pennine Moors SSSI, SPA, SAC</del></li> <li>- <u>Site is within 2.5km of the SPA/SAC</u></li> <li>- Calderdale Wildlife Habitat Network</li> <li>- Rochdale Canal Local Wildlife Site</li> <li>- Road traffic noise</li> <li>- Air quality</li> </ul> <p data-bbox="595 1118 875 1158"><b>Reports Required:</b></p> <ul data-bbox="595 1182 999 1477" style="list-style-type: none"> <li>- Flood Risk Assessment</li> <li>- Contaminated Land Report</li> <li>- Noise Impact Assessment</li> <li>- Protected Species Survey</li> </ul>

## 4 Housing Allocations

	<ul style="list-style-type: none"><li>- <u>Ornithological Report informed by surveys undertaken according to “SPA Bird Survey Methodology” by West Yorkshire Ecology</u></li><li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li><li>- <u>Habitat Regulations Assessment (HRA)</u></li></ul> <p><b>Site specific considerations:</b></p> <ul style="list-style-type: none"><li>- Provision of <u>green and blue infrastructure on site such as</u> SuDS and green roofs</li><li>- Development of the site should retain the former public house and include and convert the building as part of the development of the site</li><li>- Consideration to recommendations in the West Yorkshire Low Emission Strategy</li><li>- Tree and native hedgerow planting along Burnley Road</li><li>- Bat tubes within the dwellings</li></ul> <ul style="list-style-type: none"><li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li><li>- <u>Where likely significant effects have not been ruled out:</u><ul style="list-style-type: none"><li><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li><li><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></li><li><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></li><li><u>Monitoring of impacts to assess bird use over time</u></li></ul></li></ul>
--	--

Table MM274

Modification Reference	Page	Site Reference
MM274	CC39:  29	<u>LP0931 Land at, Greave House Field, Luddenden</u>
		<p><b>Tracked Change</b></p> <p style="text-align: center;"><b>Map - Modification</b></p> <p>The map displays a residential area with several streets: Carr Field Drive, Greave House Fields, and Luddenden. A large area is outlined in red, indicating a site allocation. Within this red-outlined area, a dotted pattern indicates an indicative developable area. Key features include Greave House Barn, a track, and Mobbayk School. A legend in the bottom left corner defines the symbols used on the map.</p> <p>© Crown Copyright and database right 2019. Ordnance Survey Licence number 10023069.</p>

## 4 Housing Allocations


	<p><u>Site Area (ha): 1.21</u></p> <p><u>Indicative developable site area: 1.21</u></p> <p><u>Indicative density (dph): 36</u></p> <p><u>Indicative capacity: 44</u></p> <p><u>Land Type: Greenfield</u></p> <p><u>Ownership: Private</u></p> <p><b><u>Constraints:</u></b></p> <ul style="list-style-type: none"><li>- <u>Potential for increased surface water run-off</u></li><li>- <u>Site is within 2.5km of the SPA/SAC</u></li><li>- <u>Right of Way (Sowerby Bridge 027)</u></li><li>- <u>Greave House and Barn (Grade II Listed), Luddenden Conservation Area</u></li><li>- <u>Site access (third party land LP1372)</u></li><li>- <u>Luddenden Foot AQMA</u></li></ul> <p><b><u>Reports Required:</u></b></p> <ul style="list-style-type: none"><li>- <u>Flood Risk Assessment</u></li><li>- <u>Transport Statement</u></li><li>- <u>Habitat Regulations Assessment to include systematic spatial analysis to determine which sites require recreational disturbance requirements and which loss of functionally linked land for SPA birds requirements.</u></li><li>- <u>Landscape Impact Assessment</u></li></ul>
--	---

		<ul style="list-style-type: none"> <li>- <u>Ecological Record Search with West Yorkshire Ecology</u></li> <li><b><u>Site Specific Considerations:</u></b></li> <li>- <u>Provision of green and blue infrastructure on site such as SuDS and green roofs to reduce the infiltration rate of precipitation as well as provide storage for storm water run-off</u></li> <li>- <u>Retain and enhance hedgerows</u></li> <li>- <u>Plant boundaries with locally native hedgerows</u></li> <li>- <u>Off site mitigation should be provided to counter increased pressure from people and dogs on the European sites</u></li> <li>- <u>Development proposals should include on-site replacement of the small area of amenity green space currently located in the south-west part of the site. Alternatively, other open space in the area should be enhanced, for example Holmes Park, Kershaw Estate, Midgley Recreation Ground or Luddenden Recreation Ground.</u></li> <li>- <u>Retain an area of semi-improved grassland</u></li> <li>- <u>The visual impact of any development should be considered and the bridleway safeguarded</u></li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li> <li>- <u>Consider the recommendations of the West Yorkshire Emission Strategy</u></li> <li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li> <li>- <u>Where likely significant effects have not been ruled out:</u></li> </ul>
--	--	--

## 4 Housing Allocations

		<p><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></p> <p><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></p> <p><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></p> <p><u>Monitoring of impacts to assess bird use over time</u></p> <p><u>- Development of LP1372 to be designed to ensure access to LP0931 can be achieved.</u></p>
--	--	---

Table MM275

Modification Reference	Page	Site Reference
MM275	CC39:  30	<p data-bbox="616 363 1193 400"><u>LP1372 Kershaw Drive, Luddenden Foot</u></p> <p data-bbox="616 427 864 464"><b>Tracked Change</b></p> <p data-bbox="869 491 1104 523"><b>Map - Modification</b></p>  <p data-bbox="629 1185 925 1289"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; border: 1px dotted black; margin-right: 5px;"></span> Indicative Developable Area                      © Crown copyright and database rights 2021                      Ordnance Survey 0100023069                 </p>

## 4 Housing Allocations

		<p><u>Site area (ha): 3.23</u></p> <p><u>Indicative Developable Site Area: 1.57</u></p> <p><u>Indicative Density: 20</u></p> <p><u>Indicative Capacity: 31</u></p> <p><u>Land Type: Greenfield</u></p> <p><u>Ownership: Public</u></p> <p><b><u>Constraints:</u></b></p> <ul style="list-style-type: none"><li>- <u>Potential for increased surface water run-off</u></li><li>- <u>Grade II Listed buildings - Greave House and the adjacent barn.</u></li><li>- <u>Site is within 2.5km of the SPA/SAC</u></li><li>- <u>Environmental Health - adjacent working farms.</u></li><li>- <u>Special Landscape Area</u></li></ul> <p><b><u>Reports Required</u></b></p> <ul style="list-style-type: none"><li>- <u>Flood Risk Assessment</u></li><li>- <u>Transport Assessment and Travel Plan</u></li><li>- <u>Ornithological Report informed by surveys undertaken according to “SPA Bird Survey Methodology” by West Yorkshire Ecology</u></li><li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li></ul>
--	--	--



		<ul style="list-style-type: none"> <li>- <u>Habitat Regulations Assessment (HRA) to include systematic spatial analysis to determine which sites require recreational disturbance requirements and which loss of functionally linked land for SPA birds requirements.</u></li> <li>- <u>Landscape Impact Assessment</u></li> </ul> <p><b><u>Site Specific Consideration</u></b></p> <ul style="list-style-type: none"> <li>- <u>Provision of green and blue Infrastructure on site such as SuDS and green roofs.</u></li> <li>- <u>Traffic calming on approach roads.</u></li> <li>- <u>Provision of storage for storm water run-off is recommended.</u></li> <li>- <u>Potential stand off required between the site and the working farm.</u></li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li> <li>- <u>Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt.</u></li> <li>- <u>Off site mitigation should be provided to counter increased pressure from people and dogs on the European sites.</u></li> <li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li> <li>- <u>Where likely significant effects have not been ruled out:</u></li> </ul> <p style="text-align: center;"><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></p>
--	--	--

## 4 Housing Allocations

		<p><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></p> <p><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></p> <p><u>Monitoring of impacts to assess bird use over time</u></p> <p>- <u>Development proposals should include the provision of on-site open space facilities and/or the enhancement/provision of open space facilities within the catchment of the development.</u></p> <p>- <u>Development of LP1372 to be designed to ensure access to LP0931 can be achieved.</u></p>
--	--	---

## 4.7 Northowram and Shelf Housing Allocations

Table MM276

Modification Reference	Page	Site Reference
MM276	151	<p data-bbox="618 448 1218 483">LP0221 Land at Spring Head, Northowram</p> <p data-bbox="618 507 864 542"><b>Tracked Change</b></p> <p data-bbox="618 566 887 601"><b>Reports Required</b></p> <ul data-bbox="618 641 1187 962" style="list-style-type: none"> <li>- Flood Risk Assessment</li> <li>- Transport Assessment and Travel Plan.</li> <li>- Protected Species Survey.</li> <li>- <u>Ecological Impact Assessment</u></li> <li>- <u>Landscape Impact Assessment</u></li> </ul> <p data-bbox="618 994 1048 1029"><b>Site Specific Considerations</b></p> <ul data-bbox="618 1069 2110 1353" style="list-style-type: none"> <li>- Provision of SuDS</li> <li>- Stand off between quarry boundary necessary.</li> <li>- Reduce developable land by providing a buffer of 10m around the site and around the woodland within the site. Retain the vegetation within these buffers and supplementary plant with locally native shrubs.</li> <li>- Retention of boundary trees.</li> </ul>

## 4 Housing Allocations

---



		<ul style="list-style-type: none"><li>- Restore an area of lowland meadow to be used as open space by supplementary planting with appropriate species and management.</li><li>- <u>Implementation of mitigation specified in Ecological Impact Assessment</u></li><li>- Consider the impact on visual amenity currently provided by the site.</li><li>- Strong and defensible boundary between the New Housing Site and the Green Belt will be required.</li></ul>
--	--	--

Table MM277

Modification Reference	Page	Site Reference
MM277	152	<p data-bbox="618 365 1525 400">LP0589 Land Adjacent to &amp; Rear of 8 Back Clough, Northowram</p> <p data-bbox="618 427 864 462"><b>Tracked Change</b></p> <p data-bbox="618 489 1066 525">Indicative density (dph): 40 <u>26</u></p> <p data-bbox="618 560 999 595">Indicative capacity: 45 <u>10</u></p> <p data-bbox="618 630 1059 665"><b>Site Specific Considerations:</b></p> <ul data-bbox="618 703 1794 1238" style="list-style-type: none"> <li>- Provision of SuDS through green and blue infrastructure.</li> <li>- Plant boundaries with locally native species-rich hedgerows.</li> <li>- Good acoustic design required for layout and house types.</li> <li>- Refer to guidance in West Yorkshire Low Emission Strategy (Stump Cross AQMA).</li> <li>- <del>Consideration to recommendations provided within the HIA.</del></li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li> <li>- Amend existing junction to provide site access and contribute towards Hipperholme scheme.</li> </ul>

# 4 Housing Allocations


Table MM278

Modification Reference	Page	Site Reference
MM278	153	LP0759 Land off Belle Vue Rise, Shelf
		<b>Tracked Change</b>
		<div style="display: flex; justify-content: space-around;"> <div data-bbox="618 480 1339 1326"> <p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p>This map shows the site allocation (red outline) and indicative developable area (dotted pattern) for LP0759. The site is located off Belle Vue Rise, bounded by Airedale Drive to the north and Belle Vue Rise to the east. The map includes a legend with a red box for 'Site Allocation' and a dotted pattern for 'Indicative Developable Area'. Copyright information: © Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</p> </div> <div data-bbox="1346 480 2085 1326"> <p style="text-align: center;"><b>Map - Modification</b></p>  <p>This map shows the updated site allocation (red outline) and indicative developable area (dotted pattern) for LP0759 after modification. The site boundary has been expanded to include an additional area to the east. The map includes a legend with a red box for 'Site Allocation' and a dotted pattern for 'Indicative Developable Area'. Copyright information: © Crown Copyright and database right 2022. Ordnance Survey Licence number 10023069.</p> </div> </div>
<p>Site Area (ha): 0.54 <u>0.55</u></p>		

		Indicative developable site area: 0.27– <u>0.44</u> Indicative density (dph): <del>36</del> <u>23</u> Indicative capacity: 46 <u>10</u>
--	--	---

# 4 Housing Allocations

Table MM279

Modification Reference	Page	Site Reference
MM279	CC39: 31	<u>LP0766 Land off Hall Lane, Northowram</u>
		<b>Tracked Change</b>
		<p style="text-align: center;"><b>Map - Modification</b></p> 





		<p><u>Site Area (ha): 5.81</u></p> <p><u>Indicative Developable Area 3.83</u></p> <p><u>Indicative Capacity: 149</u></p> <p><u>Indicative density: 39</u></p> <p><u>Land type: Greenfield</u></p> <p><u>Ownership: Private</u></p> <p><b><u>Constraints:</u></b></p> <ul style="list-style-type: none"> <li>- <u>Tree Preservation Order</u></li> <li>- <u>Acid Grassland/Upland Heathland</u></li> <li>- <u>Risk of surface water flooding</u></li> <li>- <u>North Field Gate Farm (buffer if operational)</u></li> <li>- <u>Marsh Hall (Grade II Listed Building)</u></li> <li>- <u>Northowram Hall / Slab Wall (north of footpath between Upper Lane and Hall Lane)</u></li> <li>- <u>Right of Way (Halifax 347) on southern boundary</u></li> </ul> <p><b><u>Reports Required:</u></b></p> <ul style="list-style-type: none"> <li>- <u>Flood Risk Assessment, to include a Hydrological Assessment</u></li> <li>- <u>Transport Statement</u></li> <li>- <u>Coal Mining Risk Assessment</u></li> </ul>
--	--	---

## 4 Housing Allocations

	<p><u>-Protected Species Survey</u></p> <p><b><u>Site Specific Considerations:</u></b></p> <ul style="list-style-type: none"><li>- <u>Provision of green and blue Infrastructure on site such as SuDS and green roofs to reduce the infiltration rate of precipitation as well as provide storage for storm water run-off.</u></li><li>- <u>Retain/enhance area of acid grassland/upland heathland, retain boundary trees and manage as woodland with understorey planting.</u></li><li>- <u>Reinstate tree boundary to the north of the site.</u></li><li>- <u>Reduce developable area to exclude boundary trees (and an additional 10m buffer) and area of acid grassland/upland heathland (to become open space)</u></li><li>- <u>Provision of Open Space</u></li><li>- <u>North Field Gate Farm buffer if operational</u></li><li>- <u>The traffic generated by the development is likely to impact on the Stump Cross junction. Contributions may therefore be required towards the required mitigation.</u></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li><li>- <u>Development in the northern fields should have careful regard to design, layout and landscaping, in order to satisfactorily mitigate any harm to designated heritage assets</u></li><li>- <u>Strong and defensible boundary between the New Housing Site and the Green Belt to be maintained / provided.</u></li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--


Table MM280

Modification Reference	Page	Site Reference
MM280	155	LP0782 Land off Cock Hill Lane, Shelf
		<b>Tracked Change</b>
		<div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <p><b>Map - Local Plan Publication Draft</b></p>  <p>Site Area (ha): <del>5.86</del> <u>5.85</u></p> </div> <div style="text-align: center;"> <p><b>Map - Modification</b></p>  </div> </div>
<p>Site Area (ha): <del>5.86</del> <u>5.85</u></p>		

## 4 Housing Allocations

		<p>Indicative Developable Area: 5.52 <u>4.67</u></p> <p>Indicative Capacity: 466 <u>141</u></p> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li>- Provision of SuDS. The SuDS scheme should take account of existing biodiversity and take the form of fen, marsh, wet grassland or standing water in basins.</li><li>- Biodiversity mitigation/enhancement should provide locally native species rich unimproved grassland, restoring gaps in the Wildlife Habitat Network.</li><li>- Increased recreation impact on nearby Local Wildlife site will need mitigation.</li><li>- Provision of Open Space</li><li>- <del>Access to Cock Hill Lane required to accommodate a proportion of the traffic from site LP1543, subject to third party permissions.</del></li><li>- <u>Provision of pedestrian routes and upgrading of off-site PROW routes</u></li><li>- Strong and defensible boundary between the New Housing Site and the Green Belt will be required.</li><li>- <del>Consideration to recommendations provided within the HIA.</del></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li><li>- <u>The access road should skirt the urban edge and be effectively screened by a stone wall to reflect existing field boundaries</u></li><li>- Provision of a buffer on western boundary to mitigate impacts on the listed building</li><li>- <u>Site requires joint masterplanning with site LP1543 in accordance with Policy IM7.</u></li></ul>
--	--	---

Table MM281

Modification Reference	Page	Site Reference
MM281	CC39:  32	<u>LP1034 Land off Soaper Lane, Shelf</u>
		<p><b>Tracked Change</b></p> <p style="text-align: center;"><b>Map - Modification</b></p>  <p> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; vertical-align: middle;"></span> Site Allocation  <span style="background-color: #cccccc; border: 1px solid black; display: inline-block; width: 15px; height: 10px; vertical-align: middle; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown copyright and database rights 2021 Ordnance Survey 0100023069</small> </p>


## 4 Housing Allocations

		<p><u>Site Area: 2.92</u></p> <p><u>Indicative Developable Area: 2.92</u></p> <p><u>Indicative Density: 34</u></p> <p><u>Indicative Capacity: 100</u></p> <p><b><u>Constraints:</u></b></p> <ul style="list-style-type: none"><li>- <u>Surface Water Flooding Risk</u></li><li>- <u>Right of Way (Shelf 161)</u></li><li>- <u>Unstable Land (History of mining)</u></li><li>- <u>Contaminated Land</u></li><li>- <u>Existing equestrian land use</u></li></ul> <p><b><u>Reports Required:</u></b></p> <ul style="list-style-type: none"><li>- <u>Flood Risk Assessment</u></li><li>- <u>Hydrological Assessment</u></li><li>- <u>Transport Statement and Travel Plan</u></li><li>- <u>Land Stability Report</u></li><li>- <u>Bat Survey</u></li></ul> <p><b><u>Site Specific Considerations:</u></b></p> <ul style="list-style-type: none"><li>- <u>Mitigation of any land stability constraints</u></li></ul>
--	--	--

	<ul style="list-style-type: none"><li>- <u>Retain and enhance hedgerows with additional planting of native shrubs.</u></li><li>- <u>Plant boundaries with native hedgerows.</u></li><li>- <u>Provision of SuDS.</u></li><li>- <u>Provision of a footway on site side of Soaper Lane.</u></li><li>- <u>Highway mitigation at the Shelf Moor Road and Burned Road junctions with the A6036 would be needed to accommodate the additional trips; this may require traffic signals.</u></li><li>- <u>Development of LP1034 to be designed to allow access to LP1036 if required</u></li><li>- <u>Retention and repair of the stone boundary walls.</u></li><li>- <u>Strong and defensible boundary between the New Housing Site and the Green Belt will be required.</u></li></ul>
--	--

# 4 Housing Allocations

Table MM282

Modification Reference	Page	Site Reference
MM282	CC39:  34	<p data-bbox="595 363 1559 400"><u>LP1036 Land north of Shelf Cricket Ground, Carr House Lane, Shelf</u></p> <p data-bbox="595 427 842 464"><b>Tracked Change</b></p> <p data-bbox="846 491 1081 523"><b>Map - Modification</b></p>  <p data-bbox="595 1145 913 1267"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; vertical-align: middle;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; border: 1px dotted black; vertical-align: middle;"></span> Indicative Developable Area  <small>© Crown Copyright and database right 2019. Ordnance Survey Licence number 10023069.</small> </p>




		<p><u>Site Area (ha) 0.89</u></p> <p><u>Indicative developable site area: 0.89</u></p> <p><u>Indicative density (dph): 30</u></p> <p><u>Indicative capacity: 27</u></p> <p><u>Land type: Greenfield</u></p> <p><u>Ownership: Private</u></p> <p><b><u>Constraints:</u></b></p> <ul style="list-style-type: none"> <li>- <u>Contaminated Land</u></li> <li>- <u>Surface Water Flooding</u></li> <li>- <u>Right of Way (Shelf 161)</u></li> <li>- <u>Unstable Land (History of mining)</u></li> </ul> <p><b><u>Reports Required:</u></b></p> <ul style="list-style-type: none"> <li>- <u>Bat Survey</u></li> <li>- <u>Hydrological Assessment</u></li> <li>- <u>Transport Assessment</u></li> <li>- <u>Travel Plan</u></li> <li>- <u>Land Contamination Report</u></li> <li>- <u>Coal Mining Risk Assessment</u></li> </ul>
--	--	---

## 4 Housing Allocations

		<ul style="list-style-type: none"><li>- <u>Land Stability Report</u></li><li>- <u>Applications for development must undertake a ball strike risk assessment and as a minimum consider recreational cricket and ball speeds of up to 40 metres per second. At this site the wicket is orientated in a north-south direction, although a possible east/west variation of 55° from the point of north is also acceptable in accordance with ECB guidance, therefore any ball strike risk assessment should also consider orientation at 55° as well. Any mitigation package that the ball strike risk assessment advises should be built into the scheme by the developer; and be constructed and maintained in perpetuity at the developer's expense.</u></li></ul> <p><b><u>Site Specific Considerations:</u></b></p> <ul style="list-style-type: none"><li>- <u>Mitigation of any land stability constraints</u></li><li>- <u>Provision of SuDS</u></li><li>- <u>Retain and enhance hedgerows with additional planting of native shrubs.</u></li><li>- <u>Plant boundaries with native hedgerows.</u></li><li>- <u>Development of LP1034 to be designed to allow access to LP1036 if required</u></li></ul>
--	--	---

Table MM283

Modification Reference	Page	Site Reference
MM283	CC39:  35	<u>LP1037 Land off Burned Road, Shelf</u>
		<p><b>Tracked Change</b></p> <p style="text-align: center;"><b>Map - Modification</b></p> 

## 4 Housing Allocations

Site Area: 0.98

Indicative Developable Area: 0.98

Indicative density (dph): 32

Indicative Capacity: 31

**Constraints:**

- Contaminated Land
- Surface Water Flooding
- Farming activities
- Archaeological Interest (Shelf Windmill - farm PRN4304 )
- Bats
- Unstable Land (History of mining)



**Reports Required:**

- Transport Statement and access design
- Bat Survey
- Hydrological Assessment
- Contaminated Land Assessment
- Predetermination Archaeological Evaluation
- Land Stability Report

		<p><b><u>Site Specific Considerations:</u></b></p> <ul style="list-style-type: none"><li>- <u>Provision of SuDS</u></li><li>- <u>Plant boundaries with locally native species-rich hedgerows.</u></li><li>- <u>Archaeological conditions</u></li><li>- <u>Retention of the stone boundary walls should be sought wherever possible.</u></li><li>- <u>Widening of Burned Road and the provision of footways to be explored.</u></li><li>- <u>Mitigation of any land stability constraints</u></li></ul>
--	--	--

# 4 Housing Allocations

Table MM284

Modification Reference	Page	Site Reference
MM284	156	LP1041 Land at West Street & Halifax Road, Shelf
		<p data-bbox="595 424 842 464"><b>Tracked Change</b></p> <div style="display: flex; justify-content: space-around;"> <div data-bbox="595 480 1339 1326"> <p data-bbox="745 491 1182 523"><b>Map - Local Plan Publication Draft</b></p>  <p data-bbox="618 1134 920 1278"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; background: repeating-linear-gradient(45deg, transparent, transparent 2px, black 2px, black 4px); border: 1px solid black; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</small> </p> </div> <div data-bbox="1346 480 2101 1326"> <p data-bbox="1603 491 1839 523"><b>Map - Modification</b></p>  <p data-bbox="1352 1134 1655 1278"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="display: inline-block; width: 15px; height: 10px; background: repeating-linear-gradient(45deg, transparent, transparent 2px, black 2px, black 4px); border: 1px solid black; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown copyright and database rights 2020 Ordnance Survey 0100023069</small> </p> </div> </div> <p data-bbox="595 1342 875 1374">Site Area: <del>1.56</del> <u>1.61</u></p>

		<p>Indicative Developable Area: 0.57 <u>0.91</u></p> <p>Indicative density (dph): 36 <u>35</u></p> <p>Indicative capacity: 24 <u>32</u></p> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"> <li>- Retain and enhance hedgerow with additional planting of native shrubs</li> <li>- Retain and enhance Lowland Mixed Deciduous Woodland (UK BAP priority habitat)</li> <li>- Remove woodland from the developable area</li> <li><u>- Retain and enhance Wildlife Habitat Network (use seed/plant material of local provenance from Sun Wood for this enhancement work) and ensure that links with the WHN to the north west are maintained</u></li> <li>- Good acoustic design for dwellings near the adjacent employment land and Halifax Road.</li> <li>- Provision of SuDS</li> <li><del>- Any development should include an area of good quality, accessible amenity open space and improved access to the woodland</del></li> <li><u>- Development proposals should include the retention and enhancement of open space within the site and/or the improvement of other open space in the area such as at Shelf Hall Park.</u></li> <li>- The retention of the stone boundary wall to the western boundary of the site, together with the stone drinking trough, <u>milestone</u> and other stone features, should be sought wherever possible. If their removal is necessary, the stone drinking trough, <u>milestone</u> and other stone features should be retained and relocated elsewhere along the boundary wall. The retention of the stone boundary wall to Halifax Road should also be sought wherever possible.</li> <li><u>- Design of the site to consider and acknowledge the location and role of the site in providing a gateway into Shelf.</u></li> </ul>
--	--	---

# 4 Housing Allocations

Table MM285

Modification Reference	Page	Site Reference
MM285	CC39: 36	<u>LP1044 Hud Hill Farm, Northowram</u>
		<b>Tracked Change</b>
<p style="text-align: center;"><b>Map - Modification</b></p> <p>The map displays a large area outlined in red, designated as the 'Site Allocation'. Within and around this area, there are regions with a dotted pattern, indicating 'Indicative Developable Area'. The map shows various buildings, roads, and geographical features. A legend in the bottom-left corner defines the symbols used. A copyright notice is also present at the bottom of the map area.</p>		




	<p><u>Site area (ha): 2.11</u></p> <p><u>Indicative developable site area: 1.51</u></p> <p><u>Indicative density: 30</u></p> <p><u>Indicative capacity: 45</u></p> <p><u>Land type: Mixed</u></p> <p><u>Ownership: Private</u></p> <p><b><u>Constraints</u></b></p> <ul style="list-style-type: none"><li>- <u>Surface Water Flooding.</u></li><li>- <u>Lowland Meadow (UK BAP priority habitat).</u></li><li>- <u>Rights of Way (Halifax 343).</u></li><li>- <u>Grade II Listed Building - Whinney Royd Farmhouse (200m north west of site).</u></li><li>- <u>Road traffic noise</u></li></ul> <p><b><u>Reports Required</u></b></p> <ul style="list-style-type: none"><li>- <u>Flood Risk Assessment</u></li><li>- <u>Hydrological Assessment</u></li><li>- <u>Transport Assessment</u></li><li>- <u>Travel Plan</u></li><li>- <u>Ecological Impact Assessment informed by bat and amphibian surveys.</u></li></ul>
--	---

## 4 Housing Allocations

	<ul style="list-style-type: none"><li>- <u>Noise Impact Assessment</u></li><li><b><u>Site Specific Considerations</u></b></li><li>- <u>Provision of SuDS</u></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li><li>- <u>Removal of field to north west of the site in accordance with heritage advice.</u></li><li>- <u>Maintenance and enhancement of existing hedgerows.</u></li><li>- <u>Suitable management of Lowland Meadow (UK BAP priority habitat)</u></li><li>- <u>Provision of Open Space</u></li><li>- <u>Safeguard of Right of Way (Halifax 343)</u></li><li>- <u>The creation of a strong and defensible boundary between the allocation for housing and the Green Belt.</u></li><li>- <u>Buffer zone should farming operations continue.</u></li></ul>
--	---

Table MM286

Modification Reference	Page	Site Reference
MM286	CC39:  37	<u>LP1523 Land at, Westercroft Lane, Northowram</u>
		<p><b>Tracked Change</b></p> <p><b>Map - Modification</b></p>  <p>The map displays a residential area with several buildings and a road labeled 'WESTERCROFT LANE'. A large area is shaded with a stippled pattern, indicating an 'Indicative Developable Area'. A red outline within this area marks the 'Site Allocation'. A legend in the bottom-left corner identifies these symbols. The map is titled 'Map - Modification' and includes copyright information: '© Crown copyright and database rights 2021 Ordnance Survey 0100023069'.</p>

## 4 Housing Allocations

		<p><u>Site Area: 1.42</u></p> <p><u>Indicative Developable Area: 0.89</u></p> <p><u>Indicative density: 36</u></p> <p><u>Indicative Capacity: 32</u></p> <p><u>Land type: Greenfield</u></p> <p><u>Ownership: Private</u></p> <p><b>Constraints</b></p> <ul style="list-style-type: none"><li>- <u>Risk of surface water flooding.</u></li><li>- <u>Contaminated Land.</u></li><li>- <u>Stump Cross AQMA (No.5).</u></li><li>- <u>Westercroft hamlet (non-designated heritage asset to north east)</u></li></ul> <p><b>Reports Required</b></p> <ul style="list-style-type: none"><li>- <u>Transport Assessment.</u></li><li>- <u>Travel Plan.</u></li><li>- <u>Hydrological Assessment.</u></li><li>- <u>Ecological Assessment.</u></li><li>- <u>Contaminated Land Assessment.</u></li><li>- <u>Amended site layout plan.</u></li></ul>
--	--	--

		<p><b>Site Specific Consideration</b></p> <ul style="list-style-type: none"><li>- <u>Provision of SuDS.</u></li><li>- <u>Crossing point and footway between the site and the junction with the A644.</u></li><li>- <u>Contribution to a scheme of mitigation for the Hipperholme Crossroads.</u></li><li>- <u>Plant species rich native hedgerow on western and northern boundaries.</u></li><li>- <u>Consideration to advice contained within the West Yorkshire Low Emission Strategy.</u></li><li>- <u>Consideration of requirement to amend submitted layout plan to enable access to northern field.</u></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li><li>- <u>Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt.</u></li></ul>
--	--	---

## 4 Housing Allocations

Table MM287



Modification Reference	Page	Site Reference
MM287	158	<p data-bbox="595 363 1503 400">LP1543 Land North and North West of Wade House Road, Shelf</p> <p data-bbox="595 427 842 464"><b>Tracked Change</b></p> <p data-bbox="595 491 1010 528">Site Area (ha): <del>44.17</del> <u>11.15</u></p> <p data-bbox="595 560 1249 596">Indicative developable site area: <del>44.02</del> <u>11.01</u></p> <p data-bbox="595 628 943 665">Indicative Density: <del>30</del> <u>26</u></p> <p data-bbox="595 697 994 734">Indicative Capacity: <del>334</del> <u>290</u></p> <p data-bbox="595 766 1025 802"><b>Site Specific Considerations</b></p> <ul data-bbox="595 834 2101 1345" style="list-style-type: none"> <li>- Third party land control. <u>Site access to be achieved between 22 and 23 Wade House Road</u></li> <li>- Provision of green and blue Infrastructure on site such as SuDS and green roofs. The SuDS scheme should take account of existing biodiversity and take the form of fen, marsh, wet woodland, wet grassland or standing water in basins.</li> <li>- Provision of Open Space</li> <li>- Provision of locally native species rich unimproved grassland and locally native species rich hedgerows.</li> <li>- Increased recreation impact on nearby Local Wildlife Site will need mitigation.</li> <li>- Exclude 10m buffer of Wildlife Habitat Network from developable area and plant with appropriate locally native species (grassland or woodland)</li> </ul>

		<ul style="list-style-type: none"><li>- In light of potential access arrangements (third party land to north and west), masterplanning would be necessary that may involve the subdivision of the site.</li><li>- <u>Provision of pedestrian routes and upgrading of off-site PROW routes</u></li><li>- Standoff between agricultural uses and residential properties, and physical mitigation where identified.</li><li>- Strong and defensible boundary between the New Housing Site and the Green Belt will be required.</li><li>- <u>Site requires joint masterplanning with site LP0782 in accordance with Policy IM7</u></li></ul>
--	--	--

# 4 Housing Allocations

## 4.8 Ripponden Housing Allocations

Table MM288

Modification Reference	Page	Site Reference
MM288	160	LP0938 Holme House, Holme House Lane, Rishworth
		<p data-bbox="595 512 842 544"><b>Tracked Change</b></p> <div style="display: flex; justify-content: space-around;"> <div data-bbox="618 571 1310 1358"> <p data-bbox="748 576 1180 608"><b>Map - Local Plan Publication Draft</b></p>  <p>This map shows the site allocation for LP0938 Holme House, Holme House Lane, Rishworth. The site is outlined in red and is located between Shaw Lane to the north and Mill Race to the east. To the west of the site is Rishworth School, and to the south is Booth Dean Clough. The site is adjacent to a Sluice and a Weir. The map includes a legend with a red box for 'Site Allocation' and a dotted pattern for 'Indicative Developable Area'. A scale bar indicates 150.0m. The map is dated 2018 with Ordnance Survey Licence number 10023069.</p> </div> <div data-bbox="1361 571 2085 1358"> <p data-bbox="1603 576 1843 608"><b>Map - Modification</b></p>  <p>This map shows the modification to the site allocation for LP0938 Holme House, Holme House Lane, Rishworth. The site is outlined in red and is located between Oldham Road to the west and Mill Leat to the east. To the north is Rishworth School, and to the south is Booth Dean Clough. The site is adjacent to a Sluice and a Weir. The map includes a legend with a red box for 'Site Allocation' and a dotted pattern for 'Indicative Developable Area'. A scale bar indicates 156.4m. The map is dated 2022 with Ordnance Survey Licence number 10023069.</p> </div> </div>



		<p>Site Area (ha) 0.53 <u>0.38</u></p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"> <li>- <del>Less than 2km from South Pennines SPA/SCA/SSSI</del></li> <li>- <u>Site is within 2.5km of the SPA/SAC</u></li> <li>- Site lies within Wildlife Habitat Network</li> <li>- Presence of Principal Habitat of Importance on site (lowland mixed deciduous woodland)</li> <li>- Wildlife Habitat Network</li> <li>- Heritage asset in close proximity - Grade II The Old Building of Rishworth School &amp; Grade II listed milestone on western boundary</li> </ul> <p><b>Reports Required</b></p> <ul style="list-style-type: none"> <li>- Transport Statement</li> <li>- <u>Ornithological Report informed by surveys undertaken according to “SPA Bird Survey Methodology” by West Yorkshire Ecology</u></li> <li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li> <li>- Habitat Regulations Assessment (<u>HRA</u>)</li> <li>- <u>Landscape Impact Assessment</u></li> </ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"> <li>- Provision of blue &amp; green infrastructure, including SuDS</li> <li>- Pedestrian crossing point</li> </ul>
--	--	--

## 4 Housing Allocations



		<ul style="list-style-type: none"><li>- Right hand turn into the site from the highway</li><li>- Plant any development with locally native trees</li><li>- Provide 10m standoff from the waterbodies</li><li>- <del>Consideration to recommendations provided within the Heritage Impact Assessment</del></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li><li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li><li>- <u>Where likely significant effects have not been ruled out:</u><ul style="list-style-type: none"><li><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li><li><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></li><li><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></li><li><u>Monitoring of impacts to assess bird use over time</u></li></ul></li></ul>
--	--	--

Table MM289

Modification Reference	Page	Site Reference
MM289	161	<p data-bbox="618 365 1413 400">LP1023 Land off, Halifax Road, Triangle, Sowerby Bridge</p> <p data-bbox="618 427 864 462"><b>Tracked Change</b></p> <p data-bbox="618 489 1003 525">Site Area (ha): <del>1.44</del> <u>1.40</u></p> <p data-bbox="618 560 1048 595"><b>Site Specific Considerations</b></p> <ul data-bbox="618 630 2112 922" style="list-style-type: none"> <li data-bbox="618 630 1547 665">- Consider surface water flood risk in design and layout of scheme</li> <li data-bbox="618 700 2101 770">- Leave a 10m buffer zone adjacent to the water course. Plant with locally native woodland. Minimise light pollution and other disturbance to water course</li> <li data-bbox="618 805 2112 922">- <del>Consideration of recommendations provided with the HIA.</del> <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li> </ul>

# 4 Housing Allocations



Table MM290

Modification Reference	Page	Site Reference
MM290	162	LP1027 Land north of Stonelea, Barkisland
		<b>Tracked Change</b>
		<div style="display: flex; justify-content: space-around;"> <div data-bbox="584 483 1339 1326"> <p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p>This map shows a site allocation (red outline) and an indicative developable area (dotted pattern) for North Royd. The site is bounded by Stonelea to the south and Pinfold Close to the west. Surrounding areas include Pinfold House, Heald House, and a play area. A legend in the bottom left corner defines the symbols and includes the text: © Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</p> </div> <div data-bbox="1339 483 2101 1326"> <p style="text-align: center;"><b>Map - Modification</b></p>  <p>This map shows the modified site allocation (red outline) and indicative developable area (dotted pattern) for North Royd. The site boundary has been adjusted compared to the draft map. The legend and copyright information are consistent with the draft map.</p> </div> </div>
Site Area (ha): 0.54— <u>0.55</u>		

		<p><b>Reports Required:</b></p> <ul style="list-style-type: none"><li>- Transport Statement and access design</li><li>- Capacity building of existing drainage network</li><li>- <u>Landscape Impact Assessment</u></li></ul> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li>- <del>Layout to consider</del> <u>Sensitive design and layout, responding to constraints on the site, taking account of past planning decisions regarding overhead power lines and residential amenity for neighbouring properties. <u>Indicative capacity of 12 dwellings is likely to be a maximum.</u></u></li><li>- Provision of SuDS</li></ul>
--	--	--

# 4 Housing Allocations

Table MM291


Modification Reference	Page	Site Reference
MM291	163	LP1224 Land north of Meadowcroft Lane, Halifax Road, Ripponden
		<p data-bbox="591 427 842 464"><b>Tracked Change</b></p> <div style="display: flex; justify-content: space-around;"> <div data-bbox="591 480 1339 1326"> <p data-bbox="748 491 1182 523" style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p data-bbox="591 1225 909 1257">Indicative Developable Area: 4.18</p> </div> <div data-bbox="1339 480 2101 1326"> <p data-bbox="1608 491 1841 523" style="text-align: center;"><b>Map - Modification</b></p>  <p data-bbox="1339 1321 1626 1353">Indicative Developable Area: <u>1.02</u></p> </div> </div>

		<p>Indicative Density: 25 24</p> <p>Indicative Capacity: <del>30</del> <u>24</u></p> <p><b>Reports Required</b></p> <ul style="list-style-type: none"> <li>- Transport Assessment/Travel Plan and scheme</li> <li>- Flood Risk Assessment, <del>to consider layout and design to avoid development in Flood Zones 2 and 3.</del> <u>to include site specific Hydraulic Modelling.</u></li> <li>- <u>Emergency Access and egress plans must be provided to the LPA for consideration and agreement.</u></li> <li>- Hydrological Assessment</li> <li>- Land Stability Report</li> </ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"> <li>- Provision of blue and green infrastructure such as SuDS</li> <li>- Realignment of retaining wall of the adjacent area of the development</li> <li>- Consider impact on ecology - avoid disturbance and light pollution over the river, and retain the tree cover on the site, and provide buffer of 10m from the river</li> <li>- Retention of the stone boundary wall should be sought wherever possible.</li> <li>- Retention of the trees should be sought wherever possible</li> <li>- Consider provision of a buffer between residential uses and nearby employment uses</li> <li>- <u>No more vulnerable or highly vulnerable uses to be located on the ground floor</u></li> </ul>
--	--	---



# 4 Housing Allocations

Table MM292

Modification Reference	Page	Site Reference
MM292	CC39:  38	<u>LP1602 Barkisland Cross, Jackson Lane, Barkisland</u>
		<b>Tracked Change</b>  <p style="text-align: center;"><b>Map - Modification</b></p>  <p>The map displays a residential area with a specific site highlighted. A red outline indicates the 'Site Allocation', which is a triangular-shaped plot bounded by Greetland Road to the west, Jackson Lane to the east, and an unnamed road to the south. A dotted pattern within this site indicates the 'Indicative Developable Area'. Surrounding streets include Greetland Road (B 8113), Jackson Lane, Longmeadow, and High Rayd. Other labeled buildings include 'The Cross', Wall End, Woodfield House, Wood Lea, and Cliffe Royd. A legend in the bottom-left corner defines the symbols used. Copyright information for Ordnance Survey is provided at the bottom of the map area.</p>



		<p><b><u>Site Area: 0.76</u></b></p> <p><b><u>Indicative developable site area: 0.76</u></b></p> <p><b><u>Indicative density: 32</u></b></p> <p><b><u>Indicative capacity: 24</u></b></p> <p><b><u>Land type: Greenfield</u></b></p> <p><b><u>Ownership: Private</u></b></p> <p><b><u>Constraints</u></b></p> <ul style="list-style-type: none"> <li>- <u>Special Landscape Area</u></li> <li>- <u>Potential habitat for bats</u></li> </ul> <p><b><u>Reports required</u></b></p> <ul style="list-style-type: none"> <li>- <u>Transport Statement, Access design and design of mitigation on network</u></li> <li>- <u>Bat Survey</u></li> <li>- <u>Surface water/drainage network assessment</u></li> <li>- <u>Landscape Impact Assessment</u></li> </ul> <p><b><u>Site Specific Considerations</u></b></p> <ul style="list-style-type: none"> <li>- <u>Green and blue Infrastructure on site such as SuDS and green roofs</u></li> <li>- <u>Planting species rich locally native hedgerows on the boundaries.</u></li> <li>- <u>Consider the impact on visual amenity currently provided by the site</u></li> </ul>
--	--	--

## 4 Housing Allocations

		<ul style="list-style-type: none"> <li>- <u>Retention of the stone boundary walls should be sought wherever possible</u></li> <li>- <u>Ensure the creation of a strong and defensible boundary between the allocation for housing and the Green Belt</u></li> </ul>
--	--	---

### 4.9 Sowerby Bridge Housing Allocations

Table MM293

Modification Reference	Page	Site Reference
MM293	164	LP0044 Cemetery Lane, Lower Bentley Royd, Sowerby Bridge
		<b>Tracked Change</b>
		Site Area (ha): <del>2.95</del> <u>2.94</u>  Indicative developable site area: <del>2.95</del> <u>2.94</u>  <b>Site Specific Considerations</b> <ul style="list-style-type: none"> <li>- Provision of SuDS and drainage network capacity building assessment including identification of impacts</li> <li>- Plant native species-rich hedgerows on all boundaries</li> <li>- Retain boundary trees <u>within the site and along its boundary</u>, and incorporate into landscaping/provide 10m buffer</li> <li>- Consider the impact on visual amenity currently provided by the site</li> <li>- Have regard to West Yorkshire Low Emission Strategy</li> </ul>

## 4 Housing Allocations

---

		<p>- A site specific policy would be required to create a strong and defensible boundary between the allocation for housing and the Green Belt</p>
--	--	--

## 4 Housing Allocations

Table MM294

Modification Reference	Page	Site Reference
MM294	165	LP0287 Land rear of 287, Willowfield Road, Halifax
		<b>Tracked Change</b>
		Indicative developable site area: <del>0.73</del> <u>0.84</u> Indicative density (dph): 44 <u>12</u> Indicative capacity: <del>8</del> <u>10</u>

Table MM295







Modification Reference	Page	Site Reference
MM295	166	LP0435 Land off Haugh End Lane, Sowerby, Sowerby Bridge
		<b>Tracked Change</b>
		<p><b>Constraints</b></p> <ul style="list-style-type: none"> <li>- Haugh End House - Grade II* Listed, Old Haugh End and Old Haugh End Cottage; Haugh End Farmhouse - Grade II Listed, and Brockwell Gate - Grade II Listed</li> <li>- Site access</li> <li>- Road traffic noise</li> <li>- Proximity to Sowerby Bridge Air Quality Management Area</li> <li>- <u>Proximity to waste site EAWML 65545 (Calder Valley Skip Hire Ltd).</u></li> </ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"> <li>- Provision of SuDS, and green infrastructure to reduce run off and provide storm water storage.</li> <li>- Plant native species-rich hedgerows on boundaries.</li> <li>- <del>Consideration to recommendations provided within the HIA</del> <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li> <li>- Consider recommendations of the West Yorkshire Low Emission Strategy</li> </ul>

## 4 Housing Allocations

Table MM296

Modification Reference	Page	Site Reference
MM296	167	<p data-bbox="595 363 1370 400">LP0438 Land off Dean Lane, Sowerby, Sowerby Bridge</p> <p data-bbox="595 427 842 464"><b>Tracked Change</b></p> <p data-bbox="595 491 1025 528"><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"> <li data-bbox="595 560 1749 596">- Mitigation at St Peter's Ave / Town Gate junction subject to junction assessments.</li> <li data-bbox="595 632 2085 703">- Provision of SuDS and green infrastructure to reduce the infiltration rate of precipitation as well as provide storage for storm water run-off.</li> <li data-bbox="595 738 2085 810">- Provide 10m buffer around trees and plant with native shrubs and remove all Wildlife Habitat Network from developable area.</li> <li data-bbox="595 845 1496 882">- Plant native species-rich hedgerow on SE and SW boundaries.</li> <li data-bbox="595 917 1211 954">- Retention and repair of the dry stone walls</li> <li data-bbox="595 989 2085 1102">- <del>Consideration to recommendations provided within the HIA.</del> <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li> <li data-bbox="595 1137 2085 1214">- <u>The mature tree belts to the east and south of the site shall be retained and enhanced to screen the new development from the nearby Listed Buildings</u></li> <li data-bbox="595 1249 1379 1286">- Consideration of the West Yorkshire Emission Strategy</li> </ul>

Table MM297


Modification Reference	Page	Site Reference				
MM297	168	LP1356 Hollins Park, Cemetery Lane, Sowerby Bridge				
		<b>Tracked Change</b>				
		<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%; text-align: center;">Map - Local Plan Publication Draft</th> <th style="width: 50%; text-align: center;">Map - Modification</th> </tr> </thead> <tbody> <tr> <td style="text-align: center;">  <p>Map - Local Plan Publication Draft showing site allocation (red outline) and indicative developable area (dotted pattern) for LP1356 Hollins Park, Cemetery Lane, Sowerby Bridge. The map includes labels for Allotment Gardens, Playing Field, Cemetery Lodge, Sowerby Tunnel, and Air Shaft. A legend indicates Site Allocation (red outline) and Indicative Developable Area (dotted pattern). Copyright: © Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</p> </td> <td style="text-align: center;">  <p>Map - Modification showing updated site allocation (red outline) and indicative developable area (dotted pattern) for LP1356 Hollins Park, Cemetery Lane, Sowerby Bridge. The map includes labels for Cemetery Lodge, Sowerby Tunnel, and Air Shaft. A legend indicates Site Allocation (red outline) and Indicative Developable Area (dotted pattern). Copyright: © Crown copyright and database rights 2021. Ordnance Survey 0100023069.</p> </td> </tr> <tr> <td colspan="2" style="text-align: center;">Indicative Developable Area: 0.45 <u>0.86</u></td> </tr> </tbody> </table>	Map - Local Plan Publication Draft	Map - Modification	 <p>Map - Local Plan Publication Draft showing site allocation (red outline) and indicative developable area (dotted pattern) for LP1356 Hollins Park, Cemetery Lane, Sowerby Bridge. The map includes labels for Allotment Gardens, Playing Field, Cemetery Lodge, Sowerby Tunnel, and Air Shaft. A legend indicates Site Allocation (red outline) and Indicative Developable Area (dotted pattern). Copyright: © Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</p>	 <p>Map - Modification showing updated site allocation (red outline) and indicative developable area (dotted pattern) for LP1356 Hollins Park, Cemetery Lane, Sowerby Bridge. The map includes labels for Cemetery Lodge, Sowerby Tunnel, and Air Shaft. A legend indicates Site Allocation (red outline) and Indicative Developable Area (dotted pattern). Copyright: © Crown copyright and database rights 2021. Ordnance Survey 0100023069.</p>
Map - Local Plan Publication Draft	Map - Modification					
 <p>Map - Local Plan Publication Draft showing site allocation (red outline) and indicative developable area (dotted pattern) for LP1356 Hollins Park, Cemetery Lane, Sowerby Bridge. The map includes labels for Allotment Gardens, Playing Field, Cemetery Lodge, Sowerby Tunnel, and Air Shaft. A legend indicates Site Allocation (red outline) and Indicative Developable Area (dotted pattern). Copyright: © Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</p>	 <p>Map - Modification showing updated site allocation (red outline) and indicative developable area (dotted pattern) for LP1356 Hollins Park, Cemetery Lane, Sowerby Bridge. The map includes labels for Cemetery Lodge, Sowerby Tunnel, and Air Shaft. A legend indicates Site Allocation (red outline) and Indicative Developable Area (dotted pattern). Copyright: © Crown copyright and database rights 2021. Ordnance Survey 0100023069.</p>					
Indicative Developable Area: 0.45 <u>0.86</u>						

## 4 Housing Allocations

		<p>Indicative Density: <u>2337</u></p> <p>Indicative Capacity: <u>4032</u></p> <p><b>Reports Required</b></p> <ul style="list-style-type: none"><li>- Transport Assessment</li><li>- Flood Risk Assessment</li><li>- <u>Heritage Impact Assessment</u></li></ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"><li>- Provision of SuDS</li><li>- Reprovision of equivalent or better quantity or quality pitches would be required</li><li>- <u>Improvements to other open space in the area should be carried out. These could include facility improvements at the Hollins Mill Leisure Park.</u></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li><li>- <u>Should the historic cemetery gate piers and gate be required to be relocated as part of the access arrangements, they will be expected to be retained, appropriately repositioned and repaired, so that they continue to form the main access to the cemetery. Any such work should be undertaken alongside the construction of the site access to LP1356. The applicant shall detail within their Heritage Impact Assessment the justification and mitigation measures proposed to minimise the harm to the heritage asset. These shall be agreed by the Local Planning Authority.</u></li></ul>
--	--	---



Table MM298

Modification Reference	Page	Site Reference
MM298	169	LP1391 Upper Bentley Royd, Sowerby Bridge
		<b>Tracked Change</b>
		<p data-bbox="770 491 1200 517" style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p>  <p data-bbox="613 1337 1066 1362"><b>Site removed from Local Plan</b></p>

## 4 Housing Allocations

	<p><b>Upper Bentley Royd, Sowerby Bridge</b></p> <p>Site area (ha): 0.40</p> <p>Indicative developable area: 0.40</p> <p>Indicative density (dph): 50</p> <p>Indicative capacity: 20</p> <p>Land Type: Greenfield</p> <p>Ownership: Public</p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"><li>- Potential increase in surface water run-off</li><li>- Site access via Salisbury Street which is a narrow access</li><li>- Adjacent to Wildlife Habitat Network</li><li>- Right of Way</li></ul> <p><b>Reports Required:</b></p> <ul style="list-style-type: none"><li>- Evaluation of existing drainage network</li><li>- Transport Statement</li></ul> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li>- Provision of SuDS and green infrastructure to reduce infiltration and provide storage for storm water run-off</li><li>- Mitigation to restrict speeds close to school</li></ul>
--	---

		<ul style="list-style-type: none"><li>- Retain existing trees</li><li>- Plant species rich native hedgerows on boundaries</li><li>- Consider the impact on the footpath</li></ul>
--	--	---

## 4 Housing Allocations

Table MM299

Modification Reference	Page	Site Reference
MM299	170	<p data-bbox="595 360 1659 400">LP1398 Land on the West Side of Brockwell Lane, Triangle, Sowerby Bridge</p> <p data-bbox="595 424 842 464"><b>Tracked Change</b></p> <p data-bbox="595 488 965 528">Site Area (ha) 4.11 <u>4.10</u></p> <p data-bbox="595 552 1200 592">Indicative developable site area <del>2.90</del> <u>2.89</u></p> <p data-bbox="595 632 775 671"><b>Constraints</b></p> <ul data-bbox="595 695 2063 1342" style="list-style-type: none"> <li>- Right of Way (Sowerby Bridge 098)</li> <li>- <del>Third party land to achieve suitable access</del></li> <li>- Adjacent to Wildlife Habitat Network</li> <li>- Listed Buildings - Brockwell House and Brockwell Cottage (Grade II) to the south and east, and Bullace Trees Cottage (Grade II) to the south</li> <li>- Air quality and the impact of additional road traffic taken cumulatively</li> <li>- Proximity to Ryburn Valley High School</li> <li>- Tree Preservation Orders</li> <li>- Loss of natural and semi natural urban green space</li> <li>- <u>Proximity to waste site EAWML 65545 (Calder Valley Skip Hire Ltd).</u></li> </ul> <p data-bbox="595 1374 1021 1414"><b>Site Specific Considerations</b></p>

		<ul style="list-style-type: none"> <li>- Provision of SuDS and green infrastructure to increase infiltration</li> <li><del>- Third party land required to achieve suitable access</del></li> <li>- Excluding 20m buffer on southern and western edges and retaining a 20m buffer of trees across the centre of the site.</li> <li>- Plant areas outside developable area with native shrubs and trees and manage as woodland.</li> <li>- The impact of development on the open character of the area and its visual amenity should be assessed</li> <li>- Consider the impact on visual amenity currently provided by the site.</li> <li>- High quality open space facilities should be provided on site as part of any development to help rectify current deficiencies.</li> <li><del>- Mitigation against loss of open space, for example, enhancing existing areas of natural open space or providing new facilities.</del></li> <li>- Retain existing trees, including those to east and north</li> <li>- Retain and repair the stone boundary wall to the south</li> <li><del>- Consideration to recommendations provided within the HIA</del></li> <li><u>- Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li> <li>- Air quality and the impact of additional road traffic taken cumulatively</li> <li>- Regard should be had to the West Yorkshire Emission Strategy</li> <li>- Proximity to Ryburn High School and impacts should be considered</li> </ul>
--	--	--

## 4 Housing Allocations

---

		<ul style="list-style-type: none"><li>- Third party land agreements need to be confirmed</li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--	---

Table MM300

Modification Reference	Page	Site Reference
MM300	172	<p data-bbox="618 365 1480 400">LP1412 Land north of Lower Brockwell Lane, Sowerby Bridge</p> <p data-bbox="618 427 864 462"><b>Tracked Change</b></p> <p data-bbox="618 489 965 525">Indicative Density: <del>30</del> <u>64</u></p> <p data-bbox="618 560 965 595">Indicative Capacity: <del>8</del> <u>18</u></p> <p data-bbox="618 703 797 738"><b>Constraints</b></p> <ul style="list-style-type: none"> <li data-bbox="618 775 1317 810">- Site access would require significant earthworks</li> <li data-bbox="618 847 976 882">- Wildlife Habitat Network</li> <li data-bbox="618 919 2107 986">- Listed Buildings - Brockwell House and Brockwell Cottage (Grade II) to the north, and Bullace Trees Cottage (Grade II) to the south</li> <li data-bbox="618 1023 1603 1058">- Air quality and the impact of additional road traffic taken cumulatively</li> <li data-bbox="618 1094 994 1129">- Tree Preservation Orders</li> <li data-bbox="618 1166 1361 1201">- Loss of natural and semi natural urban green space</li> <li data-bbox="618 1238 797 1273">- Road noise</li> <li data-bbox="618 1310 1592 1345"><u>- Proximity to waste site EAWML 65545 (Calder Valley Skip Hire Ltd).</u></li> </ul> <p data-bbox="618 1382 1048 1417"><b>Site Specific Considerations</b></p>

## 4 Housing Allocations

	<ul style="list-style-type: none"><li>- Provision of SuDS</li><li>- Provide a 20m buffer on the southern boundary</li><li>- Plant areas outside developable area with native shrubs and trees and manage as woodland</li><li>- The impact of development on the open character of the area and its visual amenity should be assessed</li><li>- Mitigation against loss of open space, for example, enhancing existing areas of natural open space or providing new facilities</li><li>- Retain existing trees, including those to east and north</li><li>- Retain and repair the stone boundary wall to the south</li><li>- <del>Consideration to recommendations provided within the HIA</del></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li><li>- Have regard to the West Yorkshire Low Emission Strategy</li></ul>
--	---



Table MM301


Modification Reference	Page	Site Reference
MM301	173	LP1415 Wakefield Road, Sowerby Bridge
		<b>Tracked Change</b>
		<p><b>Constraints</b></p> <ul style="list-style-type: none"> <li>- Site access - changes in levels likely to be mean dual access from Walker Lane and Wakefield Road</li> <li>- Within Sowerby Bridge Air Quality Management Area</li> <li>- Noise (road traffic and industrial)</li> <li>- <u>Proximity to waste site EAWML 65545 (Calder Valley Skip Hire Ltd).</u></li> </ul>

Table MM302


Modification Reference	Page	Site Reference
MM302	174	LP1654 Politt Fields, 8 Ripon House, Sowerby Bridge
		<b>Tracked Change</b>

# 4 Housing Allocations

Map - Local Plan Publication Draft



Map - Modification



Site Area (ha): 4.51 1.22

		<p>Indicative Developable Area: 4.51 <u>1.22</u></p> <p>Indicative Density: <del>29</del> <u>21</u></p> <p>Indicative Capacity: 44 <u>26</u></p> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"><li>- Provision of SuDS</li><li>- Consideration to West Yorkshire Low Emission Strategy</li><li>- <del>Consideration to recommendations provided within the HIA-</del></li><li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li><li>- Consider impact of loss of open space</li><li>- <u>Improvements to other open space in the area should be carried out. These could include facility improvements at Beech Recreation Ground or Crow Wood Park.</u></li><li>- <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>
--	--	--







## 4 Housing Allocations

Table MM303

Modification Reference	Page	Site Reference
MM303	175	<p data-bbox="595 363 1234 400">LP1655 Rawson Wood, Wood Croft, Sowerby</p> <p data-bbox="595 427 842 464"><b>Tracked Change</b></p> <p data-bbox="595 491 1048 528">Indicative density (dph): <del>30</del> <u>42</u></p> <p data-bbox="595 560 972 596">Indicative capacity: <del>22</del> <u>30</u></p> <p data-bbox="595 628 1025 665"><b>Site Specific Considerations</b></p> <ul data-bbox="595 697 2089 1278" style="list-style-type: none"> <li>- Parking restrictions may be required on Wood Croft</li> <li>- <del>Consideration to recommendations provided within the HIA.</del></li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li> <li>- Predetermination Archaeological Evaluation</li> <li>- Retention of lowland mixed deciduous woodland on perimeter of the site</li> <li>- <del>Consider loss of open space</del></li> <li>- <u>Development proposals should include suitable mitigation to compensate for the loss of existing on-site open space.</u></li> </ul>

## 4.10 Todmorden Housing Allocations

Table MM304

Modification Reference	Page	Site Reference				
MM304	176	LP0053 Land off Key Syke Lane, Kilnhurst, Todmorden				
<b>Tracked Change</b>						
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th data-bbox="616 566 1355 614" style="text-align: center;">Map - Local Plan Publication Draft</th> <th data-bbox="1366 566 2094 614" style="text-align: center;">Map - Modification</th> </tr> </thead> <tbody> <tr> <td data-bbox="616 622 1355 1316" style="text-align: center;">  <p style="text-align: center;"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="background-color: #cccccc; border: 1px solid black; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</small> </p> </td> <td data-bbox="1366 622 2094 1316" style="text-align: center;">  <p style="text-align: center;"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="background-color: #cccccc; border: 1px solid black; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown copyright and database rights 2021 Ordnance Survey 0100023069</small> </p> </td> </tr> </tbody> </table>			Map - Local Plan Publication Draft	Map - Modification	 <p style="text-align: center;"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="background-color: #cccccc; border: 1px solid black; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</small> </p>	 <p style="text-align: center;"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="background-color: #cccccc; border: 1px solid black; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown copyright and database rights 2021 Ordnance Survey 0100023069</small> </p>
Map - Local Plan Publication Draft	Map - Modification					
 <p style="text-align: center;"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="background-color: #cccccc; border: 1px solid black; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown Copyright and database right 2018. Ordnance Survey Licence number 10023069.</small> </p>	 <p style="text-align: center;"> <span style="border: 1px solid red; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Site Allocation  <span style="background-color: #cccccc; border: 1px solid black; display: inline-block; width: 15px; height: 10px; margin-right: 5px;"></span> Indicative Developable Area  <small>© Crown copyright and database rights 2021 Ordnance Survey 0100023069</small> </p>					
<p>Site Area (ha): 0.43 <u>0.37</u></p>						

## 4 Housing Allocations

	<p>Indicative developable site area: 0.43 <u>0.37</u></p> <p>Indicative Density: <del>45</del> <u>46</u></p> <p>Indicative Capacity: <del>13</del> <u>11</u></p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"><li>- Possible Land Contamination</li><li>- <u>Site is within 2.5km of the SPA/SAC</u></li></ul> <p><b>Reports required:</b></p> <ul style="list-style-type: none"><li>- Transport Assessment, and proposals to upgrade Fir Street in vicinity of site access</li><li>- Contaminated Land Assessment.</li><li>- <del>Habitat Regulations Assessment (informed by ornithological surveys to include nocturnal golden plover surveys).</del></li><li>- Flood Risk Assessment to include consideration of layout and design</li><li>- <u>Landscape Impact Assessment</u></li><li>- <u>Ornithological Report informed by surveys undertaken according to "SPA Bird Survey Methodology" by West Yorkshire Ecology</u></li><li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li><li>- <u>Habitat Regulations Assessment (HRA)</u></li></ul> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"><li>- Provision of SuDS.</li></ul>
--	--

		<ul style="list-style-type: none"><li>- 10m buffer provided to south, west boundaries to be planted with native trees and shrubs</li><li>- Minimise light pollution and disturbance onto the canal</li><li>- Implement bat sensitive lighting scheme</li><li>- <u>Development proposals should include the creation or enhancement of other open space.</u></li><li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li><li>- <u>Where likely significant effects have not been ruled out:</u><ul style="list-style-type: none"><li><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li><li><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></li><li><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></li><li><u>Monitoring of impacts to assess bird use over time</u></li></ul></li></ul>
--	--	--

## 4 Housing Allocations

Table MM305

Modification Reference	Page	Site Reference
MM305	177	<p data-bbox="595 363 1120 400">LP0635 Land off, Fir Street, Walsden</p> <p data-bbox="595 427 842 464"><b>Tracked Change</b></p> <p data-bbox="595 491 779 528"><b>Constraints:</b></p> <ul data-bbox="595 560 1489 879" style="list-style-type: none"> <li>- Possible Land Contamination</li> <li>- Lowland mixed deciduous woodland - UK BAP Priority Habitat</li> <li>- Wildlife Habitat Network</li> <li>- <del>Less than 1km to South Pennine Moors SPA/SAC/SSSI</del></li> <li>- <u>Site is within 2.5km of the SPA/SAC</u></li> </ul> <p data-bbox="595 911 862 948"><b>Reports required:</b></p> <ul data-bbox="595 979 2056 1378" style="list-style-type: none"> <li>- Transport Assessment, and proposals to upgrade Fir Street in vicinity of site access</li> <li>- Contaminated Land Assessment.</li> <li>- Flood Risk Assessment to include consideration of layout and design</li> <li>- <del>Habitat Regulations Assessment (informed by ornithological surveys to include nocturnal golden plover surveys).</del></li> <li>- <u>Ornithological Report informed by surveys undertaken according to "SPA Bird Survey Methodology" by West Yorkshire Ecology</u></li> </ul>



		<ul style="list-style-type: none"> <li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li> <li>- <u>Habitat Regulations Assessment (HRA)</u></li> </ul> <p><b>Site Specific Considerations:</b></p> <ul style="list-style-type: none"> <li>- Provision of SuDS through green and blue infrastructure</li> <li>- 10m buffer to be provided on the west boundary to include felling of existing conifers and replanting with native trees and shrubs.</li> <li>- Plant species-rich native hedgerows be provided on north, south and east boundaries</li> <li>- Upgrading of Fir Street to provide a surface to adoptable standard and provision of footpath into the site</li> <li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li> <li>- <u>Where likely significant effects have not been ruled out:</u> <ul style="list-style-type: none"> <li><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li> <li><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></li> <li><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></li> <li><u>Monitoring of impacts to assess bird use over time</u></li> </ul> </li> </ul>
--	--	---

# 4 Housing Allocations

Table MM306

Modification Reference	Page	Site Reference
MM306	178	LP0640 Land off The Hollins, Stansfield Hall Road, Todmorden
		<p><b>Tracked Change</b></p> <div style="display: flex; justify-content: space-around;"> <div data-bbox="584 480 1339 1321"> <p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p> </div> <div data-bbox="1339 480 2101 1321"> <p style="text-align: center;"><b>Map - Modification</b></p> </div> </div> <p style="text-align: center;">Site Area (ha): <del>1.33</del> <u>1.32</u></p>

		<p>Indicative Developable Area: 4.17 <u>1.09</u></p> <p>Indicative Density: 45 <u>30</u></p> <p>Indicative Capacity: 53 <u>33</u></p> <p><b>Constraints</b></p> <ul style="list-style-type: none"> <li>- Pluvial Flood Risk (potential to increase surface water flood risk).</li> <li>- Lowland Mixed Deciduous Woodland.</li> <li>- Fountain Public House, Hollins Farmhouse (Grade II Listed Buildings).</li> <li>- <del>Increased recreational pressure on European Sites (SPA/SAC/SSSI).</del></li> <li>- <u>Site is within 2.5km of the SPA/SAC</u></li> <li>- Highway issues - Improvements needed on Victoria Road and the Hollins.</li> <li>- <u>Unstable Land</u></li> </ul> <p><b>Reports Required</b></p> <ul style="list-style-type: none"> <li>- Flood Risk Assessment, <u>to include:</u> <ul style="list-style-type: none"> <li>● <u>Flood risk hydraulic modelling of Oak Hill Clough</u></li> <li>● <u>Specific consideration being given to impacts from historic flooding, such as recent flood events in Calderdale</u></li> <li>● <u>Following a sequential approach to the layout of the site – i.e. locating development in areas of least flood risk</u></li> </ul> </li> <li>- Hydrological Assessment</li> </ul>
--	--	---

## 4 Housing Allocations

		<ul style="list-style-type: none"><li>- Transport Assessment- detailing pedestrian connectivity and parking on approach roads</li><li>- <u>Land Stability Report</u></li><li>- <u>Ornithological Report informed by surveys undertaken according to "SPA Bird Survey Methodology" by West Yorkshire Ecology</u></li><li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li><li>- <u>Habitat Regulations Assessment (HRA)</u></li></ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"><li>- Provision of SuDS.</li><li>- 5m buffer of native shrubs to be planted on the southern boundary.</li><li>- Native trees and shrubs to be planted and non native species removed on the Western boundary.</li><li>- Removal of Lowland Mixed Deciduous Woodland from Developable Area.</li><li>- <del>Consideration to recommendations provided within the HIA.</del> <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li><li>- Improvements to Victoria Road and The Hollins.</li><li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li><li>- <u>Where likely significant effects have not been ruled out:</u>  <u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li></ul>
--	--	--

## 4 Housing Allocations

		<p><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></p> <p><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></p> <p><u>Monitoring of impacts to assess bird use over time</u></p>
--	--	---

## 4 Housing Allocations

Table MM307

Modification Reference	Page	Site Reference
MM307	179	<p data-bbox="595 363 1272 400">LP0651 Land off Stoney Royd Lane, Todmorden</p> <p data-bbox="595 427 842 464"><b>Tracked Change</b></p> <p data-bbox="595 491 786 528"><b>Constraints:</b></p> <ul data-bbox="595 560 1491 1023" style="list-style-type: none"> <li>- Fluvial and Pluvial Flood Risk</li> <li>- Site access requiring significant works</li> <li>- Noise from adjacent Railway</li> <li>- <del>2km from the South Pennine Moors SPA/SAC/SSSI</del></li> <li>- <u>Site is within 2.5km of the SPA/SAC</u></li> <li>- Lowland mixed deciduous woodland - UK BAP Priority Habitat</li> <li>- Rights of Way (Todmorden 094 &amp; 192)</li> </ul> <p data-bbox="595 1054 864 1091"><b>Reports required:</b></p> <ul data-bbox="595 1123 1469 1374" style="list-style-type: none"> <li>- Flood Risk Assessment, including Hydrological Assessment.</li> <li>- Transport Assessment and Travel Plan</li> <li>- Feasible layout based on Topographical Survey</li> <li>- Noise Impact assessment</li> </ul>

		<ul style="list-style-type: none"> <li>- Land Stability Report</li> <li>- <u>Ornithological Report informed by surveys undertaken according to “SPA Bird Survey Methodology” by West Yorkshire Ecology</u></li> <li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li> <li>- <u>Habitat Regulations Assessment (HRA)</u></li> </ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"> <li>- Provision of SuDS through green and blue infrastructure, to be managed for biodiversity</li> <li>- Retain mature trees and retain and restore hedgerows.</li> <li>- Provision of 10m buffer by boundary trees.</li> <li>- Public Right of Way and Historic Rights of Way to be safeguarded</li> <li>- <u>Access to be provided via upgrades to Keswick Close.</u></li> <li>- Potential upgrading of Stoney Royd Lane to adoptable standards</li> <li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li> <li>- <u>Where likely significant effects have not been ruled out:</u></li> </ul> <p style="margin-left: 40px;"><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></p> <p style="margin-left: 40px;"><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></p>
--	--	---

## 4 Housing Allocations

---

		<p><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></p> <p><u>Monitoring of impacts to assess bird use over time</u></p>
--	--	---



Table MM308

Modification Reference	Page	Site Reference
MM308	180	LP0658 Cinderhill Mills, Halifax Road, Todmorden
		<p><b>Tracked Change</b></p> <div style="display: flex; justify-content: space-around;"> <div data-bbox="607 480 1361 1326"> <p style="text-align: center;"><b>Map - Local Plan Publication Draft</b></p> </div> <div data-bbox="1361 480 2123 1326"> <p style="text-align: center;"><b>Map - Modification</b></p> </div> </div> <p style="margin-top: 20px;">Site Area (ha): <del>0.4</del>     <u>0.50</u></p>





## 4 Housing Allocations

	<p>Indicative developable site area: <del>0.47</del> <u>0.50</u></p> <p>Indicative density (dph): <del>52</del> <u>44</u></p> <p>Indicative capacity: <del>24</del> <u>22</u></p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"><li>- Highway Constraints.</li><li>- Unstable Land.</li><li>- Possible Contaminated Land</li><li>- Road Traffic Noise</li><li>- Pluvial Flood Risk.</li><li>- <u>Site is within 2.5km of the SPA/SAC</u></li></ul> <p><b>Reports required:</b></p> <ul style="list-style-type: none"><li>- Hydrological Assessment.</li><li>- Transport Assessment.</li><li>- Noise Impact assessment.</li><li>- Contaminated Land assessment.</li><li>- Land Stability Report.</li><li>- <u>Ornithological Report informed by surveys undertaken according to "SPA Bird Survey Methodology" by West Yorkshire Ecology</u></li><li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li></ul>
--	--

		<p><u>- Habitat Regulations Assessment (HRA)</u></p> <p><b>Site specific considerations:</b></p> <ul style="list-style-type: none"><li>- Provision of SuDS</li><li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li><li>- <u>Where likely significant effects have not been ruled out:</u><ul style="list-style-type: none"><li><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li><li><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></li><li><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></li><li><u>Monitoring of impacts to assess bird use over time</u></li></ul></li></ul>
--	--	---

# 4 Housing Allocations

Table MM309

Modification Reference	Page	Site Reference		
MM309	181	LP0659 Land rear off 302, Halifax Road, Todmorden		
		<p><b>Tracked Change</b></p> <table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th style="width: 50%; text-align: center;">Map - Local Plan Publication Draft</th> <th style="width: 50%; text-align: center;">Map - Modification</th> </tr> </thead> <tbody> <tr> <td style="text-align: center; vertical-align: top;">  <p style="text-align: center;">Site Area: 0.58 <u>0.61</u></p> </td> <td style="text-align: center; vertical-align: top;">  </td> </tr> </tbody> </table>	Map - Local Plan Publication Draft	Map - Modification
Map - Local Plan Publication Draft	Map - Modification			
 <p style="text-align: center;">Site Area: 0.58 <u>0.61</u></p>				


		<p>Indicative Developable Area: 0.48 <u>0.51</u></p> <p>Indicative Density: <del>36</del> <u>33</u></p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"> <li>- Fluvial and Pluvial Flood Risk.</li> <li>- Constrained access due to existing dwellings and topography</li> <li>- <del>Proximity to South Pennine Moors SPA/SAC/SSSI</del></li> <li>- <u>Site is within 2.5km of the SPA/SAC</u></li> <li>- Adjacent to River Calder - UK BAP Priority Habitat</li> <li>- Bats and otters</li> </ul> <p><b>Reports Required</b></p> <ul style="list-style-type: none"> <li>- Flood Risk Assessment, to include <del>consideration of layout and design:</del> <ul style="list-style-type: none"> <li>· <u>Flood risk hydraulic modelling</u></li> <li>· <u>Emergency Access and egress plans (to be provided to the LPA for consideration and agreement with the Council's emergency planners)</u></li> </ul> </li> <li>- <u>Specific consideration being given to impacts from historic flooding, such as recent flood events in Calderdale</u></li> <li>- <u>Specification for sites contained in flood zones 2 and 3 that any more or highly vulnerable uses may not be permitted on the ground floor</u></li> <li>- <u>Following a sequential approach to the layout of the site – i.e. locating development in areas of least flood risk</u></li> </ul>
--	--	--

## 4 Housing Allocations

		<ul style="list-style-type: none"><li>- Hydrological Assessment</li><li>- Transport Assessment (Access Design and topographical survey).</li><li>- <u>Ornithological Report informed by surveys undertaken according to "SPA Bird Survey Methodology" by West Yorkshire Ecology</u></li><li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li><li>- Habitat Regulations Assessment (<u>HRA</u>)</li></ul> <p><b>Site specific considerations:</b></p> <ul style="list-style-type: none"><li>- Provision of a 10m buffer adjacent to river planted with native trees and shrubs</li><li>- Prevent disturbance through light spillage</li><li>- Provision of SuDS through green and blue infrastructure</li><li>- Consider proximity to the industrial use to the south</li><li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li><li>- <u>Where likely significant effects have not been ruled out:</u><ul style="list-style-type: none"><li><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li><li><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></li><li><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></li><li><u>Monitoring of impacts to assess bird use over time</u></li></ul></li></ul>
--	--	---



Table MM310

Modification Reference	Page	Site Reference
MM310	182	LP0901 Land off, Woodlands Avenue, Todmorden
		<p data-bbox="582 416 2101 480"><b>Tracked Change</b></p> <p data-bbox="745 491 1178 520"><b>Map - Local Plan Publication Draft</b></p>  <p data-bbox="616 571 1308 1270">The map displays a site allocation outlined in red, situated between Woodlands Avenue and Stansfield Halt Junction. An indicative developable area is shown with a dotted pattern. Other features include a playground, El Ego Sta, and various residential plots. A legend in the bottom-left corner identifies the red outline as 'Site Allocation' and the dotted pattern as 'Indicative Developable Area'. Copyright information for Ordnance Survey is provided at the bottom of the map.</p>

## 4 Housing Allocations

	<p><b>Site removed from Local Plan</b></p> <p><del>Land off Woodlands Avenue, Todmorden</del></p> <p>Site area (Ha): 0.73</p> <p>Indicative developable site area: 0.32</p> <p>Indicative density (dph): 50</p> <p>Indicative capacity: 16</p> <p>Land type: Greenfield</p> <p>Ownership: Public</p> <p><b>Constraints</b></p> <ul style="list-style-type: none"><li><del>— Loss of Open Space.</del></li><li><del>— Lowland mixed deciduous woodland – UK BAP Priority Habitat</del></li><li><del>— Within consultation zone for South Pennine Moors SPA/SAC/SSSI</del></li><li><del>— Wildlife Habitat Network</del></li><li><del>— Noise from railway</del></li></ul> <p><b>Reports required</b></p> <ul style="list-style-type: none"><li><del>— Habitat Regulations Assessment</del></li><li><del>— Transport Statement</del></li><li><del>— Noise Impact Assessment</del></li></ul>
--	---



		<p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"><li><del>Remove Lowland Mixed Deciduous Woodland from Developable Area.</del></li><li><del>Provision of improved play area and flat kick about area on the adjacent site (LP0902).</del></li></ul> <p><del>Pedestrian access to the site should be provided through LP0901 to minimise the impact of moving the facilities to users approaching from the pedestrian railway bridge.</del></p> <ul style="list-style-type: none"><li><del>Provision of SuDS</del></li></ul>
--	--	---

## 4 Housing Allocations

Table MM311

Modification Reference	Page	Site Reference
MM311	183	<p data-bbox="616 363 1361 400">LP0914 Land Opposite 46-48 Hollins Road, Walsden</p> <p data-bbox="616 427 864 464"><b>Tracked Change</b></p> <p data-bbox="616 491 1061 528">Indicative density (dph): <del>45</del> <u>42</u></p> <p data-bbox="616 560 994 596">Indicative capacity: <del>46</del> <u>43</u></p> <p data-bbox="616 703 808 740"><b>Constraints:</b></p> <ul data-bbox="616 772 1877 1230" style="list-style-type: none"> <li>- Fluvial and Pluvial Flood Risk. (Walsden Water, Rochdale Canal and Woodbottom Drain)</li> <li>- Highway issues (gradient of the site and circuitous access road alignment required).</li> <li>- Possible land contamination.</li> <li>- Ecological Issues - Rochdale Canal (Wildlife Corridor).</li> <li>- Possible land contamination.</li> <li>- Heritage Assets - two listed structures (Canal Lock Gates).</li> <li>- <u>Site is within 2.5km of the SPA/SAC</u></li> </ul> <p data-bbox="616 1267 898 1303"><b>Reports Required:</b></p> <ul data-bbox="616 1335 981 1372" style="list-style-type: none"> <li>- Flood Risk Assessment.</li> </ul>

		<ul style="list-style-type: none"> <li>- Hydrological Assessment.</li> <li>- Transport Assessment and Travel Plan.</li> <li>- Topographic Survey.</li> <li>- <del>Ecological Impact Assessment to include bat survey.</del></li> <li>- Contaminated Land Report.</li> <li>- <u>Ornithological Report informed by surveys undertaken according to “SPA Bird Survey Methodology” by West Yorkshire Ecology</u></li> <li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li> <li>- Habitat Regulations Assessment (<u>HRA</u>)</li> </ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"> <li>- Provision of SuDS.</li> <li>- Provision of 10m buffer between site and canal which should be planted with native trees and shrubs.</li> <li>- Development of the site shall include provision for children.</li> <li>- <del>Consideration to recommendations provided within the HIA.</del></li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings</u></li> <li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li> <li>- <u>Where likely significant effects have not been ruled out:</u></li> </ul>
--	--	--

## 4 Housing Allocations

		<p><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></p> <p><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></p> <p><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></p> <p><u>Monitoring of impacts to assess bird use over time</u></p>
--	--	--

Table MM312

Modification Reference	Page	Site Reference
MM312	184	<p data-bbox="595 363 1151 400">LP1534 Birks Mill, Birks Lane, Walsden</p> <p data-bbox="595 427 842 464"><b>Tracked Change</b></p> <p data-bbox="595 491 775 528"><b>Constraints</b></p> <ul data-bbox="595 560 2074 1166" style="list-style-type: none"> <li>- Fluvial (Walsden Water) and Pluvial Flood Risk.</li> <li>- Unstable Land.</li> <li>- Possible Land Contamination.</li> <li>- Ecological Issues - Lowland mixed deciduous woodland (UK BAP Priority habitat), Rochdale Canal and specific species such as otters, bats and birds.</li> <li>- Birks Mill and Birks House - non designated heritage asset.</li> <li>- <u>Grade II Listed Bridge over Rochdale Canal and Grade II Rochdale Canal Lock 28: Birks Mill Lock</u></li> <li>- <u>Site is located within a groundwater Source Protection Zone 1 (SPZ1) for groundwater abstraction that is used for drinking water needs</u></li> <li>- <u>Site is within 2.5km of the SPA/SAC</u></li> </ul> <p data-bbox="595 1206 864 1243"><b>Reports Required</b></p> <ul data-bbox="595 1278 981 1382" style="list-style-type: none"> <li>- Flood Risk Assessment.</li> <li>- Hydrological Assessment.</li> </ul>


## 4 Housing Allocations

	<ul style="list-style-type: none"><li>- <u>Hydrogeological (groundwater) Risk Assessment that identifies potential risks to groundwater from the development and identifies mitigation measures</u></li><li>- Transport Assessment.</li><li>- Bat and otter surveys.</li><li>- <del>Habitat Regulations Assessment/Ecological Impact Assessment.</del></li><li>- <u>Ornithological Report informed by surveys undertaken according to “SPA Bird Survey Methodology” by West Yorkshire Ecology</u></li><li>- <u>Ecological Impact Assessment to include a detailed assessment of the impacts on SPA/SAC</u></li><li>- <u>Habitat Regulations Assessment (HRA)</u></li><li>- Land Stability Report.</li><li>- Land Contamination Assessment</li><li>- <u>Landscape Impact Assessment</u></li></ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"><li>- Provision of SuDS.</li><li>- Signage would be needed at the bridge over Birks Mill Lock to give priority to traffic approaching the site from the A6033.</li><li>- Native tree and shrub planting in area outside developable area.</li><li>- Bat sensitive lighting scheme.</li></ul>
--	--

		<ul style="list-style-type: none"> <li>- Provision of a 10m buffer between site and canal which should be planted with native trees and shrubs.</li> <li>- Removal of lowland mixed deciduous woodland (UK BAP Priority habitat) from developable area.</li> <li>- <u>Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.</u></li> <li>- Careful consideration will be required in terms of the relationship of new development to the canal, together with scale, layout, design and materials.</li> <li>- <u>Implementation of mitigation measures identified in the hydrogeological (groundwater) risk assessment.</u></li> <li>- <u>Ensure that adverse effects on the integrity of the SPA and SAC are avoided.</u></li> <li>- <u>Where likely significant effects have not been ruled out:</u> <ul style="list-style-type: none"> <li><u>Appropriate avoidance and/or mitigation measures to address any identified impacts from the Ecological Impact Assessment in line with GN3 including mitigation for recreational disturbance through the provision of appropriate recreational green space where appropriate.</u></li> <li><u>Provision of equivalent or greater quantity and quality of replacement habitat on- site (or as a last resort off site within 2.5km) with improved management to ensure use by SPA birds</u></li> <li><u>Timing of works (construction, operation and decommissioning) outside the period most frequently used by SPA birds</u></li> <li><u>Monitoring of impacts to assess bird use over time</u></li> </ul> </li> </ul>
--	--	---

# 4 Housing Allocations

Table MM313

Modification Reference	Page	Site Reference
MM313	185	<p data-bbox="616 368 1346 400">LP1637 Land in front of Bradnor House, Todmorden</p> <p data-bbox="616 427 864 464"><b>Tracked Change</b></p> <p data-bbox="770 491 1200 523"><b>Map - Local Plan Publication Draft</b></p>  <p data-bbox="616 1337 1066 1369"><b>Site removed from Local Plan</b></p>



		<p><b>LP1637 Land in front of Bradnor House, Todmorden</b></p> <p>Site area (ha): 0.66</p> <p>Indicative developable area: 0.55</p> <p>Indicative density (dph): 45</p> <p>Indicative capacity: 25</p> <p>Land Type: Greenfield</p> <p>Ownership: Private</p> <p><b>Constraints:</b></p> <ul style="list-style-type: none"> <li>- Possible Contaminated Land</li> <li>- Third Party Land</li> <li>- Proximity Kiln Clough watercourse</li> <li>- Potential to increase surface water flooding</li> <li>- Historical land drainage</li> <li>- 1.5km to South Pennine Moors SPA/SAC/SSSI</li> <li>- Lowland mixed deciduous woodland — UK BAP Priority Habitat</li> </ul> <p><b>Reports Required</b></p> <ul style="list-style-type: none"> <li>- Contaminated Land Assessment</li> <li>- Habitats Regulations Assessment</li> </ul>
--	--	--


## 4 Housing Allocations

	<ul style="list-style-type: none"><li>- Flood Risk Assessment</li><li>- Hydrological Assessment, including historical flooding events</li><li>- Third Party Land control</li><li>- Transport Statement to include details of widening and/or passing places as well as safe pedestrian routes</li></ul> <p><b>Site Specific Considerations</b></p> <ul style="list-style-type: none"><li>- Provision of SuDS through green and blue infrastructure</li><li>- Open Space Enhancement</li><li>- Removal of Lowland Mixed Deciduous Woodland from the indicative capacity</li><li>- Trees to the boundaries should be retained (wherever possible) and dwellings should be of an appropriate height (two storeys)</li><li>- Third party land agreements need to be confirmed (negotiations underway) for access to the site to be possible</li></ul>
--	---



# 5 Minerals Sites

Table MM314

Modification Reference	Page	Para/Table/Box/Policy	Tracked change	Reason
MM314	186	MS2  <u>MLP29</u>	<p><u>MLP 29 Pasture House Quarry site a</u></p> <p style="text-align: center;"><b>Map - Modification</b></p>  <p><u>Site Area 11.1ha</u></p>	Update

**Site Specific Constraints:**

- Green Belt
- Site overlies Grade 4 agricultural land
- Proximity of Residential Properties
- Historic Assets
- Public Rights of Way

**Site Specific Considerations:**


- Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.
- Ensure that where working impacts on Public Rights of Way Brighthouse 29 and Brighthouse 37 appropriate diversions are put in place
- Implementation of measures to mitigate impacts on any nearby residential properties

**Reports Required:**

- Heritage Statement
- Landscape Impact Assessment
- Noise Report
- Dust Report
- Restoration Strategy
- Transport Statement

## 5 Minerals Sites

Table MM315

Modification Reference	Page	Para/Table/Box/Policy	Tracked change	Reason
MM315	187	MS2  <u>MLP30</u>	<p><b><u>Site number MLP30 Pasture House Quarry Site b</u></b></p> <p><b>Map - Modification</b></p>  <p><u>Site Area 4.5ha</u></p> <p><u>Indicative Developable Area 2.25ha</u></p>	Update

### **Site Specific Constraints:**

- Green Belt
- Site overlies Grade 4 agricultural land
- Proximity of Residential Properties
- Historic Assets
- Public Rights of Way

### **Site Specific Considerations:**


- Implementation of the recommendations provided in the Heritage Impact Assessment or other suitable mitigation measures agreed by the Local Planning Authority to avoid or minimise the impact on the significance of heritage assets and their settings.
- Ensure the mineral workings do not restrict the Brighthouse 036 and 037 Public Rights of Way that run along the southern and eastern boundary of the site
- Implementation of measures to mitigate impacts on any nearby residential properties

### **Reports Required:**

- Heritage Statement
- Landscape Impact Assessment
- Noise Report
- Dust Report
- Restoration Strategy
- Transport Statement

## 6 Waste Sites

Table MM316


Modification Reference	Page	Para/Table/Box/Policy	Tracked change	Reason
MM316	200	WA2  <u>W1</u>	<p><b><u>W1 Bacup Road Sharneyford, Todmorden</u></b></p> <p>Map - Modification</p>  <p><u>Site Area: 3.15ha</u></p> <p><u>Indicative Developable Site Area: 1.48ha</u></p>	Update



		<p><b><u>Site Specific Constraints:</u></b></p> <ul style="list-style-type: none"><li>● <u>Special Landscape Area</u></li><li>● <u>Area Around Todmorden</u></li><li>● <u>Calderdale Wildlife Habitat Network</u></li><li>● <u>Local Geological Site</u></li></ul> <p><b><u>Site Specific Considerations:</u></b></p> <ul style="list-style-type: none"><li>● <u>Native trees and shrubs to be planted along the northern and western boundary.</u></li></ul> <p><b><u>Site Specific Reports:</u></b></p> <ul style="list-style-type: none"><li>● <u>Landscape Impact Assessment</u></li><li>● <u>Ecological Impact Assessment</u></li><li>● <u>Geological Impact Assessment</u></li></ul>	
--	--	--	--

## 6 Waste Sites

Table MM318

Modification Reference	Page	Para/Table/ Box/Policy	Tracked change	Reason
MM318	200	WA2  <u>W2</u>	<p><b>Site Number W3</b></p> <p><u>W2 Atlas Mill Road</u></p> <p><b>Map - Modification</b></p>  <p>The map shows a site boundary outlined in red and a hatched developable area. The site is located near Atlas Mill Road. A key in the bottom right corner identifies the red outline as the 'Site Boundary' and the hatched area as the 'Developable Area'.</p>	Update

Site Area:2.08ha

Indicative Developable Site Area: 0.8ha

**Constraints:**

- Local Wildlife site Calder and Hebble Navigation to the North of the Site
- Flood Risk
- Grade II Ganny Lock
- Potential Contaminated Land

**Site Specific Considerations:**

- Retention of existing Tree Belt surrounding developable area to mitigate Heritage Impact
- Implement 10m buffer zone between developable area and the tree belt
- Access Road is within Flood Risk Zone 3

**Reports:**


- Flood Risk Assessment
- Heritage Impact Assessment
- Ecological Impact Assessment
- Transport Assessment
- Protected Species Survey
- Contaminated land Survey

## 6 Waste Sites

Table MM319

Modification Reference	Page	Para/Table/ Box/Policy	Tracked change	Reason
MM319	200	WA2  <u>W3</u>	<del>Site Number W4</del>  <u>Site W3 North of Holmfield Industrial Estate (part of New Employment Site LP1219)</u>	Update

Map - Modification



Site Area: 6.85ha

Indicative Developable Site Area: Site W4 is proposed as a New Employment Site, site ref LP1219. It is expected that a waste facility would only occupy part of the site, and not the entire site.

Constraints:

Access dependent on adjacent site development

Potential surface water and pluvial flooding

UK BAP Priority Habitat

•

Reports required:

## 6 Waste Sites

			<p><u>Flood Risk Assessment</u> <u>Site investigation (flooding)</u> <u>Habitats Regulations Assessment</u> <u>Transport Assessment</u></p> <p><u>Site Specific Considerations:</u></p> <p><u>Comprehensive planning of design and layout required with other development sites</u> <u>Possible provision of SuDS</u></p>	
--	--	--	---	--

			<ul style="list-style-type: none"><li>• <u>Defence line of the water courses and flood resilience &amp; resistance</u></li><li>• <u>Provide a minimum stand off from the Strines beck of 10m. Augment the habitat corridor by including flood water attenuation wetlands linked to the beck corridor with</u></li><li>• <u>Invert levels set to retain at least 100mm of water. Plant with rich fen habitat.</u></li><li>• <u>Site requires masterplanning in accordance with Policy IM7.</u></li></ul>	
--	--	--	---	--